

SUBJECT INDEX

300M steel, 158

A

AISI 441, 158

Alloy 718, 511

Aluminum alloys, 174, 234, 271

ASTM E 647, 244

ASTM E 1457, 23, 115, 321

ASTM E 1820, 390, 511

ASTM E 1921, 445, 457

Austenitic stainless steel, 23, 71, 102, 115

B

Behavior model, 168

Biaxial loading, 295

Brittle crack initiation, 485

Brittle fracture, 343

BS 7910, 54

C

Carbon fiber reinforced polymer-concrete, 407

Carbon-manganese steel, 23, 43, 115

Carbon steel, 234

Charpy testing, 374, 445

Cleavage fracture, 445

Code of Practice, 23, 115

Compact tension specimen, 23, 43, 321

miniature, 374

Constraint effects, 295, 357

Constraint factor, 137

Corrosion cracking, 281

Corrosion fatigue, 271

Crack arrest, 485

Crack closure, 115, 195, 244

Crack extension

ductile, 309

resistance, 457

Crack growth

corrections, 390

creep, 3, 23, 43, 71, 93, 102, 115, 321

fatigue, 234, 244

rate, 43, 71, 256

Crack initiation, 148

creep, 23, 115

high-temperature, 81

Type IV, 93

Crack mouth opening displacement, 321

Crack propagation, 256

dynamic, 469

Cracked tube, 256

Crack tip, 309

Creep, 43, 54, 81, 93

deformation, 3

ductility, 102

structure, 93

Creep fracture parameter, 3, 23, 43, 102, 115, 321

Creep properties, uniaxial, 102

Creep stress relaxation rate, 54

CRETE, 23

Cyclic large strain, 195

Cyclic loading, 225, 407

Cyclic stress-strain diagram, 148

Cyclic temperature fluctuation, 225

D

Data scatter, 425

Defect shape, 137

Differential thermography, 225

Double edge notch specimen, 321

Ductile fracture, 343, 374

Ductile tearing initiation, 374

Ductile-to-brittle transition, 457

Dynamic fracture, 485

Dynamic tear energies, 445

E

Earthquakes, 195

Edge crack, 185

Elastic-plastic-creep analysis, 43, 54
 Elastic-plastic fracture, 321, 390
 Elastic T -stress, 295
 Embedded elliptical crack, 295
 Elasto-viscoplastic behavior, 168
 EN 1.4509, 168
 Eta factor, 321

F

Failure assessment, 357
 Fatigue crack , 225, 256
 growth, 244
 nucleation, 158
 Fatigue damage, 148
 Fatigue life, 158
 Fatigue limit, 195
 Fatigue strength, 147, 195
 Fatigue thresholds, 137
 Ferritic stainless steel, 168
 Finite element analysis, 43, 81, 93, 185, 206,
 321, 469, 485
 three-dimensional, 295
 Fracture, 81, 407
 Type IV, 93
 Fracture mechanics, 3, 23, 43, 115, 185, 234,
 445, 485
 linear, 195
 Fracture toughness, 357, 425, 445, 457
 dynamic, 485, 511
 measurement, 374
 Fretting fatigue, 174, 185
 Functionally graded materials, 309

G

Genetic algorithm, 234
 Geometry effects, 390
 Glass fiber reinforced polymer-concrete, 407

H

Heat affected zone, 93

High Cr heat resisting steel, 93
 High strength low alloy steel, 445, 485
 High temperature, 43
 redistribution of residual stresses, 54
 structural integrity assessment, 3
 Holistic models, 185

I

Incubation period, 3
 Inhomogeneities, 137
 Isochromatics, 309

J

J -integral, 374, 390
 J - Q theory, 357
 J - R curve, 357, 374

K

Kitagawa diagram, 137

L

Least square fitting method, 71
 Life prediction, 174
 Lifetime assessment, 3
 Linear elastic fracture mechanics, 256, 469
 Loss of constraint, 374
 Low cycle fatigue, 148
 Lüder band, 148

M

Master Curve, 425, 457
 Maximum energy release rate, 469
 Mean value method, 71
 Mesh-insensitive structural stress method, 206
 Microcracks, 81
 Micro-notches, 137
 Microstructure, 271
 Modified Gough's ellipse, 206
 Monte Carlo simulation, 71

Multiaxial fatigue, 43, 206

N

Nickel base superalloy, 81

Node releasing, 469

Nondestructive evaluation, 158

Normalization method, 390, 511

O

Orange peel, 148

Overload, 54

P

Photo-emission, 225

Pipe, 43, 357

Pitting corrosion, 271

Plastic deformation, 195

Plastic zone, 225

Polytetrafluoroethylene, 390

Pop-in behavior, 390

Positron annihilation, 158

Potential, applied, 281

Potential drop, 256

Pre-crack, 195

Pressure vessel steels, 457

Pressurized water reactor, 256, 374, 425

Probabilistic methods, 71, 102

Process zone, 225

R

R6, 54

Reference stress, 43

Reference temperature, 445

Redistribution, 54

Residual stress, 3, 54

Resistance curve, 457

S

Scanning electron microscopy, 271

Seismic loading, 195

Sensitivity analysis, 54

Side grooves, 390

Simulation, 234

Single contoured cantilever beam, 407

Single crystal materials, 81

Single edge notched specimens, 321, 357, 485

Specimen geometry, 115, 256, 321

Static fracture mode, 234

Strain energy density, 469

Stress corrosion cracking testing, 281

Stress fields, asymptotic, 309

Stress intensity equation, 256

Stress intensity factors, 54, 295

Mode I, 185

threshold range, 234

Structural hollow section, 343

Structural integrity assessment, high
temperature, 3

Structural stress parameter, 206

Surface condition, 148

Surface diffusion, 81

Surface roughness, 407

T

Thermoelasticity, 225

Thermomechanical fatigue, 168

Thermomechanical loading, 309

Titanium alloys, 174, 234

T-plate, 54

Transition curve shape, 457

Transition regime, 425

Tubular T-joint, 54

Type IV fracture, 93

U

Uniaxial loading, 295

W

Welded joint, 3, 93, 195, 206, 343

Work hardening, 374

X

X80 steel, 357

X-joint, 343

Z

Zirconium alloy, 281