

Subject Index

A

- AA7072 clad AA3003 alloy, 83
- Acute Lethal Dose (LD₅₀), PG antifreeze and SCAs, 149
- Alkalinity, reserve
 - depletion by glycol degradation, 234
 - oxalic acid cleaning effects, 190
 - test strips for, 165
 - in used coolant, statistical analysis, 234
- Aluminum
 - corrosion protection of heat transfer surfaces, 11
 - protection with phosphate-molybdate SCAs, 128
 - radiators, sebacic acid coolant effects, 63
- Aluminum alloys
 - carboxylic-acid corrosion inhibitors, 44
 - radiators, corrosion testing, 83
- Antifreeze, *see* Coolant/antifreeze formulations
- ASTM standards
 - D 1121: 234
 - D 1287: 234
 - D 1384: 11, 44, 63, 83, 128, 248, 276
 - D 2272: 258
 - D 2570: 248, 276
 - D 2809: 44, 276
 - D 2847: 63, 190
 - D 3306: 25, 44, 128, 190, 276
 - D 4340: 11, 25, 44, 63, 248, 276
 - D 4985: 25, 289
 - G 85: 83
 - standards under development, 289
- Automotive radiators, *see* Radiators

B

- Bench tests, for comparative coolant studies, 25
- Biodegradability, ethylene and propylene glycols, 149
- Borate conditioning, 190

C

- Calcium-iron-phosphate complexes on seal faces, 205
- Carboxylic acid
 - cooling formulation, 25
 - corrosion inhibitors, 44
- Cavitation corrosion
 - cylinder liners, 165
 - diesel cylinder liners, 107
 - heavy duty engines, 289
 - history of, 6
 - phosphate-molybdate SCAs for diesel engines, 128
 - theories of, 107
- Centrifugation, of coolants, 276
- CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act), 149
- Chloride, test strips for, 165
- Clean Air Act Amendment of 1990, 149
- Closed-loop coolant flushing system, 248
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 149
- Contaminants
 - in engine coolants, 149
 - removal with multi-stage purification process, 258
- Coolant/antifreeze formulations
 - carboxylic acid corrosion inhibitors in, 44
 - comparative, fleet test of, 25
 - heavy duty, 248, 289
 - ICP and LA-ICP applications, 180
 - LD₅₀ of PG antifreeze and SCAs, 149
 - life extension of, 248, 276
 - light duty, 248
 - SCA effects, 128
 - and sealing performance, 215
 - silicate-based, 44
 - test methods, 289
- Coolant pumps, *see also* Water pumps
 - bench test for, 25
 - failure, fleet tests, 25

Coolant toxicity, *see* Toxicity
 Cooling systems
 design history, 6
 oxalic acid cleaning, 190
 Copper, deposition on sealing surfaces, 215
 Corrosion inhibitors
 carboxylic acid, 25, 44
 and coolant life extension, 248
 coolant recycling processes evaluation, 276
 history of requirements for, 6
 oxalic acid cleaning effects, 190
 phosphate-molybdate SCAs, 128
 removal with multi-stage purification process, 258
 and seal performance, 215
 sebacic acid extended life coolant, 63
 traditional, pump failure and, 25
 in used coolant, statistical analysis, 234
 Corrosion protection, aluminum surfaces, 11
 Corrosion testing, radiators
 aluminum alloys, 83
 electrochemical methods for, 83
 Cylinder heads, design history, 6
 Cylinder liners cavitation protection
 diesel engines, 107
 pitting, 107
 test strips for, 165

D

1,10-Decanedioic combination coolants, 44
 Degradation acids, in used coolant, 234
 Deionization, of coolants, 276
 Depletion rates, sebacic acid and silicate phosphate coolants, 63
 Diacids, monoacid/diacid inhibitors, 11
 Dibenzothiazyl disulfide deposition, 215
 Diesel engines
 coolant technology update, 289
 cylinder liners, cavitation corrosion, 107, 128, 289
 phosphate-molybdate SCAs, 128
 water pump seal deposits, 205
 Diethylene glycol, in used coolant, statistical analysis, 234
 Disposal, coolants and additives, 149
 Dual-bed deionization-based multi-stage coolant purification, 258
 Dynamometer test method, 6

E

Electrochemical corrosion testing, radiator materials, 83

Electron spectroscopy for chemical analysis, comparison with LA-ICP sample analysis, 180
 Environmental concerns, toxicity and disposal of coolants, 149
 Environmental Protection Agency, hazardous waste characterization guidelines, 234
 EP Tox (extraction procedure toxicity test), 234
 Ethylene glycol
 biodegradability, 149
 toxicity and disposal, 149
 in used coolant, statistical analysis, 234
 Ethylene glycol coolants, history of, 6
 2-Ethylhexanoic acid coolants, 44
 Extended life coolants
 disposal, 149
 sebacic acid inhibitor technology, 63
 Extraction procedure toxicity test (EP Tox), 234

F

Face deposits, water pump, 205
 Ferrous oxalate, formation chemistry, 190
 Filling, of coolants, 248
 Filtration, of coolants, 248, 276
 Filtration-flocculation-coagulation, of coolants, 276
 Fleet tests
 carboxylic acid coolants, 44
 coolant pump failure, 25
 oxalic acid cleaning carryover effects, 190
 sebacic acid coolants, 63
 silicate phosphate coolants, 63
 Flushing, of coolants, 248
 Fourier transform infrared spectrometry, protective films, 11
 Freezepoint, test strips for, 165
 FTIR, *see* Fourier transform infrared spectrometry
 FVV Test (German), 128

G

Gas chromatography, carboxylic-acid corrosion inhibitors, 4
 German FVV Test, 128
 GM 1825M coolants, 276
 GM 6038M coolants, 25, 149
 GM 6043M coolants, 44

H

- Hard water, effects on pump seals, 205
- Hazardous waste
 - determination in used coolant, 234
 - EPA characterization guidelines, 234
 - management, 149
 - in multi-stage purified coolant, 258
- Heater cores, sebacic acid coolant effects, 63
- Heat-exchange surfaces
 - aluminum, corrosion protection, 11
 - scaling, 289
- Heavy duty diesel engines, *see* Diesel engines
- Heavy metals
 - removal with multi-stage purification process, 258
 - in used coolant, statistical analysis, 234
- High lead solder alloys, carboxylic-acid corrosion inhibitors, 44

I

- ICP, *see* Inductively coupled plasma emission spectroscopy
- Inductively coupled plasma emission spectroscopy
 - carboxylic-acid corrosion inhibitors, 44
 - for coolant systems, 180
- Inhibitor depletion
 - high silicate alkaline phosphate coolant, 63
 - sebacic acid coolant, 63
- Ion chromatography, carboxylic-acid corrosion inhibitors, 44
- Ion exchange, multi-stage coolant purification using, 258
- Iron
 - deposition on sealing surfaces, 215
 - effects on water pump seals, 205
- Iron oxalate, formation chemistry, 190

K

- K805 cladding, 83

L

- LA-ICP, *see* Laser ablation inductively coupled plasma emission spectroscopy
- Laser ablation inductively coupled plasma emission spectroscopy, 180
- Lead
 - in multi-stage purified coolant, 258
 - in used coolant, statistical analysis, 234

- Lead solder alloys, carboxylic-acid corrosion inhibitors, 44
- Lethal dose 50, PG antifreeze and SCAs, 149
- Life extension, of coolants, 248, 276
- Light duty vehicles, coolant life extension, 248
- Liner pitting
 - of diesel cylinders, 107, 128
 - heavy duty engines, 289
 - test strips for, 165
- Long life coolants
 - carboxylic acid, 25
 - disposal, 149
 - and seal performance, 215

M

- Maintenance, of coolants, 248, 289
- Mercaptobenzothiazole, test strips for, 165
- Microscopy, protective films, 11
- Monoacid/diacid inhibitors, 11
- Multi-stage process, for coolant purification, 258

O

- Octanoic acid coolants, 44
- Off-site coolant recycling, 276, 289
- On-site analyses, test strips for, 165
- On-site coolant recycling, 276
- Oxalic acid cleaning, chemistry of, 190
- Oxygen, and inhibitor solidification, 215

P

- PG antifreeze, LD₅₀, 149
- pH
 - oxalic acid cleaning effects, 190
 - test strips for, 165
 - in used coolant, statistical analysis, 234
- Phosphate-molybdate SCAs, for diesel engines, 128
- Phosphorus, deposition on sealing surfaces, 215
- POTWs (publicly owned waste treatment works), 149
- Propylene glycol
 - biodegradability, 149
 - toxicity and disposal, 149
 - in used coolant, statistical analysis, 234
- Protective films, analysis, microscopy and FTIR, 11
- Publicly owned waste treatment works (POTWs), 149

R

Radiators
 aluminum, sebacic acid coolant effects, 63
 aluminum alloy, corrosion testing, 83
 deposits, ICP spectroscopy for, 180
Radiator solder corrosion, history of, 6
RCRA (Resource Conservation and Recovery Act), 149
Recycling
 coolant life extension and, 248
 multi-stage process with dual-bed deionization, 258
 off-site, 276, 289
 on-site, 276
 processes, evaluation, 276
 regulations for coolants, 149
 technology update, 289
Regulatory issues, coolant toxicity and disposal, 149
Reserve alkalinity
 depletion by glycol degradation, 234
 oxalic acid cleaning effects, 190
 test strips for, 165
 in used coolant, statistical analysis, 234
Resource Conservation and Recovery Act (RCRA), 149
Reverse osmosis recycling processes, 276
“Right to Know” laws, Federal, 149

S

Scaling
 heat transfer surfaces, 289
Scanning auger microprobe/energy dispersive
 X-ray, comparison with LA-ICP sample analysis, 180
Scanning electron microscopy/energy dispersive x-ray, comparison with LA-ICP sample analysis, 180
SCAs, *see* Supplement coolant additives
Sebacic acid coolants, 63
Silicate-based coolants, 44
Silicate deposits, high-temperature-related, 215
Silicate gelation, phosphate-molybdate SCA effects, 128

Silicate phosphate coolants
 depletion rates, 63
 fleet tests, 63
Sodium tolyltriazole coolants, 44
Solder bloom
 in heavy duty engines, 289
 phosphate-molybdate SCA effects, 128
Solidified silicates, 215
Statistical analyses, used coolant characterization, 234
Superfund Amendment Reauthorization Act Title III, 258
Supplement coolant additives
 coolant life extension with, 248
 in diesel engines, 107, 128
 LD₅₀ data, 149
 overtreatment effects, 107
 phosphate-molybdate, 128
 SWAAT test, method G43, 83

T

Test strips, for on-site analyses, 165
Tolyltriazole coolants, 44
Toxicity
 borate-nitrate SCAs, 128
 coolants and additives, 149
 phosphate-molybdate SCAs, 128

V

Vacuum distillation recycling processes, 276

W

Water pumps, *see also* Coolant pumps
 failure
 coolant composition and, 215
 fleet tests, 25
 leakage, phosphate-molybdate SCA effects, 128
 seals
 and coolant composition, 215
 deposit compositions, 205
 in heavy duty applications, 289
 LA-ICP for, 180
Wavelength dispersive spectroscopy, pump face seal deposits, 205