

Subject Index

A

Acenaphthylenes, 15
 biphenyl, 16
 Acetone in determining field-ionization sensitivities for saturated hydrocarbons, 49
 Alcohols, cyclic, 25
 Algal materials, 82, 90 (*see also* Kerogens)
 degradation, 104
 fresh water, 94
 Alginates, recent, 81
 Aliphatic acids, 32
 carboxylic, 94
 Aliphatic compounds, 51, 90-91
 Aliphatic hydrocarbon spectra, 102
 Alkadienes, 84-85, 87-88
 Alkanes
 n-alkenes, 51-52, 55-79, 85
 in Paraho shale oil naphtha, 9, 25
 cyclic 8, 16
 normal, 7
 Alkenes, 84
 n-alkenes, 85
 in Paraho shale oil naphtha, 8, 16
 cyclic, 23
 Alkylbenzenes, 19
 Alkyl-carbon dependence, 67
 American Petroleum Institute (API),
 60 nonaqueous ion-exchange method, 28
 Amide/pyridine 3 (AM/P3), 39-40, 41-47
 Asphaltene fractions, 28
 ASTM Committee E-14 on Mass Spectrometry, 6
 ASTM 70-eV EI/MS group-type method, 72-73, 76
 ASTM Standard, D 2786: 50, 53, 54, 76-78
 Azaaromatics, 30, 35

B

Benzene, 19
 Benzoic acids, 31-32
 Benzothiophene, 19, 25
 Bicyclo(4.3.0.)nonane, 68-69, 70
 Biomarkers, 18, 121-124, 135-138
 Bitumen, 125, 136-138
Botryococcus braunii, 84-104
 Botryococcus rubber (BOR), 82-104

C

Carbon disulfide, 107
 Carbon isotope ratios, stable, 135
 Carbon number range, 70-72, 74, 76-79
 ratioing, 134-135
 Chemiluminescence detection, 39
 Chromatography
 absorption liquid, 137
 gas, 54-55
 gas/flame-ionization detection (GC/FID), 53, 76-79
 gas/mass spectrometry, 5
 improvements in, 137-138
 pyrolysis gas (Py-GC), 82
 silica gel and basic/neutral alumina adsorption, 39, 42
 Coal
 subbituminous, 104
 vitrinite-rich low rank, 102-104
 Coorongite (COO), 82-104
 Cycloalkanes, 51-52, 55-79
 Cyclohexane, 116, 118

D

Decalins, 56, 58-79
 Diesel fuel marine, 39, 45
 Dimerization, 44
 Dimethoxybenzaldehydes, 15, 17
 Discriminant analysis, 84, 97-104

E

Electron-impact mass spectrometry (EI/MS), 50-51, 59, 72-79
Epimers, 137

fossil, 50, 121-122, 126
jet, 39, 41, 44
maturation, 121, 125-126, 137
migration, 121, 137

F

Feedstock composition, 37
Field ionization, synfuel analysis with, 47
Field ionization (FI) mass spectrometry
 of acid and base fractions, 31-37
 of saturated hydrocarbons, 50, 54, 69-79
Field ionization sensitivities for saturated hydrocarbons, 49
Fischer assay oil shale pyrolysis gas samples, 115-116, 118
Flame-ionization detection/gas chromatography (FID/GC), 53, 76-79
Flame-ionization detector (FID) gas chromatogram, 7
Fluorenes, 15
Fractionation, 39, 40-41, 44
Fractions, oil
 acid, 27, 29, 31-32
 base, 27, 30, 33-37
 neutral, 30
 nitrogen, 39
Fragmentation, 51
 hopane, 123
Fuel products
 fractionation, 39, 40-41
 mass spectrometric analysis, 42
 compared with titration analysis, 42-45
 potentiometric titration, 40-41
Fuels
 biodegradation, 122, 129-133
 diesel, 39, 45

G

Gas analysis, on-line, 106
Gas chromatographic analysis
 pyrolysis (Py-GC), 82
 of saturated hydrocarbons, 54-55
Gas chromatographic/flame-ionization detection (GC-FID), 53, 76-79
Gas chromatographic/mass spectrometric (GC/MS) analysis
 improvements, 137-138
 of Paraho shale oil, 5
Gas samples, 115-116, 118
Gasoline, 39
GCK (automatic quantitation procedure), 10-15, 19-25
Grab sample techniques, 114-116, 118
Gram sensitivities, 57-59
Green River oil shale, 27, 39
 kerogen, 82-104
 Mahogany Zone, 108

H

Heterocarbon fragments, 23
Homohopanes, 124-126, 138
Hopanes, 122-125, 132
Hydrocarbons
 aliphatic, 90-91
 aromatic, 31, 50-51, 66, 72, 91
 isoprenoid, 75-7, 88-89
 saturated, 49
 steroid, 133-136
Hydrogen sulfide, 107
Hydrogen/carbon ratio, 135

I

Ion detection, multiple, 6
 Ion intensities, molecular, 51, 72
 distribution, 46
 of kerogens, 90-96
 Ion scans, daughter, 109, 114, 117
 Indanes, 19, 21
 Indenes, 22
 Indoles, 25
 Isomers
 2-methyl, 7
 structural, 82
 Isoprenoid hydrocarbons, 75-77,
 88-89, 102
 Isopropanethiol, 115, 118

J

Jet fuel, 39, 41, 44

K

Kentucky oil shale, 27, 115-116
 Kerogens, key world oil shale, 81
 Ketones, 25
 Kukersite kerogen, 82-104

L

Lignins, 91
 Lignite, 103-104
 Linear regression analysis, 67-68

M

Magnet, fast scanning laminated,
 137-138
 Magnetic scanning multiple ion de-
 tection (MID), 138

Mass spectral analysis (*see also* Gas
 chromatographic/mass spec-
 trometric analysis)
 of acid/base shale oil fractions, 27
 collisionally activated dissociation
 (CAD), 109, 110
 of fuel products, 42-45, 46-47
 of hydroprocessed shale oil prod-
 ucts, 38
 normal scans, 110
 petroleum exploration and, 121
 pyrolysis, 81
 integrated mode, 83-84
 time-resolved mode, 84, 90-92
 Mass spectrometry/mass spectrome-
 try (MS/MS), triple quadru-
 pole, 106
 Messel shale kerogen, 82-104
 Methoxyphenols, 15, 17
 Mole sensitivities, 55-56, 64, 67-68
 Molecular weight and gram sensi-
 tivity, 59-65
 Multiple array processor (MAP),
 122, 130, 132
 Multivariate analysis, 81, 84
 computerized, 97

N

Naphtha, Paraho shale oil, 7-9, 14-
 19
 quantitation, 10-15, 19-25
 Naphthalenes, 7-9
 National Institute for Occupational
 Safety and Health (NIOSH)
 permissible exposure limits,
 107
 Nitrogen-containing compounds
 in shale oil acid and base fractions,
 35-37
 in hydroprocessed shale oil prod-
 ucts, 38
 NORMA program, 84

O

On-line monitoring (*see* Gas analysis, on-line)

Oxygen-containing compounds, 34-37, 94, 97

P

Pachysphaera, 94

Paraho direct heat process, 39

Paraho oil shale, 5

Pentacyclic triterpanes, 122

Perhydranthracene/perhydropentanthrene, 59, 63-79

Perhydrofluorene, 56, 58

Petroleum exploration, 121

Phenanthrene, 18, 19

Phenols, 18, 19, 23, 25

in eastern shale oil, 31-32

polynuclear aromatic, 31

Pollutants, atmospheric, 107

Polymerization, 44, 47, 87

oxidative products, 104

Potentiometric titration of hydroprocessed shale oil products, 38

Preasphaltene, 28-29

Pyridines, 23, 25

pyridine 1 (P1), 42, 44-47

pyridine 2 (P2), 39-40, 41-47

Pyrolysis mass spectrometry, 81

integrated mode, 83-84

time-integrated mode, 84, 90-96

Pyrrole (PYR), 39-40, 41-47

Pyrrole/arylamine (PYR/AR), 39-40, 41-47

Q

Quinoline compounds, 42

R

Residuum, 39

Rocky Mountain Overthrust Belt, 127-128

S

Saturates, 49

Shale oil

acid and base fractions, 27

California crude, 134

Cambrian, 133

Cretaceous, 122, 127-128

crude, 39

eastern, 27

Fischer assay gas samples, 115-116, 118

Green River, 27, 39, 82-104, 108

hydroprocessed products, 38

immature, 122-124

key world kerogens, 81

Kingak, 135-136

Kuparuk River oil, 135

mass spectrometry of products, 38

Paraho

GC/MS analysis, 5

nitrogen- and oxygen-containing species, 25

Phosphoria, 125

Post Neocomian, 135

potentiometric titration of products, 38

processing, 106

problems, 109

Prudhoe Bay Field, 134-135, 136

pyrolysate gases, 112, 118

Sag River, 135

saturates analysis, 49

separation techniques, 28-29

Shublik, 135-136

trace sulfur compounds from processing, 106

western, 27, 115

Statistical Package for the Social Sciences (SPSS), 84

Sterane stereoisomers, 125-129, 130, 133-134, 137

fragmentation, 129

Stereochemical evolution, 125-126

Steric hindrance, 40-41

Styrenes, 19, 21
 Sulfur compounds, trace, 106
 corrosive effects, 107-108
 detection and analysis, 110-119
 production and removal, 108-109
 Sulfur dioxide, 107
 Synfuel analysis, 47

T

Tasmanite kerogen, 82-104
Tasmanites punctoides, 94
 Terpane, 124-125, 129, 132, 136
 Terpene, 19
 Tertralins, 19, 21
 Thiophenes, 8, 25, 115-116, 118

Titration analysis of fuel products,
 42-45
 Toluene, 19
 Torbanite kerogen, 82-104
 degradation, 90
 Tricyclo(6.4.0.0¹)dodecane, 71
 Triple quadrupole mass spectrometry/mass spectrometry, 106

V

Volatility of oil fractions, 30

X

Xylenes, 9