

Subject Index

A

- AAPT (*see* Association of Asphalt Paving Technologists)
- Activation energy
 - sulfur asphalt filler blends, 178
- Aggregates, 42–43(figs), 45, 46
- Aging
 - polymer-modified asphalts, 147, 148(table), 149
 - sulfur asphalt binders, 167, 170
- Asphalt and mix rheology, 4, 19, 101, 180
 - effect on pavement cracking, 99
 - mechano-lattice analysis, 77
 - non-Newtonian properties, 30
 - test methods lack precision, 29
- Asphalt binders, 166
- Asphalt cements, 101
 - properties, 102(table)
 - tests
 - cracking, 104(table), 105–107(figs, table)
 - penetration-viscosity, 108(table)
 - polymer-modified, 148(table), 149(table)
 - rheological properties, 105
 - temperature, 103(table), 109(table)
- Asphalt concrete, 1, 2, 26
 - mechano-lattice analysis, 76
 - mix stiffness, 19, 20–22(figs)
- Asphalt concrete properties, 189
- Asphalt mix design, 41, 44–45, 76, 99
- Asphalt Modulus, 182, 183, 192
- Asphalt nomograph, van der Poel, 32–33, 34(fig)
- Asphalt pavement life
 - influence of plastic mixtures, 76, 97
- Asphalt-Polymer Modulus, 182, 183, 192
- Asphalt pavements, 39–41, 45, 47, 49
 - construction, 29, 35
 - tests and performance, 100
 - thermal response, 12, 27
- Asphalt specifications, 119
- Asphalt viscosity, 7, 8(fig), 13–18(figs), 27, 30
 - stress-strain relationship, 19–23(figs), 31
 - tensile strength relationship, 25(figs)
- Asphalts, polymer-modified, 51, 146
 - temperature relationships, 33, 51–75
 - measurement under roadway conditions, 39(fig)
- Association of Asphalt Paving Technologists
 - force ductility test, 151

ASTM standards

- C-496-85, 189
- D-5-75, 181
- D-113-79, 164, 181(fig)
- D-412-80, 153, 160, 161, 163
- D-1559-82, 147
- D-1754-83, 149
- D-2170-82, 181
- D-2872-80, 149
- D-3381-81, 149, 161, 162
- D-4123-82, 189

B

Bearing capacity, 29, 36–38(table),
45, 46(figs), 47, 48–50

Binders

- polymer-modified asphalts, 147,
185(table)
- sulfur asphalt, 167

Bingham plastic, 122, 124(fig)

Bitumens, performance, 119, 122

ductility, 151

- temperature changes can alter
rheological behavior, 123
- thixotropic behavior, 125

Bituminous materials, rheology, 30,
119

Bituminous paving mixtures

- polymer-modified asphalts, be-
havior of, 147
- stiffness modulus, determining,
72(fig)

C

California Method of Test Recovery
from Deformation of Latex
Modified Asphalt Emulsion
Residue (Test 232), 157

Cannon constant stress rheometer
(*see also* Schwyer constant
stress rheometer), 143(table)

Concentric cylinder viscometer

- use in measuring asphalt viscos-
ity, 32

Constant power viscosity, 145

Contraction strain, 11

Cracking, 1, 40, 52, 96, 119

fatigue, 77

- in cold temperatures, 105–
107(figs), 112, 115

Creep, 110, 112, 120

Creep response

- polymer-modified asphalts, 146,
155–156(fig)
- temperature susceptibility, 159

Creep strain, 4, 11, 12(fig), 14

- stress-strain relationships, 19,
20(figs)

D

Deflection measurements, 10(fig)

Deformation of asphalt mixtures,
40–41

Deformation of polymer-modified
asphalts, 182(fig), 192

tensile strength, 154(fig), 155

Deformation resistance, 44

significance of viscosity, 30

sulfur asphalt binders with fillers,
178

time-dependence neglected, 119

Dekker elastic recovery device, 158

Dilatant, 124, 125(fig), 145

Dropping ball

tensile strength test, 155

test procedure, 163, 164(table)

Ductility (*see also* Force ductility)

asphalt cements, 116

- polymer-modified asphalts,
148(table), 151(fig), 152(fig),
179

Ductility mold, 181

Ductilometer, to test elastic recov-
ery, 164

Durability, 40–41, 43, 44–47
 Dynaflect, 9

E

Elastic layer analysis, 4, 9(fig)
 creep testing, 14–15
 Elastic recovery, 150, 156, 158, 162
 Australian Road Research Board
 (AARB), 158
 Dekker (Elf Aquitaine Asphalt
 Lab), 159(fig)
 test, by means of ductilometer,
 164
 torsional recovery, 157
 Elasticity, 179
 Elastoplastic analysis, 84
 Elf Aquitaine research labs, So-
 laize, France, 155
 Elf Mineraloel Laboratories in Ger-
 many
 elastic recovery by ductilometer,
 156

F

Falling Weight Deflectometer, 9
 Fatigue cracking, 82, 85–88(figs)
 Flexible pavement, 119
 Force ductility, 151(fig), 152(fig),
 182(fig), 185(table), 186(fig)
 Force ductility mold, 181
 Force ductility test, 192
 Fracture (*see also* Bearing capaci-
 ties, Deformation, Viscos-
 ity), 19, 27
 failure energy relationship,
 24(fig)
 mixture-stiffness relationships,
 20–22(figs)
 rheological properties of asphalt,
 26
 tensile strength relationship, 24–
 25(figs)

Freezing index
 optimum, for paving asphalt, 66–
 68, 74
 Frost penetration, maximum depth,
 57(map)

H

Hagman's Torsonial Recovery Test,
 157
 Heukelom method, stiffness, 109,
 115
 High-temperature susceptibility (*see*
 also Paving asphalt, Temper-
 ature susceptibility)
 High traffic categories (*see* Traffic
 categories)
 Heukelom's version of nomograph,
 70(fig)
 Hot-mix asphalt concrete, 180
 Hydrated lime
 filler for sulfur asphalt binders,
 167, 168(table), 175(table)

I

Indirect tensile strength, 183,
 190(fig)
 Indirect tension test, 4, 189, 190(fig)
 preparation of specimens, 5
 Instron tension tester, 153
 Instruments for measuring viscosity,
 32

L

Lake Wales test road, 26
 Large aggregate (*see* Asphalt pave-
 ments)
 Latex content of asphalt emulsions,
 157
 Limestone fines
 filler for sulfur asphalt binder,
 167, 168(table), 175(table)

Loading time, sulfur asphalt binders, 170, 171(fig), 172(fig), 173, 174(fig)

Low-temperature binders, 184(table)

Low-temperature characterization, 3, 8(fig)

accuracy of extrapolations, 35

high asphalt viscosity, 25

Low-temperature fracture (*see* Asphalt pavements, Bearing capacity, Cracking, Pavement life)

Low-temperature pavement performance, 26

Low-temperature testing, 4, 6, 32, 33, 40

Low-temperature transverse pavement cracking, 51, 112, 115, 119

Low-temperature viscosity relationships, 144(fig)

Low traffic categories (*see* Traffic categories)

M

McLeod method, stiffness, 109, 115

Mechanical properties

asphalt pavements, 31, 39–41, 44–47

polymer-modified asphalt, 179

Mechano-lattice analysis

for plastic and relative plastic behavior, 77, 78(fig), 83(fig), 84(fig)

Medium temperature susceptibility (*see* Paving asphalt, Temperature susceptibility)

Medium traffic categories (*see* Traffic categories)

Mineral fillers, 167, 168(table), 175(table)

Modular ratio, 76

Modulus of stiffness, 54, 71

at maximum service temperatures, 69

nomograph for determining, 72

Moisture resistance

role of rheology, 47

Morphology

of sulfur asphalt filler blends, 176, 177(fig)

N

Navier-Stokes equation, comparison with non-Newtonian asphalts, 48

Newtonian asphalt, 30–31(figs)

rheological behavior, 122(fig)

Nomograph, paving asphalts

determining modulus of stiffness, 71(fig), 72(fig), 109

relationships between values, 70(fig)

O

Oxidation, resistance to role of rheology, 47

P

Parallel plate viscometer, 48, 49

Pavement cracking, 52, 56, 74

Pavement depth, 61(fig), 62

Pavement design methods, 4, 35, 44, 49

asphalt temperature susceptibility, 52(fig), 53, 58(fig)

freezing index, for paving asphalt selection, 66

Shell method, 77

time-dependent deformation, 119

VESYS system, 76

Pavement life
 influenced by plastic behavior of
 asphalt mixtures, 76–77, 97
 tests, 100–101
Pavement moduli of stiffness, 69
Pavement performance, 1, 45, 100,
 119
 elastic layer analysis, 9(fig), 26
 in cold climates, 56, 103(table),
 104(table), 115
Pavement response, 9, 11, 12
 to truck tire pressures, 29
Pavement stability, 51, 74
Pavement surface conditions in
 Saudi Arabia, 167
Pavement temperature, 52(fig), 74
 air freezing indices in North
 America, 66(fig)
 influence of freezing index, 64–
 65(tables)
 using freezing index as measure,
 62, 66–68
Paving materials
 asphalt, polymer-modified, 74,
 146
 bituminous mixtures, 119
 selecting for binder and layers,
 63(fig), 74
 temperature susceptibilities, 52–
 56, 72
Penetration
 relationship to temperature,
 33(fig), 53(fig), 70(fig), 105,
 115
Penetration-viscosity, 52, 53(fig),
 58–59(figs), 60(fig), 68(fig),
 73(fig), 109(table), 160
 PVN ductility, of polymer modi-
 fied asphalts, 148(table)
Plastic behavior, 77, 80(table),
 81(fig), 82(table), 83(fig)
 average plastic behavior, 79, 96
 constant plasticity, 88, 96

 multiple layers, 79
 relative plastic behavior, 77
Polymer asphalt compatibility, 149
 test, 163
Polymer-modified asphalts, 73, 74
 performance properties, 160
 rheological properties affected,
 146, 148(table)
 specifications, 161(table)
 temperature tests, 149(table), 159
Polymer-modified binders, 149
Portland cement
 filler for sulfur asphalt binders,
 167, 168(table), 175(table)
Pseudoplastic behavior, 123(fig),
 124, 146
PVN (*see* Penetration, Viscosity,
 Temperature susceptibilities)

R

Recrystallization (*see* Sulfur recrystallization)
Relative plastic behavior, 77,
 78(fig), 79
 average plastic behavior, 97
 fatigue stress, 82(fig)
 mechano-lattice calculations, 81
 rutting, 90(fig), 91, 95(figs), 96
 where ratios are controlled, 83
Residual stresses, 83, 97
Resilient modulus of elasticity, 189,
 191(fig), 192
Rheology, 4, 19, 32, 33, 49
 polymer-modified asphalts, 146–
 165
 properties related to perform-
 ance, 182, 183
Rheometers—rheological testing,
 126, 167
Rheometry, 156–158, 167
Resilient modulus testing, 6, 8(fig),
 19

Rubber properties in tension, test, 163

Rutting, 77, 89, 90, 95(figs), 96

S

Saudi Arabia

asphalt, experimental, 167(table)

pavement surface conditions, 167

Schweyer Constant Stress Rheometer, 26, 126(fig), 127–129(figs), 145

applicability for viscosity testing, 4, 6–7

rheometer data analysis, 139(table), 140(fig)

testing procedures for using, 142

Shear stress and strain, 122(fig), 124(fig), 125(fig)

equations for computing, 129, 131–137

plot, 141(fig)

polymer-modified asphalts, 146, 151, 152(fig), 159(fig)

resistance to, proportional to rate in liquid, 30, 31(figs)

sulfur asphalt filler specimen, 169(fig)

Shear susceptibility, 121(fig), 138(fig)

Shell flexible pavement design, 77

Sliding plate rheometer (*see also* Rheometry)

for measuring asphalt viscosity, 32

for polymer-modified asphalts, 146

test procedures

sulfur-asphalt binders, 167, 168

Specification

for polymer-modified asphalt cement, 161(table)

Static modulus, 15, 16(figs)

Stiffness modulus of asphalt cement, 110(table), 111(table), 112, 113–114(figs)

Stiffness modulus of sulphur asphalt binders, 167, 171(fig), 173, 174(fig)

with fillers, 175(table)

Stiffness of bitumens

nomogram, van der Poel, 34, 72(fig)

Strain measurements, 10(fig), 11(fig)

stress-strain curves, asphalt viscosity, 20–23(figs)

Stress creep test, 120(fig)

Stress-strain analysis, 84, 182

polymer-modified asphalts, 151

force ductility, stress-strain curves, 152(fig), 153

Structural failure, 44, 45

Styrene-butadiene polymer

block copolymers, 180(fig), 183, 192

polymer-modified asphalts, 147

Sulfur asphalt binders, 167

fillers, properties, 168(table)

resistant to deformation, 178

Sulfur recrystallization

in sulfur asphalt binders, 176, 177(fig), 178

T

Temperature-asphalt viscosity effects, 24–25(figs), 35, 53

preconditioning test specimens, 6

test procedures, 5

Temperature susceptibilities

paving asphalt, 52(fig), 55(fig), 72, 74, 115

polymer-modified, 149(table), 159, 160, 162, 180, 183, 184(table)

Tensile strength, 189
dropping ball test, 155
effect of density on, 25(fig)
load deformation curve, 154(fig)
polymer-modified asphalts,
148(fig), 150, 153, 154(fig)
relative indicator of pavement
cracking, 26
Tensile strength test, modifications
to ASTM D-412-80, 163
Thermal response modeling, 11,
12(fig), 27
Thixotropic behavior, 127(fig)
Tire pressures
trucks, 28–29, 45, 46
Torsional recovery test (Hagman)
polymer-modified asphalts, 157
Toughness and tenacity
polymer-modified asphalts, 153–
155
Traffic categories, 56, 70, 74, 160
Transient stresses, 84(fig)
Transverse pavement cracking, 51,
110, 119

V

Vacuum tube viscometer
van der Poel, nomograph on asphalt
rheology, 32–33, 34(fig), 109
VESYS system of pavement design,
76–77
Viscoelasticity, polymer-modified
asphalt, 183
Viscometers for measuring viscosity
inadequate at pavement stresses,
32
Viscosity, 8, 11, 13, 18–23(figs)
aggregates, 42, 43(figs), 45, 46

constant power, 118
Newtonian asphalts, 26, 27, 31
penetration-viscosity number,
3(fig), 68(fig)
polymer-modified asphalts, 147,
148(table), 157, 158, 160,
161(table), 179
sulfur asphalt binders, 167, 171,
172(fig)
with fillers, 176(table)
Viscosity measurement
different stress levels, 32, 40, 41,
53
low temperatures, 119
test results, application, 143(ta-
ble)
Schweyer Constant Stress Rheo-
meter, 6, 7, 26, 118
test methods for measuring as-
phalt cements, 47
Viscosity specifications, 161(table)
Viscosity versus temperature,
185(fig)
complex viscosity [η^*],
187(fig), 188(figs)
effected by temperature
polymer-modified asphalts, 147
sulfur asphalt binders, 173(fig),
178
low-temperature relationships,
144(fig)
temperature curves, 139(fig)

Y

Yield strength (*see* Bearing capac-
ity)