

Subject Index

A

- Adsorption
 - toxic pollutants, 13
 - zinc, marine clays, 50
- Air emissions, contaminated dredged materials, modeling, 227
- Anchored sheet pile wall, 220
- Areas of Concern
 - Canadian Great Lakes, 112
 - Great Lakes, 1
 - Port Hope Harbour, 297
 - potential, U. S., 1
- Assessment and Remediation of Contaminated Sediments Program, 145

B

- Background concentrations, heavy metals, 58
- Bathymetry, sediment characterization, 40
- Bay sediments, heavy metal concentrations, 58
- Biochemical oxygen demand, 136
- Biodegradation, 145
- Bioremediation, polychlorinated biphenyls, 155
- Biostimulant, 155

C

- Cement-bentonite cutoff wall, 252
- Clamshell bucket, 112
- Coal tar, seepage abatement, surface water bodies, 220
- Compatibility, soil-bentonite slurry cutoff walls, 239
- Compression, unconfined, 252
- Compressive strength, unconfined, 136
- Confined disposal facility, contaminant pathway control, 195
- Containment, 1
 - cement-bentonite cutoff wall, 252
 - soil-bentonite slurry cutoff walls, 239
- Contaminants
 - dredged materials, air emission modeling, 227
 - hazard/risk assessment, 306
 - hydraulic isolation, 271
 - management strategies, 289

- pathway control, 195
- releases during dredging, 128
- remediation, 297, 319
- removal by dredging, 77
- soil-bentonite slurry cutoff walls, 239
- toxic, 13
- Contaminated Sediment Removal Program, 112
- Cutoff wall
 - cement-bentonite, 252
 - soil-bentonite, 239, 271

D

- Dechlorination, *in-situ* anaerobic, 155
- Dehalogenation, reductive, 155
- Design mix methodology, 239, 252
- Diaphragm walls, 271
- Diffusion, 271
- Diffusive equilibration in thin-film, 170
- Diffusive gradient in thin-film, 170
- Dredged materials
 - contaminated, 128, 289
 - air emission modeling, 227
 - pathway control, 195
 - remediation, 319
- Dredging, 289
 - contaminant releases during, 128
 - cutterless suction, 182
 - equipment, 77
 - field studies, 77
 - mercury-contaminated sludge, 182
 - sediment characterization, 40
 - solidification technique, 136
 - technologies, 1

E

- Environmental media, 40
- Environmental regulation, remediation, 319
- Environmental restoration, 297
- Equipment, dredging of contaminated sediments, 77

F

- Fate, toxic pollutants, 13
- Federal Navigation Project, 40
- Fox River, Wisconsin, anaerobic dechlorination of PCBs, 155
- Functional groups, 13

G

- Great Lakes
 - Areas of Concern, 1
 - Canada, 112
 - regulatory approaches, 319

H

- Hazard/risk assessment, contaminated sediments, 306
- Heavy metals
 - adsorption, marine clays, 50
 - in bay sediments, 58
 - fate, 13
 - Port Hope Harbour, 297
 - removal efficiency, 145
- Hydraulic conductivity, 252
- Hydraulic isolation, contaminated sites, 271

I

- Indiana Harbor, 40
- Interlocks, sealed, coal tar seepage abatement, 220
- Ion-exchange resin, 170
- Iron oxide, marine clays, 50
- Isolation, 1

J

- James Bay Development Project, 252
- Japan
 - heavy metal concentration, bay sediments, 58
 - Minamata Bay, mercury contamination, 182

L

- Laboratory testing
 - cement-bentonite cutoff wall, 252
 - soil-bentonite slurry cutoff walls, 239, 271
- Lachine Canal decontamination project, 306

M

- Management strategies, 1
 - contaminated sediments, 289
- Marine clays
 - pyrite oxidation, 50
 - zinc adsorption, 50

- Mercury-contaminated sludge, dredging, 182
- Minamata Bay, mercury-contaminated sludge treatment, 182
- Minamata Disease, 182
- Monitoring program, dredging, 128

N

- Navigation projects, 40
- Nutrients, dechlorination stimulation, 155

O

- Oil products, soil-bentonite slurry cutoff walls, 239
- Organic chemicals, fate, 13
- Oxidation, pyrite, in marine clays, 50
- Oxygen, dissolved, 136

P

- Partitioning, 13
- Pathways, contaminant control, 195
- Permeability, 271
- Persistence, toxic pollutants, 13
- pH
 - change, pyrite oxidation in marine clays, 50
 - leachate from solidification, 136
- Pilot-scale demonstrations, treatment technologies, 145
- Plastic barrier, cement-bentonite cutoff wall, 252
- Pneuma pump, 112
- Pollution
 - criteria, 1
 - degree of, 58
- Polyacrylamide gel, metals measurement, 170
- Polychlorinated biphenyls
 - in-situ* anaerobic dechlorination, 155
 - Port Hope Harbour, 297
 - removal efficiency, 145
- Polynuclear aromatic hydrocarbons, removal efficiency, 145
- Pore water, trace metals, *in-situ* measurement procedures, 170
- Port Hope Harbour Remedial Action Plan, 297
- Pyrite, oxidation, in marine clays, 50

Q

Quality criteria, 306

R

Radioactive waste, low-level, remediation, 297

Regulatory determinations, 40

Regulatory strategies, remediation, 319

Remediation, 1, 289

contaminated sediments, 319

Port Hope Harbour Remedial Action Plan, 297

Removal technologies

clamshell bucket, 112

pneuma pump, 112

Resource Conservation and Recovery Act, 40

Revetment, 182

Risk assessment, 306

S

Sediment characterization, bathymetry, 40

Sediment disposal, 182

Sediment resuspension, 128

Sediment washing, 145

Seepage, coal tar, abatement, surface water bodies, 220

Selectivity, 13

Sheet piling, coal tar seepage abatement, 220

Site encapsulation, 271

Slurry cutoff wall

cement-bentonite, 252

soil-bentonite, 239, 271

Soil-bentonite slurry cutoff walls, 239, 271

Solidification technique, dredging, 136

Solvent extraction, 145

Storage capacity, of sediments, 13

Sulfuric acid, produced by pyrite oxidation, 50

Surface water bodies, coal tar seepage abatement, 220

Surfactants, dechlorination stimulation, 155

Suspended sediment, 128

Suspended solid, 136

T

Thermal desorption, 145

Toxic pollutants, fate, 13

Trace metals, *in-situ* measurement procedures, 170

Treatment technologies, 1

field demonstrations, 145

Triaxial compression, 252

V

Volatile organic compounds, air emissions from contaminated dredged materials, 227

W

Water quality, contaminant release during dredging, 128

Water Quality Act of 1987, 145

Water Resources Development Act, 1

Wisconsin, *in-situ* anaerobic dechlorination of PCBs, 155

Z

Zinc, adsorption, marine clays, 50