STP1013-EB/Feb. 1989

Subject Index

A

A-c current, cable-shielding materials corrosion, 149, 154 Acidity (See also pH) soil corrosion, 2 Acid rain, soil pH, 11 Aerated half cell, differential aeration experiment, 19-20 Aluzink-coated steel corrosion rates, 43, 47 groundwater levels, 47-48 sandfill. 49-50 Swedish soils study, 40-42 Anisotropy, metal surface, 83-84 Anode/cathode system underground corrosion concepts, 82-84 undisturbed soil corrosion, 91, 94 Anodic/cathodic polarization chloride-sulfate presence, 21-23 differential aeration, 19-20 Anodic corrosion rate, differential aeration, 25-26, 30-31 Asbestos cement, material performance, 6 ASTM Recommended Practices, G 1-81: 20-21 **ASTM Standards** A 153: 54 C 105-72: 7, 12 D 1141-52: 32-35 D 2487: 85 G 57-84:86 **ASTM Test Methods** A 247-67: 7 G 51-77: 14, 86, 146 G 57-58: 11, 13, 56, 134, 146 Austenitic stainless steel, radioactive waste pipeline, 96 AWWA rating formula, 12, 16, 157 table, 7

B

Backfill copper corrosion, 22, 24-25 culvert piping corrosion, 142 differential aeration experimental model, 18-19 radioactive waste pipeline, 96 Bacteriological corrosion, 3 Bag samples, culvert piping corrosion, 135
"Bell hole" excavation techniques, 112
Bituminous metal piping, 133
Brushing technique for culvert piping corrosion, 135–136

С

Cable-shielding materials corrosion testing, 144-155 damage site patterns, 145-146 performance 0.5-year exposure, 150 1.0-years exposure, 151 2.5 years exposure, 152 4.0 years exposure, 152-153 6.0 years exposure, 153-154 rating, 150 Carbon steel corrosion rate as function of time, 49, 52-53 3 yrs. exposure, 42, 44 4 yrs. exposure, 42-43 pitting rate, 43, 45 radioactive waste pipeline, 96 Cast iron piping corrosion morphology, 6-7 material performance, 5-6 mean time to corrosion failure (MTCF), 112-117 Cathodic passivation, differential aeration, illus., 21-22 Cathodic protection DWPF design, 104-106 marine sediments, 128-129 Norwegian continental shelf, 119-120 soil characteristics, 95-106 soil survey, 103-104 Cathodic Tafel extrapolation, 127-128 Cation analysis, cable-shielding materials corrosion, 146-147, 154 Chemical impact on corrosion rate, 108-109 Chloride ion content cable-shielding materials corrosion, 146-147 corrosion rates, table, 111 differential aeration, 21, 23, 25-27 ferrous piping corrosion, 16

Chloride ion content (cont.) mean time to corrosion failure (MTCF), 113, 116 road deicing salt, 11 Clay copper corrosion, 22, 24-25 Norwegian continental shelf, 121-122 underground piping for radioactive waste, 95-98 Columbia rod, 3 Concentric neutral (CN) wires, differential aeration, 18-36 Concrete cappings for steel piles, 90-92 culvert piping, 133 Conductivity, 119 Copper anodic reaction chloride depletion, 25, 29 without differential aeration, 25-26, 30-31 Copper (CN) wire, differential aeration, 18-36 corrosion rate, 21-29 soil and acidic seawater, 32, 34-35 Corrosion (See also Pitting) bacteriological, 3 cable-shielding materials, 144-155 concepts, 81-94 differential aeration, CN wires, 18-36 disturbed soil, 85-90 ferrous piping, 5-16 galvanized culvert piping, 133-143 groundwater table, 46-48 historical background, 1-2, 157 "Long Line," 103 mean time to corrosion failure (MTCF), 107-117 Norwegian continental shelf, 119-131 radioactive waste storage, 96-98 resistivity, 99-100 sandfill, 49-50 screw anchors, 54-79 soil, 84-94 steel and metal-coated steel, 37-53 Swedish soils study, 42-46 undisturbed soil, 90-94 uniform, 107 Corrosion-inducing influences, 108 Corrosion rates cathodic Tafel extrapolation, 127-128 chemical impact, 108-109 environmental and structural factors, 108-111 galvanostatic polarization, 127-130 Norwegian continental shelf, 129-131 vs. polarization curves, 63, 76-78 Culvert piping corrosion, 133-143

band strength and, 137 field sampling, 134-135 laboratory testing, 135-136 pipe gages, 137-138 soil characteristics and, 138-140

D

D-c plasma emission spectroscopy, 146 Deaerated half cell, differential aeration, 19-20 "Dealloying corrosion," 7 Deep steel anchor, 62-63 polarization curves, 73-75 Deionized water, differential aeration, 25, 28 Differential aeration, copper CN wires, 18-36 corrosion rate, 21-29 dominant factors, 29, 31, 36 experimental model, 18-21 underground corrosion concepts, 83, 85 Diffusion, Swedish soil study, 47 Disturbed soil corrosion, 85-90 marine sediments, 123-124 Drainage in soil (See also Moisture Content), 85-86 Ductile iron piping corrosion, illus., 10 material performance, 5-6

E

Electrochemical parameters and corrosion, 81 Norwegian continental shelf, 123-124 Electrolyte inhomogeneities, 83, 85-86 Exponential corrosion rates, ferrous piping, 7 illus., 11 Extreme value statistics, 3

F

Ferrous piping corrosion morphology, 6-7 environment characteristics and corrosion, 5-16
50-year design life predictions, 76 screw anchor corrosion testing, 56-57
Free corrosion potentials, 125, 127

G

Galvanic cells, structure and function, 81-82 Galvanic corrosion phenomenon, 103 Galvanic series in seawater, illus., 82-83 Galvanized culvert piping corrosion, 133-143 Galvanized steel anchor, 60-63 polarization curves, 67-69 test anchor corrosion rates, 63 Galvanostatic polarization, 123-124 corrosion rates, 127-130 Geology of soil, 99-100 Groundwater table and corrosion rates, 46-48

Н

Hazardous waste, storage and soil characteristics, 95-106
History of corrosion research, 1-2, 162-163
Holocene sediments, 129-130
Hydrogen sulfide, Norwegian continental shelf, 121-122
Hydrostatic pressure, sulfate-reducing bacteria (SRBs), 131

I

Instantaneous-off procedure, screw anchor corrosion testing, 56 IR drop, screw anchor corrosion testing, 56

K

Kaolinite, 98

L

Leachate quality in soils, 102 Linear polarization, screw anchor corrosion, 56 "Long Line" corrosion, 103

M

Marine sediments corrosion rates, 119-131 corrosion theories, 120-121 in-situ and laboratory testing, 124-127 Mean time to corrosion failure (MTCF) vs. actual leakage, table, 113 vs. chloride ion content, 116 extensive buried structures, 111-117 vs. in-situ soil resistivity, 114 vs. known leaks, illus., 114 vs. moisture content, 115 vs. pH, 115 soil characteristics, 107-117 vs. soil conductivity, 116 Metallic coatings, Swedish soil studies, 40 Microbiological activity, soil parameters, 14 Miller soil box, 146 Minimum resistivity test, culvert piping corrosion, 136

Mitigative action ductile iron, 7 summary, 158 Moisture content corrosion rate, table, 111 culvert piping corrosion, 134-135 ferrous piping corrosion, 14, 16 mean time to corrosion failure (MTCF), 113, 115 Montmorillonite, 98 Multiple regression analysis, 112-114

N

Nilsson Model 400 soil-resistance meter, 146 Norwegian continental shelf, marine sediment corrosion, 119-131 Nuclear fuel production facility, cathodic protection and soil characteristics, 95-106

0

Ohm's law differential aeration, 20 mean time to corrosion failure (MTCF), 107 soil resistivity, 2 summary of research, 161-163 Oxidation reaction (*See also* Redox) underground corrosion concepts, 81 Oxygen and resistivity, 90

P

Parameters (See Soil characteristics) pH levels cable-shielding materials corrosion, 146-149 cathodic protection requirements, 104 corrosion rate, table, 110 culvert piping corrosion field testing, 134-136 laboratory testing, 136 weight loss measurements, 138, 140-142 differential aeration and, 31, 36 groundwater levels, 47 mean time to corrosion failure (MTCF), 113. 115 Norwegian continental shelf, 121-122 soil parameters, 2, 11-12, 14 illus., 15 steel panel corrosion, 49, 51 Swedish soils, 38-40 underground corrosion, 86 undisturbed soil, 91-94 Physiography of soil, 99-100

Pipe gages, 137-138 Piping materials (See also types of piping) culvert piping corrosion, 135 types of, 5 Pitting mean time to corrosion failure (MTCF), 107 sandfill, 49-50 steel screw anchors, 63 Swedish soil study, 45, 47 Polarization anodic/cathodic, differential aeration, 19-23 galvanostatic, 123-124 steel piping, sulfide chemistry, 121 Polarization break technique screw anchor corrosion, 56-61 weight loss measurements, 63 Polarization curves vs. corrosion rate, 63, 76-78 deep steel anchor, 73-75 galvanized steel anchor, 67-69 Northern North Sea clay, 127, 129-130 screw anchor corrosion testing, 56-61, 63-75 shallow steel anchor, 70-72 summary, 159 Polymeric-coated piping, 133 "Potential corrosivity" of soil, 3 Pourbaix diagram, soil pH, 12, 14 Preventive programs, ferrous piping corrosion. 7 Probability techniques, corrosion rates, 108

R

Radioactive waste site selection, 96-98 storage and soil characteristics, 95-106 Redox potential bacteriological corrosion, 3 differential aeration, dionized water, 25, 28 marine sediment corrosion, 120-121 soil parameters, 14, 89-90 illus., 15 summary of research, 158-163 underground corrosion, 86 Redox probe, 3 Resistivity acidity, 2 cable-shielding materials corrosion, 146-149 cast iron piping, 6-7 illus., 8-9 concrete. 90-93 corrosion rate

cable-shielding materials, 149 marine sediments, 125-126 soil characteristics, 109 culvert piping corrosion field tests, 134-135 laboratory tests, 136 weight loss measurements, 138, 140-142 galvanic coupling, 103 historical research, 2 mapping, ferrous piping corrosion, 16 mean time to corrosion failure (MTCF), 113-114 Norwegian continental shelf, 121-122 oxygen diffusion, 90 radioactive waste pipeline, 101-102 soil characteristics, 7, 11, 109 summary of research. 158-163 Swedish soils, 38-40 underground corrosion, 86 variation in, table, 110 Road deicing salt chloride contamination, 11 ferrous piping failures, 6

S

Salts (See also Road deicing salts) culvert piping corrosion field tests, 134 laboratory testing, 136 weight loss measurements, 140-141 Sandfill, corrosion rate, 49-50 Screw anchors assembly illus., 55 average thickness loss, table, 79 galvanized steel and bare steel test anchors, 60-63 soil corrosion, 54-79 Seawater copper anodic corrosion, 25-26 differential aeration corrosion, 25, 27 Shallow steel (SS) anchors, 62-63 polarization curves, 70-72 Shepard cane, 2 Shielding materials, corrosion testing, 144-155 Site characteristics (See Soil characteristics) Soil defined. 84 Soil characteristics cable-shielding materials corrosion, 146-149 cathodic protection of nuclear fuel facility, 95-106 culvert piping corrosion, 138-140 disturbed soil, 85-86 ferrous piping corrosion, 7, 11-16

historical research, 1-2, 157 interrelation of, 2-3 mean time to corrosion failure (MTCF), 107-117 Norwegian continental shelf, 121-122 radioactive waste storage, 99-101 relation to corrosion rates, 87-90 soil characteristics, 7, 11-16 Swedish soils studies, 37-53 texture, 85 underground corrosion, 86-90 Soil chemistry cathodic protection and, 103-104 Swedish soils, 38-40 Soil conductivity, mean time to corrosion failure (MTCF), 113, 116 Soil corrosion (See Corrosion) Soil mapping, 3-4 Soil parameters (See Soil characteristics) Soil survey cathodic protection requirements, 103-104 galvanic coupling, 102-103 resistivity and geochemical analysis, 101-102 soil properties at test sites, 86-90 underground radioactive waste storage, 99-101 Soil water extracts, cable-shielding materials corrosion, 146-147 Stainless steel, underground corrosion, 89-90 Statistical analysis mean time to corrosion failure (MTCF), 112-117 resistivity measurement, 11 soil parameters, 3 Steel corrosion rates anchor, 63 Northern North Sea sediments, 130-131 undisturbed soil, 90-92 flat bars, 40-42 panels, 40-42 groundwater levels, 47-48 sandfill, 49-50 piping cathodic protection, 6 corrosion classification table, 11-12 corrosion morphology, 6-7 soil parameters, 37-53 underground corrosion vs. time, 88-89 Stray current corrosion ferrous piping, 7 lacking in Swedish soils, 38 Stray current electrolysis, 157 historical background, 1 Structure-to-electrolyte measurements, 108

Sulfate-reducing bacteria (SRBs) culvert piping corrosion, 136-137 Holocene sediments, 129-130 hydrostatic pressure, 131 marine sediment corrosion, 119-121 measurement techniques, 124-125 Sulfates cable-shielding materials corrosion, 147 culvert piping corrosion field tests, 134 laboratory testing, 136 weight loss measurements, 141 differential aeration, 21, 23 ferrous piping corrosion, 14 marine sediment corrosion, 120-121 screw anchor corrosion testing, 56-57 Sulfides corrosion rates, table, 111 ferrous piping corrosion, 14 marine sediment corrosion, 119-121 summary of research, 158-163 Sulfuric acid, culvert piping corrosion, 136-137 Swedish soils studies corrosion rate evaluation, 40, 42 specimen design, 40-42 steel corrosion, 37-53 test sites. 37-38

Т

Tank-to-soil potential, 110 Temperature culvert piping corrosion, 134 soil, 86 Transmission towers, polarization testing, 56-61

U

Underground cable, differential aeration, 33 Underground corrosion (See Corrosion) Underground distribution (UD) cable, CN wire corrosion, 18-36 localized corrosion illus., 18-19 Underground pipeline, leakage data, 95-98 Underground storage tanks (USTs), mean time to corrosion failure (MTCF), 111-117 Undisturbed soil corrosion, 90-94 marine sediment corrosion, 123-124 Uniform corrosion, 107

v

Voltage differential, 82-84

W

Weight loss measurements culvert piping corrosion, 137-138 resistivity and pH, 138, 140-141 marine sediment corrosion, 123-124 Swedish soil studies, 40, 42 Wenner four pin method, 2 resistivity measurement, 11 screw anchor corrosion, 56 underground soil resistivity, 86

Z

Zinc corrosion rates, 43, 46 culvert piping, 133 sandfill, 49-50 underground corrosion, 89-90 Zinc-coated screw anchors, corrosion rates, 54 steel, corrosion rate, 47-48