

Subject Index

A

Air barrier, 47, 57, 244
 Air infiltration, 232
 Air pressure, 115, 236, 267
 Air seals, 33, 47, 57
 Aluminum, 267
 panels, 187
 American Architectural
 Manufacturers Association
 ANSI/AAMA certification
 program, 232
 hose test, 207, 236
 leakage test method, 207
 American National Standards
 Institute, 33
 Architectural Aluminum
 Manufacturing
 Association, 33
 ASHRAE methods, 91
 ASTM standards
 E 331, 3
 E 547, 33
 E 1105, 115, 236, 267

B

Bond breaker, 115
 Brick veneer, 73, 142, 168
 brick-mortar interaction, 295

C

Chamber tests, 207
 Cladding systems, 288
 brick, 73
 stucco, 155
 synthetic stucco, 277
 water penetration through,
 47, 57, 142
 wetting, 73
 Compartment seals, 47, 57
 Computational fluid dynamics, 3
 Concrete, 17, 168, 267
 facades, 129
 panels, precast, 115

Condensation

troughs, 187
 wall problems, 91
 water leakage, 129
 Cracks, shrinkage, 129
 Curtain walls, 142, 168, 267
 ASTM E 1105, 115, 236, 267
 leakage tests, 207
 mockup test, 218
 sloped, 187

D

Dew point, 91
 Door leaks
 ASTM E 1105, 115, 236
 sliding glass, 105, 232
 Drop size modeling, rain, 17

E

Exterior insulation and finish
 system (EIFS), 91, 236,
 267, 277, 288

F

Facade interfaces, leakages, 142
 Facades, concrete, 129
 Facade waterproofing
 integration, 33
 Fastener location and selection,
 33
 Fasteners, doors and windows,
 232
 Flashing, 129, 155, 187
 systems, secondary, 33
 Forced entry requirements, 232

G

Glass doors, sliding, leaks, 105,
 232
 Glazing, sloped, 187
 Granite panels, 187

316 WATER LEAKAGE THROUGH BUILDING FACADES

H

Heat effects, wind-driven rain, 295
Heat transfer limitation, 244
Hose testing, 207, 236

I

Installation, windows and doors, 232

J

Jamb cavity reservoirs, 115
Joints, 129
 geometry, 33
 metal, 105

L

LATENITE, 295

M

Masonry, 17, 73, 236, 267, 295
Membrane application, waterproofing, 155
Mildew problems, 91
Modeling
 hygrothermal, 295
 probabilistic, wind, rain, and rain penetration, 73
 rain drop size, 17
Moisture meters, 288
Mold problems, 91
Monarch nozzle spray pattern, 207
Mullion and stack joint options, 33
Mullions, 207
 gaps, 187

N

National Wood, Window and Door Association, 33
Nozzle spray pattern, 207

P

Paint, elastomeric, 155
Panels, precast, 115

Polystyrene foam, expanded, 91
Pressure equalization, rainscreen walls, 47, 57

Q

Quality Assurance Program, 244
Quality control
 testing, 142
 windows and doors, 232

R

RAIN computer program, 57
Rainscreen walls, 47, 57

S

Sealants, 187
 failure, 129
 polyurethane, 91
 silicone, 115
 window, 33, 105, 232
Seismic performance, 218
Sheathing, waferboard, 155
Shrinkage cracks, 129
Skylights, 187
Spray grid, 267
Spray nozzle testing, 17
Spray rack testing, 17
Stone, porous, 115
Structural performance, 218
Stucco, 155, 277
Surface drainage, 73

T

Thermal performance, 218
Thermal transport, 295

V

Vapor permeance, water, 295
Vent placement, 47, 57

W

Wafer test, field, 232
Wall classification system, 73
Wall infiltration control, quality assurance programs, 244
Wall moisture meters, 288

- Water chamber testing, 17
- Water penetration tests, 73, 244
 - ASTM E 547, 33
- Water percolation, 105
- Waterproofing
 - curtain walls, 168
 - membrane, 155
- Water tests, field, 105, 232
- Weather stations, 73
- Weathertightness design, 3
- Weepholes, 129
 - sloped curtain wall gaps, 187
- Wind-driven rain, 57, 295
 - computational fluid dynamics, 3
 - effects on masonry veneer, 73
 - pressure equalization and compartmentalization, 47
- weather data and simulation, 17
- window and sliding glass door leaks, 105
- Wind effects, curtain wall mockup test, 218
- Window systems, 105, 142, 207, 277
 - aluminum, 142
 - ASTM E 1105, 115, 236, 267
 - detailing, 33
 - quality control, 232
 - walls and, 115, 168
- Wind pressure, 3, 47, 57
- Wood framing, 155, 277