

Subject Index

A

Abatement, 12, 107, 175
 cleaning, 145
 Comprehensive Abatement
 Performance Study,
 41, 120, 162, 227
 dust, 191, 268
 efficacy studies, 119, 162, 227
 programs, 329
 Absorption, gastrointestinal, 3
 Acceptance/rejection criteria, 313
 Adhesive lift sampling technology,
 249
 American Association for
 Laboratory Accreditation,
 382
 American Industrial Hygiene
 Association, 382, 403
 Environmental Lead
 Proficiency Analytical
 Testing program,
 329, 373, 403
 Atmospheric Research and
 Exposure Assessment
 Laboratory, 191
 Atomic absorption spectroscopy,
 191, 215, 329, 355, 382
 Atomic Emission spectroscopy, 355
 Atomic spectrometry, 145

B

Baltimore, 107
 Bioavailability, 3
 Blood, lead in, 12, 63, 76, 107, 119,
 339
 infant, 92
 reference materials, 339
 structural equation modeling
 for, 12
 Bone lead, 63
 simulated tibia, 339
 Brigham and Women's Hospital,
 92

C

CAPS, 41, 120, 162, 227
 Carbonate, 268
 Centers for Disease Control, 76,
 215, 355
 Chemical methods, EPA
 Contract Laboratory
 program, 207
 Children, lead exposure, 162, 175
 intervention strategies, 119
 literature review on, 76
 mammalian model for, 3
 multiple regression models
 for, 92
 poisoning, 63
 sources for, 107
 structural equation modeling
 for, 12
 Cleaning, lead painted buildings,
 145
 Clearance wipe tests, 56
 Comprehensive Abatement
 Performance Study, 41,
 120, 162, 227
 Consumer Product Safety
 Commission, 382

D

Double-blind sample
 applications, 355
 Dust, lead in, 107, 119, 145, 175
 abatement efficacy, 162
 bulk, 329
 characterization, level, 41
 Housing and Urban
 Development study on, 27
 laboratory accreditation, 373
 measurement methods for,
 191, 215, 268
 method evaluation materials,
 329
 migration, 56
 multiple regression models, 92
 post abatement, 268

420 LEAD IN PAINT, SOIL AND DUST

reference materials for, 329, 339
sample collection, 227, 249
structural equation modeling for, 12
surface, 249
urban, 283, 355
X-ray fluorescence method for, 215

E

Encapsulation, 162
Enclosure methods, 162
Energy-dispersive X-ray microanalysis, 268
Environmental Lead Laboratory Accreditation Program, 403
Environmental Lead Proficiency Analytical Testing program, 329, 373, 403
EPA (See U.S. Environmental Protection Agency)
Equipment testing, 313
Exposure assessment, 12

F

Field samples
duplicate, 191
quality control, 227
Filters, 268

G

Gasoline emissions, 76
Gastrointestinal absorption, 3

H

Historical survey, lead poisoning, 175
Housing, lead paint survey, 27
HUD (See U.S. Department of Housing and Urban Development)

I

Image analysis, 283

Inductively coupled plasma, 191, 215, 329, 355, 382
International Bureau of Weights and Measures, 303
International Committee for Weights and Measures, 303
Intervention strategies, 120
Iron, 283
Isotope tracer, 63

L

Laboratory accreditation, lead, 373, 382, 403
Lead acetate, 3
Lead-Based Paint Abatement Demonstration, 41, 56, 162
Lead-Based Paint Poisoning Prevention Act, 175
Lead Research Program, 191
Log-additive model, 92

M

Maintenance, to reduce lead in dust, 107
Manganese, 283
Mass fractionation, 63
Mass spectrometry, 63
Measurement reliability, 191
Method evaluation materials, 191, 329
Mining area, 3
Modeling
biokinetic, 63
log-additive, 92
mammalian, 3
multiple regression, 92
structural equation, 12
Multiple regression, 92

N

National Institute for Occupational Safety and Health, 145, 373, 382, 403
National Institute of Standards and Technology, 283, 303, 339

National Lead Laboratory
Accreditation Program,
373, 382
Nonlinear regression, 12

O

Oxide, lead, 268

P

Packaging, quality control, 313
Paint, lead
 abatement, and efficacy of,
 107, 119, 162
 cleaning and concentrations
 of, 145
 forms of, 268
 housing, survey of, 27
 isotope ratios, 63
 laboratory accreditation for,
 373
 Lead-Based Paint Abatement
 Demonstration, 41,
 56, 162
 measurement methods, 191
 pathways into dust and soil,
 12, 92
 reference materials for, 339
 source for elevated soil lead,
 76
 source for poisoning, 175
 source for urban soil, 283
Personal breathing zone, 145
Pharmokinetic, 3
Plasma emission spectrometry,
 inductively coupled, 191,
 215, 329
Point-source emitters, 76
Public Housing Authority
 demonstration, 56

Q

Quality control, 215, 303, 313,
 355, 403
Quality requirements, lead
 laboratory, 373, 382, 403

R

Records, quality control, 313
Reference materials, 191, 215, 355
 method evaluation materials,
 329
 National Institute for
 Standards Technology, 339
 system for, 303
Regression
 multiple, 92
 nonlinear, 12
Renovation, 145
Repairs, to reduce lead in dust,
 107
Repeated measures analysis, 12

S

Sampling, quality control, 313
Scanning electron microscopy,
 268, 283
Scraping, 145
Sieving, material preparation,
 329
Smelting, 3
Soil, lead in, 119, 175, 339
 abatement efficacy, 162
 abatement performance study,
 227
 characterization, level, 41
Housing and Urban
 Development study
 on, 27
 measurement methods for,
 191, 207, 215
 particulate, 283
 peeling paint as source, 76
 sampling and analysis of, 227
 structural equation modeling
 for, 12
 urban, double-blind sample
 applications, 355
 X-ray fluorescence method
 for, 215
Spatial distribution, 249
Speciation, 283
Specimen storage, quality
 control, 313

422 LEAD IN PAINT, SOIL AND DUST

Standard reference materials,
191, 215, 355
method evaluation materials,
329
National Institute for Standards
Technology, 339
system for, 303
Sterilization, material
preparation, 329
Structural equation, 92
Surface dust particulate
collection, 249
Survey, lead paint in houses, 27
Swine, 3

T

TCLP testing, 56
Test kits, 191
Tibia, simulated human, 339
Traceability, chemical analysis
data, 303
Tracers
isotope, 63
physical, 12

U

Urban Soil Lead Abatement
Demonstration Project,
215, 355
U.S. Department of Housing and
Urban Development, 27,
41, 56, 119, 162, 227

U.S. Environmental Protection
Agency, 27, 41, 76, 92,
107, 120, 191, 227, 382
measurement protocols, 382
Office of Pollution
Prevention and Toxics, 373
Urban Soil Lead Abatement
Demonstration
Project, 215, 355
X-ray fluorescence equipment,
portable, 191, 207

V

Vacuuming, 145
dust, 227
micro, sample, 249

W

Water, tap, lead in, 92
Wipe samples, 56, 227, 249, 329

X

X-ray energy spectroscopy, 283
X-ray fluorescence, 191, 207,
268, 355, 382
energy-dispersive, 215