

Subject Index

A

- Absorption
 - gaseous, 33
 - water, 135, 190
- Aerosol transport and deposition, 48
- Aircraft, 48, 257
- Akaganeite, 75
- Aluminum, 3, 75, 114, 247, 257
- Ammonia, 33
- ASTM subcommittees, 60
- Australia, 33, 48, 114

B

- Bacteria, sulfate-reducing, 270
- Biofilms, 270
- Biological films, 284
- Blast furnace slag, 190
- Bond strength losses, 231
- Brazilian standards
 - water absorption, hardened mortars and concretes, 135

C

- Calcareous aggregates, 150
- Calcium hydroxide, 170
- Carbonation, 207
- Caribbean Islands, 247
- Cathodic protection, 207, 218, 247, 270
- Cement, 170
 - blended, 190
 - mortars, 190
 - paste, 135
- Chloride, 3, 190, 197, 207
 - airborne, 60
 - concentration, 75
 - contamination, 231
 - deposition, 18
 - diffusion, moisture effect on, 135

effect on electrochemical corrosion behavior, 170

localized corrosion promotion, 98

Cleaning, surface, 257

CLIMAT, 48

Coatings and finishes, 114, 270, 284

polyurethane, 257

Coconut, 197

Coil coating, 114

Compressive strength, 190, 197

Concrete, 150, 170, 231

- blocks, 159
- reinforced, 135, 207

Conductivity, 150

Copper, 3, 75

Coral sands, 247

CORRAG model, 18

Crack stabilization, 197

Crevice corrosion, 284

Curing time, 150

D

Decay criterion, 218

Durability, 135, 190, 231

assessment, 114

fiber reinforced mortar, 197

stainless steel reinforced concrete, 231

structure, 159

E

EDAX, 170

Electrical conductivity, 150

Electrochemical behavior, 231

Electrochemical impedance spectroscopy, 170

Electrochemical measurement evaluation, 98

Embrittlement, hydrogen, 270

Epoxy coatings, 284

F

- Fiber, natural and synthetic, 197
 Fique, 197
 Fly ash, 190
 Fungal hyphae, 257

G

- Gaseous absorption, 33
 Glass, 197
 Gulf of Mexico, 75, 150

H

- Humidity, relative, interior, 159
 Hydrated cement paste, 135
 Hydrogen embrittlement, 270
 Hyphae, 257

I

- Ibero-American Map of Atmospheric Corrosiveness (MICAT), 3, 98
 Impressed current cathodic protection, 218
 Indonesia, 33
 International Organization for Standardization (ISO) CORRAG, 18
 Iron, 75

K

- Kure Beach, North Carolina, 60

L

- Latin-American test sites, 3
 Limestone, 150
 Linear polarization resistance, 98

M

- Mercury intrusion porosimetry, 190
 Metals (See also specific types), 10, 33, 114, 270
 Mexico
 Gulf of, 75, 150
 Yucatan Peninsula, 150, 159

- MICAT, 3, 98
 Microscopy, 270
 Models and modeling
 aerosol, 48
 chemical reaction simulator, 33
 corrosion prediction, 18
 Moisture effects on chloride diffusion, 135
 Monitoring, sea spray airborne chlorides, 60
 Mortars, 150
 cement, 190
 fiber reinforced, 197
 Mössbauer spectroscopy, 75
 Muds, saline, 247

N

- North Carolina, 60

O

- Oxidation, 33
 Oxide protective properties, 98

P

- Performance indices, 114
 Petrochemical plants, 218
 Philippines, 33
 Piping, 247
 Polarization curves, 170
 Polymeric substances, extracellular, 270
 Polypropylene, 197
 Pore structure, 190
 Porosity, 150
 Portland cement mortars, 190, 197
 Portugal, 3, 98
 Precipitation, 3, 33, 60
 frequency, 75

R

- Rainwater, 33
 Rebars, 170, 231
 deterioration, 159

S

- Sacrificial anode cathodic protection,** 218
- Salt candles,** 48
- Sands, coral,** 247
- Saturation degree,** 135
- Scanning electron microscopy,** 170
- Sea spray corrosion monitoring, chlorides in,** 60
- Seawater intake structures,** 218
- Service life prediction,** 135, 231
- Silica fume,** 190, 197
- Slag, blast furnace,** 190
- Sodium sulfate,** 98
- Spain,** 3, 98
- Spectroscopy**
 - electrochemical impedance,** 170
 - Mossbauer,** 75
- Stabilization, crack,** 197
- Steel,** 114, 197, 247
 - bars,** 159
 - carbon,** 60, 75, 270
 - design steel current density,** 218
 - mild,** 3, 33, 98
 - mild, reinforcing,** 170
 - prestressed structures,** 207
 - reinforced,** 207
 - stainless,** 231
 - stainless, austenitic,** 284
- Sulfate-reducing bacteria,** 270
- Sulfides,** 270
- Sulfur dioxide pollutants,** 3, 18, 33, 75
- Superplasticizer,** 197
- Surface preparation,** 284

T

- Temperature effects,** 18
- Temperature, corrosion risk tool,** 159
- Tensile strength losses,** 231
- Thailand,** 33
- Time of wetness,** 18, 60, 159

U

- UN ECE,** 18

W

- Washing, surface coatings,** 257
- Water-to-cement ratio,** 150
- Wind flow pattern,** 48

X

- X-ray diffraction,** 190

Y

- Yucatan Peninsula,** 150

Z

- Zinc,** 3, 33, 60, 75
 - zinc-hydrogel,** 207