

## Subject Index

### A

Air content, 158  
 American National Standards  
     Institute, 35  
 Anastylis, 105  
 Angkor, Cambodia, diagnosis  
     and safety evaluation, 189  
 Asian ground treatment and  
     intervention, 211  
 ASTM standards  
     E 1557, 1  
 Athens Charter, 12

### B

Bending, biaxial tensile  
     strength in, 77  
 Bracket complex, 226  
 British timber design code, 119  
 Brittle behavior, 105  
 Burra Charter, 12

### C

Caulk, 128  
 Charleston, SC, house retrofit,  
     175  
 Chephren pyramid, Egypt,  
     diagnosis and safety  
     evaluation, 189  
 Chimney stabilization, 175  
 Colosseum, Rome, diagnosis and  
     safety evaluation, 189  
 Compressive strength, 158  
 Conservation standards, 12  
 Cooling rate, 158  
 Curing conditions, 142

### D

Data management, 1  
 Data structure, 1  
 Diagnostic methods, standard, 24  
 Drilling, 211  
     resistance, 77

Ductility, 105

### E

Earthquake, 226  
     resistance, 175  
 Elemental estimating, 1  
 English Heritage, 12  
 Epoxy binder, 105  
 European ground treatment and  
     intervention methods, 211  
 Evaporation, 128

### F

Fiberglass, 105  
 Fiber optics lighting, 35  
 Flexural bond, 158  
 Flood resistance, 175  
 Foundation stabilization, 175  
 Framing systems, archaic, 175  
 Freeze-thaw test, unidirectional,  
     158  
 Frost damage, 158

### G

Geotechnical procedures,  
     structural intervention,  
     211  
 Glass fiber optics, 35  
 Ground reinforcement, 211  
 Grouting, jet, 211

### H

Humidity/temperature balance,  
     35  
 Hurricane resistance, 175

### I

Impregnation materials, 77, 90  
 Infrared rays, deterioration  
     from, 35  
 Institute for Building Research,  
     77

International Council of  
Monuments and Sites, 12  
International Decade for Natural  
Hazards Reduction, 175  
Italian UNI-NORMAL  
Commission, 24  
Italy, conservation of cultural  
property, 24

**J**

Japan, 226  
Jet grouting, 211

**K**

Karsten tube method, 90

**L**

Lead, 128  
Lighting, glass fiber optics, 35  
Lime mortars, 142, 158  
Loads, 119  
paths, 175

**M**

Masonry, 152, 158  
mortar, lime, 142, 158  
mortar, old, 152  
mortar, replacement, 128  
stabilization, 175  
units, 128  
MasterFormat, 1  
Mechanical/electrical systems,  
35  
Metals, conservation, 24  
Microclimate impact, 52  
Micropiles, 211  
Micro-tremor measurement, 226  
Ministry of Cultural Property, 24  
Modeling techniques, 52  
Modulus of elasticity, 158  
Moisture, in stone joints, 128  
Molds, lime mortar sample, 142  
Mortar  
lime, 142, 158  
old, characterization, 152  
replacement, 128  
Mud wall, 226

**N**

National Research Council, 24  
Nondestructive test,  
impregnation material  
depth, 90

**P**

Penetration depth, 77, 90  
Pollution effects, 52  
Polymer impregnation, 77, 90  
Precipitation effects, 52  
Principles of conservation,  
comparison, 12  
Public Works and Government  
Services of Canada, 158

**R**

Repair  
old mortar characterization,  
152  
stone joints, 128  
Retreatability, 105  
RILEM Technical Committee on  
old mortar  
characterization, 152  
Runoff, 128

**S**

Sagalassos, Turkey,  
Nymphaeum, 105  
Scaling areas, surface, 77  
Sealants, 128  
Settlement, ground, 211  
Shaking table test, 226  
Society for the Protection of  
Ancient Buildings, 12  
Soiling, surface, 52  
Static test, 226  
Stone  
artificial, 24  
conservation, 77  
joint repair, 128  
masonry, 158  
natural, 24, 77, 90  
Stress grading, 119  
Structural analyses, 189  
Structural engineering, 175  
Surface soiling, 52

**T**

- Temperature/humidity balance, 35
- Tensile strength
  - biaxial, in bending, 77
  - split, 158
- Timber design code, British, 119
- Turkey, Nymphaeum at Sagalassos, 195

**U**

- Ultimate strength, 105
- Ultraviolet rays, deterioration from, 35
- UNIFORMAT II, 1
- United Nations International Decade for Natural Hazards Reduction, 175
- U.S. Secretary of the Interior's Standards, 12

**V**

- Venice Charter, 12
- Vicat cone, 158
- Visual changes, facades, 52

**W**

- Weathering, 52
- Wooden column, 226
- Wooden joint, 226
- Wooden design code, British, 119

**Y**

- Young's modulus, 158