

Cumulative Index

The Roman numerals printed in boldface type refer to the particular symposium in the series of solid waste testing symposia. The First Symposium (**I**) is reported in STP 760,¹ **II** in STP 805,² **III** in STP 851,³ **IV** in STP 886,⁴ **V** in STP 925,⁵ and **VI** in STP 933.⁶

Subject Index

A

- Acid precipitation, **III** 61-63
- Adsorption, **II** 111-126, 173, 237-240, 265-282; **III** 186-188; **VI** 120-150, 391-408
- Aerial Surveys (*see* Remote sensors)
- Air testing (*see* Gases)
- Algal culturing, **III** 230-247
- Aluminum anodizing waste, **II** 89-107
- Ambient air (*see* Gases)
- American Foundrymen's Society leaching test (*see* Foundry wastes and Batch leaching)
- Ames test (*see* Mutagenicity)
- Analysis (*see also* Organic constituent groups, Heavy metals sampling, Quality control)
- aging, **VI** 204
- atomic absorption spectroscopy (AA), **I** 44, 63, 86, 152, 171, 225-266; **II** 69, 73, 92, 129, 222-224, 240; **III** 64; **V** 103-123; **VI** 277
- basic considerations, **I** 23-24; **II** 183
- calculations, **VI** 259-260
- combustion bomb, **IV** 66
- document control, **V** 67-73

¹*Hazardous Solid Waste Testing: First Conference, ASTM STP 760*, R. A. Conway and B. C. Malloy, Eds., American Society for Testing and Materials, Philadelphia, 1981.

²*Hazardous and Industrial Solid Waste Testing: Second Symposium, ASTM STP 805*, R. A. Conway and W. P. Gullledge, Eds., American Society for Testing and Materials, Philadelphia, 1983.

³*Hazardous and Industrial Waste Management and Testing: Third Symposium, ASTM STP 851*, L. P. Jackson, A. R. Rohlik, and R. A. Conway, Eds., American Society for Testing and Materials, Philadelphia, 1984.

⁴*Hazardous and Industrial Solid Waste Testing: Fourth Symposium, ASTM STP 886*, J. K. Petros, W. J. Lacy, and R. A. Conway, Eds., American Society for Testing and Materials, Philadelphia, 1985.

⁵*Quality Control in Remedial Site Investigation: Hazardous and Industrial Waste Testing, Fifth Volume, ASTM STP 925*, C. L. Perket, Ed., American Society for Testing and Materials, Philadelphia, 1986.

⁶*Hazardous and Industrial Solid Waste Testing: Sixth Volume, ASTM STP 933*, D. Lorenzen, R. A. Conway, L. P. Jackson, A. Hamza, C. L. Perket, and W. J. Lacy, Eds., American Society for Testing and Materials, Philadelphia, 1986.

electroanalytical, **VI** 276
 fish flesh, **I** 327; **III** 11-23
 gas chromatography and mass spectroscopy, **I** 217-224, 240-248; **II** 11-13, 40-48, 115, 145, 181-192, 209, 271; **III** 29-30; **IV** 139-161, 302-3; **V** 124-212
 gases, **II** 115; **III** 29-30, 157; **IV** 80-82, 106-120
 gel permeation chromatography, **V** 201
 high performance liquid chromatography, **II** 11-13
 inductively coupled plasma spectroscopy (ICP), **I** 44, 225-266; **II** 129; **V** 103-123; **VI** 257-272, 276
 infrared spectroscopy, **IV** 139-161
 interferences, **VI** 257-272
 ion chromatography, **I** 171; **IV** 66, 305
 mass spectroscopy (*see* GC/MS under Analyses)
 matrix, **VI** 257-272
 neutron activation, **I** 171; **II** 69, 73; **VI** 276-277
 oil, **III** 156-157; **IV** 7-14
 organic carbon, **II** 145
 photon activation, **VI** 276-277
 preparation (*see* Separation)
 quality control (*see* Quality control and quality assurance)
 sample preparation (*see* Separation)
 screening analysis, **I** 240-266; **III** 42-47; **IV** 139-161
 selective ion electrodes, **III** 64
 separation and extraction, **I** 45, 63, 243-248; **II** 11, 184, 196-198, 205-207; **III** 92-99, **IV** 7-14, 140-141, 180, 206-207; **VI** 258-263, 277-292
 standards, **V** 85-102, 143-197

thin layer chromatography, **II** 11; **IV** 207-208
 wet chemical tests, **I** 63, 171, 310; **II** 159
 X-ray and X-ray fluorescence (XRF), **I** 153; **II** 215-218; **IV** 123; **VI** 263, 276
 Aquatic organisms (*see also* Bioassay, **III** 5-23)
 Arsenic (*see also* Heavy Metals), **III** 54-55; **VI** 391-408
 Atrazine, **II** 111-126
 Attenuation (*see also* Adsorption), **I** 139-149, 337-341, 360-362; **II** 111-126, 152-167, 241, 261-282; **III** 185-191; **VI** 391-408
 Atterberg limits (*see* Geotechnical testing)

B

Bacterial counting, **II** 115
 Baghouse dust, **I** 42-60, 251-263; **II** 53-66, 127-140
 Barriers, **IV** 273-284
 Batch leaching (*see also* Fixed wastes)
 American Nuclear Society test, **III** 48-60
 ASTM tests, **I** 13-19, 28-39, 44, 63-69, 84-86, 112-135, 151-163, 186-200, 333; **II** 53-88, 141-151, 269; **IV** 22-55; **VI** 268-269, 367-374
 basic considerations, **I** 22-23; **VI** 7-27, 268
 butyrate, **I** 46
 Canadian data base, **II** 53-66
 carbonic acid, **I** 17-18; **II** 127-140; **IV** 22-55

- citrate, **I** 45; **II** 141-151; **III** 218
 contact conditions, **I** 8-14, 23, 69-72, 84-135; **VI** 19
 diffusivity model (*see* Models)
 early tests, **I** 17-19
 elutriation (washing), **I** 186-200
 environment Canada procedures, **II** 53-66, 128; **III** 57-60; **VI** 63
 EPA extraction procedure (EP), **I** 13-19, 29-39, 44, 63-69, 139-163, 201-214, 332-339, 354-355; **II** 53-107, 127-151, 225; **III** 324; **IV** 22-55; **VI** 11-12, 28-44, 367-368
 extractant ratio, **I** 22, 84-98, 112-135, 340; **II** 53-56; **IV** 22-55; **VI** 21
 extractant renewal, **III** 48-60; **IV** 22; **VI** 19-21
 Foundrymen's test, **I** 9, 201-214; **II** 53-88, 136; **VI** 28-44
 French test, **VI** 11
 Illinois test, **I** 10-11
 intrinsic properties, **VI** 63-78
 IU Conversion Systems test, **I** 10-12
 Japanese test, **I** 8; **VI** 11
 local ground water, **VI** 303
 method comparison, **I** 7-19, 28-39, 41-60, 63-69, 83-98; **II** 53-88, 127-151; **IV** 15-55; **VI** 7-44
 Minnesota test, **I** 10-12, 28-39
 models (*see* Models)
 multiple waste addition, **I** 170
 oily wastes, **IV** 83; **VI** 268
 organic extractants, **I** 240-266; **II** 11, 197, 203-213; **III** 92-99
 pH, **VI** 14-18, 32-33
 purposes, **I** 19-20, **II** 111-112, 139, 142; **VI** 268
 redox, **I** 72-74, 337-339; **IV** 23; **VI** 263
 serial extraction, **I** 9, 23, 74-80, 99-111; **II** 127-140; **III** 48-60; **IV** 22-35; **VI** 19-21
 site soil, **I** 99-111; **II** 10-11; **III** 92-99
 site specific, **I** 331-344; **VI** 303
 sodium ion exchange resin, **II** 141-151
 solidified waste (*see* Fixed waste)
 storage effects, **II** 89-107
 surfactant, **I** 46
 synthetic landfill leachate, **II** 53-66
 USA Corps of Engineers test, **I** 333-335
 variability, **VI** 385-387
 West German test, **VI** 10
 Wisconsin test, **I** 11-15, 169-170
 Benzene, **III** 32-33
 Bioassay (*see also* Toxicity), **I** 327, 358-362; **II** 299-320; **III** 11-23; **IV** 176-191, 192-229
 Bioconcentration (*see* Concentration factor)
 Biodegradation, **II** 111-140; **III** 135-151; **IV** 176-191; **VI** 151-173, 319-333
 Biogas, **III** 248-277
 Biological sampling, **III** 5-23
 Biological sludge, **I** 29-38, 42-60, 244-249, 251-263; **II** 141-151, 199, 209; **III** 391-392; **VI** 273-292
 Biological treatment (*see* Biodegradation, Bioreclamation)
 Bioluminescence assay, **IV** 176-191
 Bioreclamation, **VI** 161-173
 Boiler ash, **I** 17, 29-38, 61-135, 99-111, 164-185, 225-239; **II** 24-37, 53-66, 220; **III** 100-117; **VI** 295-301, 379-385
 Boiler combustion (*see* Incineration)
 Bottom ash (*see* Boiler ash)
 Bromophenol, **VI** 308-316

C

Cadmium (*see also* Heavy metals),
III 118-132; **VI** 391-408

Canadian leaching data base, **II** 53-66

Caps (*see* Closure)

Cations
 exchange capacity (CEC), **II** 52-67, 235; **VI** 218-219
 mobility, **III** 81-91; **VI** 216-219

Cementation (*see* Fixed wastes)

Cement kiln (*see* Incineration)

CERCLA (Superfund), **II** 1, 7; **V** (entire)

Chemical plant waste, **I** 42-60, 220-224, 251-263; **II** 136, 141-151, 184, 193-202, 199, 209; **III** 92-99, 299-300; **IV** 301-313; **VI** 257-272

Chemsorption, **II** 174

Chloride, **VI** 93-103, 220-221

Chlorine production brine waste, **I** 139-150; **III** 302

Chromium waste (*see also* Heavy metals and Metal finishing waste) **III** 61-80, 171-192, 278-288

Closure, **II** 283-295, **VI** 203-205

Coal (*see also* Boiler ash), **II** 24-37; **IV** 88

Coal conversion wastes, **II** 141-151

Co-disposal industrial and municipal wastes, **I** 10-14, 139-150, 187, 339; **II** 111-140, **III** 152-170, 193-212; **IV** 15-55; **VI** 45-62

Coke waste, **IV** 205

Column leaching
 analytical, **II** 220-221
 anoxic, **IV** 15-55; **VI** 55-61, 380
 application rate, **I** 85; **IV** 15-55
 co-disposal, **I** 139-150; **II** 111-126; **III** 153-165, 193-212; **IV** 15-55; **VI** 45-62

comparison with batch, **I** 83-98, 139-150, 164-185; **II** 127-151; **IV** 15-55, 254-255; **VI** 384-388

concentration histogram, **II** 240-244

early studies, **I** 8

fly ash, **VI** 379-385

liner migration, **VI** 208-225

large-scale, **I** 139-150; **III** 193-211; **IV** 15-55

ontario column leach test, **II** 127-140

penetration theory, **II** 127-140; **VI** 221-224

recirculation, **III** 62-64; **VI** 46-48

simulated landfill, **II** 111-126; **IV** 15-55; **VI** 45-62, 375-379

solidified waste (*see* Fixed waste)

unsaturated flow, **II** 127-140

variability, **VI** 385-387

Combustion (*see* Incineration)

Concentration factor, **II** 276-278, 318-319; **III** 5-23

Cone penetrometer (*see* Geotechnical testing)

Corrosivity, **I** 352-353; **VI** 430-432

Cyanides, **II** 53-66; **IV** 54-63, 106-120; **V** 103-107

Cyclohexanone, **II** 41-49

Cytotoxicity, **IV** 204-215

D

Damage, **III** 334-345

Data handling, **VI** 104-119

Delisting, **I** 345-365

Detector tubes, **IV** 106-120

Diadochy (elemental substitution), **II** 75

Dichlorobenzene, **VI** 140-150

Dichloroethylene still bottoms, **IV** 15-55

Dichlorophenol, **VI** 140-150

Diffusivity, **III** 48-60; **VI** 98-103, 221-224
 Digestion, **III** 248-277
 Dioxins, **IV** 261-262; **V** 124-142
 Dispersion, **IV** 221-224
 Dredge spoil, **I** 8-9, 333-335
 Dyes, **III** 297-298

E

Earthworms, **II** 313-320; **IV** 192-203
 Effective cation exchange capacity (ECEC) (*see* Cation exchange capacity)
 Egyptian practices, **III** 305-319
 Electromagnetic induction (*see* Remote sensors)
 Electroplating waste (*see* Metal finishing waste)
 Encapsulation (*see* Fixed waste)
 EPA toxicant extraction procedure (EP) (*see* Batch leaching and Toxic characteristic leaching procedure)
 Equivalent facility performance, **I** 347-350
 Equivalent testing methods, **I** 347-350
 European practices, **III** 373-393
 Explosives waste, **I** 305-320
 Explosivity, **VI** 438-439
 Exposure assessment (*see* Hazard assessment)
 Extraction (*see also* Batch leaching, Column leaching), **II** 11, 197, 203-213; **III** 48-60, 92-99; **IV** 7-14, 140-141, 180, 206-207
 Extraction Procedure (EP) (*see* Batch leaching)

F

Fabrics, **II** 283-295
 Fate (*see also* Hazard assessment), **I**

341, 361-362; **II** 111-126; **III** 81-91; **IV** 165-175
 Fatty acids, **II** 115-116
 Fertilizer wastes, **III** 294-295, 299
 Field and large-scale studies (*see also* Sampling)
 aquatic organisms, **III** 5-23
 chemical waste, **I** 321-327
 closure, **II** 283-295
 co-disposal, **I** 139-150; **IV** 15-55; **VI** 45-62
 dredging waste, **I** 373
 explosives waste, **I** 305-320
 fly ash, **I** 164-185
 foundry waste, **I** 201-214; **VI** 28-44
 gases, **III** 24-41
 ground water flow, **I** 294-298, 307-309; **III** 177-185
 liners, **I** 290; **VI** 93-103
 metal finishing waste, **I** 195-199, 305-320
 mining waste, **I** 201-214
 municipal wastes, **VI** 93-103
 oily waste, **III** 135-170; **IV** 285-297
 pulp and paper waste, **I** 151-163
 steel mill waste, **III** 171-192
 wood preserving waste, **II** 7-23
 Fish testing (*see* Bioassay)
 Fixed wastes
 acceptance tests, **IV** 263-272
 brine, **IV** 263-272
 cement, **VI** 79-90, 295-307, 308-316
 chemical properties, **IV** 84; **VI** 70
 concrete penetrometer, **IV** 263-276
 cone penetrometer, **IV** 263-272
 encapsulation, **II** 170-172
 EPA programs, **IV** 83-84, 257-258
 fly ash, **II** 220; **III** 100-117; **VI** 295-307
 grout, **VI** 295-307

- hydrofracture grout, **VI** 295-307
 intrinsic properties, **VI** 63-77
 leachate renewal, **III** 48-60
 leaching batch, **I** 9; **III** 48-60, 215-218; **VI** 68-77, 87-89, 303
 leaching column, **III** 135-136, 220; **III** 215-218; **VI** 81-87
 leaching model, **III** 49-60
 limestone scrubber solids, **VI** 295-307
 mechanisms, **II** 168-177
 metal wastes, **III** 213-229; **VI** 79-90
 microscopy, **VI** 308-316
 models, **VI** 71-76, 86-87
 morphology, **VI** 70
 organic effects, **VI** 308-316
 particle size **VI** 80-81
 paste, **VI** 80-81
 PCBs, **VI** 295-307
 pesticides, **VI** 295-307
 physical properties, **VI** 70, 308-316
 pickling liquor, **VI** 295-307
 silicate based, **III** 328-329
 steel wastes, **II** 135-136
 unconfined compressive strength, **IV** 263-272
 vicat needle, **IV** 263-272
 Flame extinguishability, **IV** 90-103
 Flame propagation, **IV** 90-103
 Flammability (*see* Ignitability)
 Fly ash (*see* Boiler ash)
 Food processing waste, **I** 244-263; **III** 230-259; 316-317
 Foundry wastes (*see also* Slags, Smelter discharges), **I** 9, 203; **II** 53-88, 136; **VI** 28-44
 Free liquid, **VI** 409-416
- G**
- Gas chromatography and mass spectroscopy (*see* Analyses)
- Gases, **I** 327; **III** 24-41; **IV** 80-82, 106-120, 259-260, 335-343; **VI** 344
 Genotoxicity (*see* Mutagenicity)
 Geochemical testing, **I** 293-304, 309; **II** 235-264, 269; **III** 185-191, 324; **IV** 275-282
 Geophysical surveys (*see also* Remote sensors), **VI** 243-253
 Geotechnical testing (*see also* Adsorption, Fixed wastes, Geophysical surveys, Sampling, Liners)
 Atterberg limits, **II** 233, 285-286; **IV** 245
 base saturation, **II** 156
 cation exchange, **I** 313; **II** 52-67, 235; **VI** 218-219
 compatibility, **IV** 233-249
 compressive strength, **IV** 266
 dynamic shear, **VI** 226-239
 effective stress, **VI** 94-95
 grain size, **II** 233; **III** 173-185
 hydraulic conductivity, **III** 173-185; **VI** 234-242
 index properties, **IV** 244-246
 interstitial water, **I** 151-163, 167-169; **II** 111-126; **III** 197-206
 liquidity index, **II** 286
 minerology, **II** 236
 moisture, **II** 233, 286; **VI** 343-352
 penetrometer, **IV** 266
 permeability, **I** 293-303, 313; **II** 242; **III** 173-177; **IV** 234-242, 279-282
 pH effects, **VI** 234-236
 plastic limit, **II** 233-234; **III** 286
 pore water, **VI** 343-352
 sampling, **I** 167, 307-308; **V** 10-12, 35-66
 shear modulus, **VI** 226-239
 soil dynamics, **VI** 226-239
 specific gravity, **II** 233
 subsurface sensors, **VI** 250-253
 vicat needle, **IV** 266

Geotextiles (*see* Fabrics, Liners)
 Glass etching waste, **I** 139-150
 Ground penetrating radar (*see* Remote sensors)
 Ground water (*see also* Sampling and preservation and Field and large-scale studies)
 monitoring, **V** 21-34
 treatment, **VI** 151-173
 Grout barriers (*see* Barriers)

H

Halogenated compounds (*see also* PCBs, Pesticides, and Specific compounds), **I** 250-255; **II** 188-191, 265-282; **IV** 64-76, 303-304
 Hazard assessment, **I** 24-25, 112-135, 202-303, 340-344, 345-365; **II** 111-112, 139, 142, 308-311, 319; **III** 322; **IV** 165-175
 Heat of combustion (*see* Incineration)
 Heavy metals (*see also* Analysis)
 analysis, **I** 225-237, 248-249; **II** 214-228; **IV** 121-138; **V** 85-123; **VI** 257-272
 attenuation and retardation, **II** 231-245; **III** 185-212, 213-229; **VI** 50-62, 212-216
 gaseous, **III** 30
 leachability, **I** 32-38, 43-60, 63-81, 86-214; **II** 53-107, 127-140, 214-228; **III** 54-57, 105-117
 sediments and sludges, **I** 313-314; **II** 287
 soil sampling program, **V** 57-66
 sulfide precipitation, **VI** 54-61
 toxicity, **II** 313-320; **IV** 192-203
 Herbicide waste (*see* Pesticide waste)
 Human exposure assessment (*see* Hazard assessment)
 Hydraulic conductivity (*see* Geotechnical testing)
 Hydrocyanic acid (*see* Cyanides)
 Hydrogeology (*see* Field and large-scale studies, Geotechnical testing, Sampling and preservation)

I

Ignitability, **I** 350-352; **IV** 95-105; **VI** 431
 Illinois Environmental Protection Agency leaching test, **I** 10-11
 Immobilization (*see* Fixed wastes)
 Immunotoxicology (*see also* Toxicity), **IV** 216-229
 Impoundment, **II** 231; **III** 329-330; **IV** 258-261; **VI** 195-207, 343-366
 Incineration (*see also* Incinerator ash)
 boilers, **VI** 180-191
 cement kiln, **VI** 181-191
 heat content, **IV** 310; **VI** 265
 high-intensity combustion, **IV** 328-334
 performance, **VI** 177-191
 stack monitoring, **IV** 80-82
 test burns, **IV** 314-334; **VI** 181
 volatile organic sampling train (VOST), **IV** 80-82, 335-343; **VI** 179-180
 waste characterization, **IV** 301-313, 322
 Incinerator ash, **I** 29-38; **IV** 17, 36-55
 Indian practices, **III** 291-304
 Ink pigment waste, **I** 42-60, 251-263
 Interpretation of results (*see* Hazard assessment)
 Interstitial water quality (*see* Geotechnical testing)
 Iron waste (*see* Steel mill waste)

IU Conversion Systems leaching test,
I 10-12

L

Laboratory wastes, VI 417-425
Land application, VI 273-292
Land treatment, III 135-151; IV 7-14, 176-203, 285-297; VI 268-269
Landfill (*see* Closure, Simulated landfill, Liners, Field and large-scale studies)
Leachate migration, VI 208-225
Leachate treatment, VI 45-62, 151-173
Leaching (*see* Batch leaching, Column leaching)
Lead (*see also* Heavy metals), IV 121-138
Limestone slurry treatment sludge, I 244-263; VI 295-307
Lindane (*see* Pesticide waste)
Liners, I 341, 350; III 325-326
 clay and soil, I 269-292, II 231-282; IV 233-250, 255-256; VI 93-103, 208-239
 flexible membrane, I 269-292; IV 256-257; VI 195-207
Liquid underground storage tanks (*see* Underground storage tanks)
Listing of hazardous wastes, I 355-358
Lysimeters (*see also* Column leaching), I 153; III 188; IV 19-22; VI 28-30, 343-352, 387

M

Magnetometry (*see* Remote sensors)
MCPA pesticide, II 111-126
Metal detection (*see* Remote sensors)
Metal finishing waste, I 139-154, 186-200, 251-263, 305-320;

II 53-66, 89-107, 135; III 213-229, 278-288; IV 17

Metals (*see* Heavy metals, metal finishing waste)

Methanethiol, III 35

Methylethylketone (MEK), II 41-49

Methylisobutylketone (MIK), II 41-49

Microcoulometry (*see* Incineration)

Microcosms and mesocosms, II 310

Micro-tox assay (*see* Bioluminescence assay)

Migration (*see also* Fate), II 111-126, 152-167; VI 208-225

Mining waste, I 199-214; II 53-66, 127-140, 231-245

Minnesota Pollution Control Agency leaching test, I 10-12, 28-39

Models

biological treatment, VI 326-331

diffusivity, III 49-52; VI 98-103

leaching, IV 29; VI 65-67, 72-74

liner migration, VI 221-224

migration, III 81-85; VI 98-103, 208-225

soil loading, III 126

Monitoring (*see* Ground water)

Monitoring wells (*see* Wells)

Municipal waste (*see also* Co-disposal), I 275-277; II 220; III 18, 193-212, 260-277

Mutagenicity (*see also* Toxicity), IV 204-229

N

National programs

Egypt, III 305-319

Europe, III 373-393

India, III 291-304

Thailand, III 346-360

United Kingdom, II 111-112

United States of America, III 321-345

Nitrogen, **VI** 289

O

Octanol-water partitioning (*see* Concentration factor)

Odors, **III** 24-41

Oily waste, **I** 17, 220-224; **II** 53-66, 137, 184, 193-202, 209; **III** 135-170; **IV** 7-14, 17, 36-55, 83, 88, 182, 205, 287; **VI** 257-272

Organic constituent groups (*see also* Analysis)

clean-up, **I** 243-248; **II** 184, 196-198, 207

dioxin (*see* Dioxins)

extraction (rapid), **III** 92-99

gaseous, **III** 24-41

halogens (*see* Halogenated compounds)

leachability, **I** 43-59; **II** 111-126, 141-151

RCRA Appendix VIII compounds, **IV** 78-80; **VI** 338

resin adsorption, **II** 145

semivolatiles, **I** 44, 240-266, 323-327; **II** 203-213; **IV** 143-172

surrogate screening, **I** 217-224

volatiles, **I** 44, 217-224, 242-266, 323; **II** 39-41, 193-202; **III** 43; **IV** 206-207; **V** 173-197

Organic still bottoms (*see* Chemical plant wastes)

Oxidation-reduction potential, **I** 72-74, 337-339; **IV** 23; **VI** 263-380

P

Paint filter test, **VI** 409-416

Paint waste, **I** 251-263; **III** 298-299; **IV** 17-55, 87-89, 182

Partition (*see* Attenuation)

Passivation, **II** 174-175

Penetrometers (*see* Geotechnical testing)

Pentachlorophenol, **VI** 120-139, 295-307

Permeability and permeameters (*see* Geotechnical testing)

Pesticide waste, **II** 111-126, 210, 276; **III** 296-297; **IV** 140-141, 205; **V** 148-152, 198-212; **VI** 295-307, 438-440

Petrochemical waste (*see* Chemical plant waste)

Petroleum waste (*see* Oily waste)

Pharmaceutical waste, **I** 42-60; **II** 141-151

Phenolics, **II** 8-22, 137, 210; **VI** 120-150, 295-307

Phosphorous, **VI** 288-289

Phosphorous production waste, **II** 53-66; **III** 294-295

Pickle liquor, **IV** 68; **VI** 295-307

Piezometer (*see* Sampling and preservation, Geotechnical testing)

Pigment (*see* Paint waste)

Pirimiphos-methyl, **II** 111-126

Plant uptake, **III** 118-132, 135-151; **VI** 273-292

Plastics wastes (*see* Chemical plant wastes)

Plating waste (*see* Metal finishing waste)

Polychlorinated biphenyls (PCBs), **II** 53-66, 185-188, 267; **III** 12-23; **IV** 64-67, 170; **V** 148-152, 198-212; **VI** 295-307

Polynuclear aromatics (PNAs), **II** 8-22

Poly(vinyl chloride pipe), **II** 38-50

Precipitation, **II** 175-176; **VI** 212-216

Pulp and paper waste, **I** 151-163; **II** 141-151

Purposes of testing, **I** 1, 20-21; **III** 42-43

Q

Quality control and quality assurance

chain of custody, **V** 67-73

contract laboratory evaluation, **V** 74-102

data base, **VI** 104-119

dioxin analysis, **V** 124-142

document control, **V** 67-73

drilling procedures, **V** 3-10

extraction and leaching, **I** 23-24, 113-116; **II** 12-16

inorganic analyses, **II** 165; **IV** 136-138; **V** 31-32, 85-123

kriging, **V** 43-56, 62-65

monitoring ground water quality, **V** 21-56

organic analyses, **II** 223-224; **V** 31-32, 85-102, 143-197

PCBs, **V** 148, 152, 198-212

pesticide analyses, **V** 148, 152, 198-212

soil sampling, **V** 10-12, 35-66

spatial structure, **V** 43-66

waste sampling, **II** 35-36, 68

well construction, **V** 3-16, 22

well design, **V** 11-16

R

Radiant heat, **IV** 89-105

Reactivity, **I** 353-354; **IV** 106-120, **VI** 428-439

Recovery (*see* Waste utilization)

Refinery sludge (*see* Oily waste)

Remedial action, **IV** 172, 273-284

Remote sensors, **VI** 243-253

Reprecipitation (*see* Precipitation)

Research needs, **II** 1, 3; **III** 321-333

Resistivity (*see* Remote sensors)

Resource Conservation and Recovery

Act, **I** 1, 41, 187, 240-241, 295, 305, 332, 342-343, 345-365; **II** 1; **III** 320-332; **IV** 77-86, 106, 251-262, 322; **VI** 258, 269, 409-410

Resource recovery (*see* Waste utilization)

Retardation (*see* Attenuation)

Risk analysis (*see* Hazard assessment)

Rule-making changes, **I** 345-365

S

Safety, **VI** 354-356, 426-442

Samples

classification, **VI** 419

disposal, **VI** 421-425

treatment, **VI** 420-421

Sampling

air (*see* Gases)

aquatic organisms, **III** 10-12

backhoe, **I** 204

basic considerations, **I** 21-22; **II** 8-9; **VI** 332-339

bottom ash, **II** 24-37

coal, **II** 24-37

design, **VI** 357-360

fly ash, **II** 24-37

gases, **I** 327; **III** 24-28

groundwater, **II** 38-50; **V** 16-19, 21-56; **VI** 337-342

impoundments, **VI** 353-366

interstitial water, **I** 153, 167-169; **II** 111-126; **III** 197-198

leachate, **I** 143, 153, 324, 327

safety, **VI** 354-356

scrubber sludge, **II** 24-37

soil, **I** 165, 167, 204, 218-219, 307-308; **II** 8-12, 16-22; **IV** 123-138, 285-297; **V** 10-12, 35-66

soil gas, **VI** 344

- storage effects, **II** 89-107; **VI** 264, 341
 variability, **VI** 357-360
 wastes, **I** 17; **III** 42-43; **VI** 353-366
 wells, **I** 167-168, 204, 307-309; **II** 38-50; **V** 11-16; **VI** 341
 Scrubber sludge, **II** 24-37
 Sediments, **II** 286-287
 Seismic refraction (*see* Remote sensors)
 Silicates, **III** 213-229
 Simulated landfill (*see also* Column leaching), **II** 111-126; **III** 153-154; **IV** 15-22; **VI** 45-62, 208-212, 377-379
 Slags (*see also* Foundry wastes), **I** 17; **III** 61-80, 301-302
 Sludges (*see* Biological sludge and Chemical plant waste)
 Smelter discharges, **II** 53-66; **V** 57-66
 Soil (*see also* Analysis, Batch leaching, Extraction, Sampling, Field and large-scale studies, and Geotechnical testing)
 adsorption, **VI** 120-150, 391-408
 base saturation, **II** 156
 cation exchange capacity (*see* Geotechnical testing)
 cation mobility, **III** 81-91
 extraction, **III** 92-99, **V** 149, 158-160, 178, 186-188, 203
 index (*see* Geotechnical testing)
 lead, **IV** 121-138
 liners (*see* Liner testing)
 loading, **III** 118-126
 oil, **IV** 7-14
 pH, **VI** 120-130
 sample preparation, **IV** 123
 toxicity, **II** 313-320; **IV** 192-203
 Solidified waste (*see* Fixed waste)
 Solids separation, **III** 364-372
 Solvent still bottoms, **IV** 15-55, 88
 Sonication, **I** 219; **II** 205, 208
 Sorption (*see* Adsorption)
 Soxhlet extraction, **II** 11, 206-207; **III** 96-99; **IV** 7-14
 Stability, **II** 294
 Stabilized waste (*see* Fixed waste)
 Stack gases (*see* Incineration and Gases)
 Standard Leach Test (U. Wisconsin), **I** 11-12, 15, 169-170
 Statistical considerations (*see* Quality control and quality assurance)
 Steel mill wastes (*see also* Pickle liquor), **III** 171-192, 300-301, 316, 361-373; **VI** 7-27
 Storage, **VI** 426-442
 Styrene, **IV** 88-89
 Subsurface sensors (*see* Remote sensors)
 Sulfur compounds, **VI** 265-269
 Superfund (*see* CERCLA)
 Surface impoundment (*see* Impoundment)
 Survey analysis (total content), **I** 240-266; **III** 42-47
- ## T
- Tars (*see* Oily wastes)
 Tensiometer, **VI** 343-352
 Teratology (*see also* Toxicity), **IV** 216-229
 Tetrahydrofuran, **II** 41-49
 Textile waste, **IV** 87-89
 Thailand practices, **III** 346-360
 Total organic halogens (*see* Halogenated compounds)
 Toxic characteristic leaching procedure (*see also* Batch leaching), **IV** 15-55, 82
 Toxicity (*see also* Bioassay and Mutagenicity), **I** 341, 352-360; **II** 299-320; **IV** 176-229
 Trinitrotoluene, **I** 305-320

U

- Underground storage tanks, **VI** 343-352
- United Kingdom practices, **II** 111-112
- U.S. Army Corps of Engineers elutriate test, **I** 8-12, 333-335

V

- Vapors (*see* Gases)
- Vicat needle (*see* Geotechnical testing)
- Viscosity, **IV** 310
- Volatile organic compounds (*see* Organic constituents)

W

- Waste management, **III** 291-319,

346-360, 373-393; **VI** 417-425

- Waste utilization, **III** 230-288, 309-319, 388
- Wastewater treatment sludge (*see* Biological sludge)
- Water determination, **III** 95; **IV** 307
- Wells (*see also* Sampling and preservation)
 - decontamination, **V** 16-19
 - design, **V** 11-16
 - drilling, **V** 3-10
 - grouting, **V** 15-16
 - materials, **V** 11-15, 22
- Wood preserving waste, **II** 9-22; **IV** 182
- Worms (*see* Earthworms)

Z

- Zinc sulphide residue, **II** 53-66