

Subject Index

A

- Adhesive nonlinearity, unidirectional fiber composites, 203
- Aluminum-lithium materials, 551
- Analytical global-local model, free-edge delamination, 381
- Aramid-reinforced aluminum laminate, 249, 551
- Assessment methods, composite materials, recreational structures, 45

B

- Beams, composite materials, 70
- BEARBY analysis code, 225
- Bearing-bypass interaction, composite bolted joints, 225
- Bearing strength, creep elongation of bolt holes, polymer matrix composites, 452
- Biaxial loading
 - composite joints, bypass strength, 225
 - graphite/epoxy composites, damage tolerance, 9
- Bicycle frames, assessment methods for composite damage, 45
- Bolted composite joints, bypass strength, 225
- Bolt holes, creep elongation, polymer matrix composites, 452
- Bolt torque
 - composite bolted joints, 225
 - creep elongation of bolt holes, polymer matrix composites, 452
- Brittle matrix composites, crack extension modeling, 364
- Buckling, composite materials, 70
 - damage, 45
 - under cyclic loading, 162
- Bypass strength, composite bolted joints, 225

C

- Carbon and glass-fiber composites, unidirectional fiber composites, 203
- Carbon/epoxy laminates, static and fatigue interlaminar tensile strength, 516
- Carbon fiber-reinforced epoxy composites
 - delamination growth under cyclic loading, 162

- fastener joints, effects of environmental and geometric parameters, 432
 - multidirectional, 283
- Collapse, composite materials, 70
- Compact tension specimen, laminated composite testing, 531
- Compliance calibration, mixed-mode bending specimen, 305
- Compression panels, Z-shaped stringer-stiffened, 551
- Compressive loading
 - composite damage, 45
 - cross-ply composite plates, 143
 - free-edge delamination, 381
 - woven-fabric composites, 471
- Compressive strength, unidirectional fiber composites, 203
- Computational simulation, laminated composite testing, 531
- Crack extension
 - modeling, chopped-fiber composites, 364
 - mode separation, composite delamination problems, 324
- Crack growth law, cross-ply composite plates, 143
- Crack propagation
 - chopped-fiber composites, 364
 - interlaminar fatigue cracks, 126
 - titanium-matrix composite, 103
 - unstable, composite materials, 70
- Creep, bolt holes subject to bearing loads, 452
- Cross-ply compression, unidirectional fiber composites, 203
- Curved-beam specimens, static and fatigue interlaminar tensile characterization, 516
- Cyclic loading, delamination growth prediction, 162

D

- Damage initiation, composite materials, 70
- Damage progression, woven-fabric composites, 471
- Damage tolerance, graphite/epoxy composites, 9
- Data analysis, tensile and compressive strengths, 203
- Degradation, laminated composite testing, 531

Delamination

- crack extension mode separation, 324
 - edge crack torsion Mode III test layups, 409
 - free-edge, composites under compressive loading, 381
 - graphite/epoxy composites, 126
 - growth prediction, cyclic loading, 162
 - internal, fatigue growth, 143
 - internal, unsymmetric laminated composite plates, 343
 - mixed-mode, 305
 - mode dependence, 143
 - multidirectional carbon-fiber/epoxy laminates, 283
 - static and fatigue interlaminar tensile characterization, 516
 - torsion testing, 85
- Double-cantilever beam, mixed-mode bending specimen, 305
- Double-shear bearing strength, fastener joints in advanced composites, 432
- Durability, laminated composite testing, 531

E

- End-loaded split, graphite/epoxy composites, 126
- End-notched flexure
 - delamination growth under cyclic loading, 162
 - graphite/epoxy composites, 126
 - mixed-mode bending specimen, 305
- Environmental degradation, fastener joints in advanced composites, 432
- Environmental effects, isothermal and thermomechanical fatigue, 394
- Extension-twist coupling, internally delaminated unsymmetric laminated composite plates, 343

F

Failure

- free-edge delamination, 381
- mechanisms, woven carbon and glass composites, 471
- titanium metal-matrix composite, 27

FALSTAFF spectrum, 179

Fatigue

- chopped-fiber composites, 364
- composite joints, bypass strength, 225
- cross-ply composite plates, 143
- delamination growth under cyclic loading, 162
- fastener joints in advanced composites, 432
- free-edge delamination, 381
- graphite/epoxy composites, 9
 - interlaminar, 126

- hygrothermal effects on edge crack torsion Mode III test layups, 409
- internally delaminated unsymmetric laminated composite plates, 343
- isothermal and thermomechanical, 394
- laminated composites, 516
- metal-matrix composites, 260, 495
 - laminated panels, 244
- mode component separation, 324
- progressive, composite materials, 70
- strength-based wearout model, 179
- titanium metal-matrix composite, 27
 - effects of fiber bridging and fiber fracture, 103
- torsion testing, 86
- unidirectional fiber composites, 203
- woven carbon and glass composites, 471
- woven-fabric composites, 471
- Z-shaped stringer-stiffened compression panels, 551

Fiber bridging

- crack extension modeling, 364
- effects on fatigue cracking, titanium-matrix composite, 103

Fiber failure, titanium-matrix composite, 103

Fiber fracture, effects on fatigue cracking, titanium-matrix composite, 103

Fiber-matrix interface strength, chopped-fiber composites, 364

Fiber/metal laminates, residual strength, 244

Finite element analysis

- crack extension modeling, 364
- delamination growth under cyclic loading, 162
- mode component separation, 324
- progressive fracture, 70
- torsion testing, 85

Force-deformation relationship, delaminated plate, 343

Fractography, multidirectional carbon-fiber/epoxy laminates, 283

Fracture

- chopped-fiber composites, 364
- composite joints, bypass strength, 225
- creep elongation of bolt holes, polymer matrix composites, 452
- cross-ply composite plates, 143
- delamination growth under cyclic loading, 162
- fastener joints in advanced composites, 432
- free-edge delamination, 381
- graphite/epoxy composites, 9
 - mechanics, 126
- hygrothermal effects on edge crack torsion Mode III test layups, 409
- internally delaminated unsymmetric laminated composite plates, 343
- isothermal and thermomechanical, 394

- laminated composites, 516, 551
- metal-matrix composites, 260, 495
 - laminated panels, 244
- multidirectional carbon-fiber/epoxy laminates, 283
- progressive, composite materials, 70
- strength-based wearout model, 179
- titanium metal-matrix composite, 27
 - effects of fiber bridging and fiber fracture, 103
- transverse shear strength, 85
- unidirectional fiber composites, 203
- woven carbon and glass composites, 471
- Z-shaped stringer-stiffened compression panels, 551
- Fracture modes, 70
 - component separation, 324
 - multidirectional carbon-fiber/epoxy laminates, 283
- Fracture toughness
 - edge crack torsion Mode III test layups, 409
 - Mode III tests, 409
- Free-edge stresses, delamination under compressive loading, 381

G

- Glass-aluminum reinforced epoxy, 244, 551
- Glass/epoxy composite, failure mechanisms, 471
- Graphite/epoxy composites
 - free-edge delamination, under compressive loading, 381
 - interlaminar fatigue cracks, 126
 - pressurized, damage tolerance, 9
- Graphite fiber/polymer matrix, creep elongation of bolt holes, 452

H

- Hole deformation
 - elongation, composite bolted joints, 225
 - fastener joints in advanced composites, 432
- Hygrothermal environment
 - composite materials, 70
 - effects on edge crack torsion Mode III test layups, 409
 - fastener joints in advanced composites, 432
 - free-edge delamination, composites under compressive loading, 381

I

- Impact damage resistance, metal-matrix composites, 260
- Impact energy, assessment methods for composite damage, 45
- Impact testing, composite damage, 45

- Inert environment, isothermal and thermomechanical fatigue, 394
- In situ longitudinal acoustic waves, metal-matrix composites, 495
- In situ surface acoustic waves, metal-matrix composites, 495
- Interfacial fracture mechanics, crack extension mode separation, 324
- Interlaminar fracture
 - mixed-mode, 305
 - multidirectional carbon-fiber/epoxy laminates, 283
- Interlaminar shear strength, torsion testing, 85
- Interlaminar stress, internally delaminated unsymmetric laminated composite plates, 343
- Interlaminar tensile strength, laminated composites, 516
- Internal pressure, failure, titanium metal-matrix composite, 27
- Isothermal fatigue
 - environmental effects, 394
 - metal-matrix composites, 495

L

- Laminated composites
 - carbon-fiber epoxy composites, 432
 - compact tension specimen, 531
 - hygrothermal effects on edge crack torsion Mode III test layups, 409
 - multidirectional carbon-fiber/epoxy laminates, 283
 - polymer matrix composites, creep elongation, 452
 - static and fatigue interlaminar tensile characterization, 516
- Life fraction models, isothermal and thermomechanical fatigue, 394
- Life prediction
 - metal-matrix composites, 495
 - strength-based wearout model, 179
- Linear elastic fracture mechanics, metal-matrix laminated panels, 244

M

- Matrix cracking, metal-matrix composites, 260
- Metallography, metal-matrix composites, 495
- Metal-matrix composites
 - damage evolution and material behavior, 495
 - impact damage resistance and residual strength, 260
 - isothermal and thermomechanical fatigue, 394
 - laminated panels, 244
 - titanium, 27

Mixed-mode bending, experimental compliance calibration, 305
 Mixed-mode failure, delamination growth under cyclic loading, 162
 Mode mixity
 crack extension mode separation, 324
 cross-ply composite plates, 143
 Multidirectional carbon-fiber/epoxy laminates, strain energy release rate and fracture mode, 283

N

Nondestructive evaluation, metal-matrix composites, 495
 Notches, titanium-matrix composite, 103

O

Oblique incidence shear waves, metal-matrix composites, 495
 Orthotropic materials, crack extension mode separation, 324

P

Panels, composite materials, 70
 Paris law, 162
 Peel stress, internally delaminated unsymmetric laminated composite plates, 343
 Plasticity, multidirectional carbon-fiber/epoxy laminates, 283
 Plastic zone size, multidirectional carbon-fiber/epoxy laminates, 283
 Plates, composite materials, 70
 Ply cracks, unidirectional fiber composites, 203
 Polymer-matrix composites
 progressive fracture, 70
 strength-based wearout model, 178
 Polymethyl methacrylate, chopped-fiber composites, 364
 Pressurized cylinders, damage tolerance, 9

R

R-curve, metal-matrix laminated panels, 244
 Recreational structures, assessment methods for composite damage, 45
 Reflector plate inspection, metal-matrix composites, 495
 Residual fatigue, metal-matrix composites, 260
 Residual strength, metal-matrix composites, 260 laminated panels, 244
 Residual tensile strength, metal-matrix composites, 495

S

Scanning acoustic microscopy, metal-matrix composites, 495
 Shear cracks, torsion testing, 85
 Shear deformation theory, 409
 Shear testing, woven-fabric composites, 471
 Shells, composite materials, 70
 Silicon-carbide fibers
 fatigue cracking, 103
 isothermal and thermomechanical fatigue, 394
 Single-shear bearing strength, fastener joints in advanced composites, 432
 Slow crack growth, metal-matrix laminated panels, 244
 Spectrum loading, strength-based wearout model, 179
 Spool specimens, static and fatigue interlaminar tensile characterization, 516
 Stability, composite materials, 70
 Strain energy release rate, 70
 delamination
 cross-ply composite plates, 143
 growth under cyclic loading, 162
 edge crack torsion Mode III test layups, 409
 internally delaminated unsymmetric laminated composite plates, 343
 mode separation, 324
 multidirectional carbon-fiber/epoxy laminates, 283
 Stress intensity factor
 cross-ply composite plates, 143
 metal-matrix laminated panels, 244
 mode component separation, 324
 Stress-ratio effect, interlaminar fatigue crack propagation, 126
 Stress-strain responses, woven-fabric composites, 471
 Stringer-stiffened compression panels, 551
 Structural degradation, laminated composite testing, 531

T

Tab effects, unidirectional fiber composites, 203
 Temperature, elevated, creep elongation of bolt holes, polymer matrix composites, 452
 Tensile strength, unidirectional fiber composites, 203
 Tension testing, woven-fabric composites, 471
 Thermomechanical fatigue, environmental effects, 394
 Thin-walled shell, titanium metal-matrix composite, 27

Titanium metal-matrix composite
 failure under internal pressure, 27
 fiber failure, 103
Torsion testing
 edge crack torsion Mode III test layups, 409
 transverse shear strength, 85
Transverse bearing loads, effect on bypass strength
 of composite bolted joints, 225
Transverse crack tension, delamination growth
 under cyclic loading, 162
Transverse shear strength, torsion testing, 85

U

Uniaxial loading, graphite/epoxy composites,
 damage tolerance, 9

Unidirectional fiber composites, tensile and
 compressive strengths, 203
Unsymmetric laminated composite plates, internally
 delaminated, 343

V

Virtual crack closure method
 crack extension mode separation, 324
 delamination growth under cyclic loading, 162
Virtual crack extension, modeling, 364

W

Wing skin panels, 551
Woven carbon and glass composites, failure
 mechanisms, 471
Woven-fabric composites, failure mechanisms, 471