

Subject Index

A

- Accelerated testing, 14, 60
- Acoustic emission testing, 14
- Adsorption, 387
- Aircraft fasteners, 55, 335
- Aircraft maintenance, 55
- Aluminum, 1, 17, 83
- American Bureau of Shipping glycerine test, 238
- ASTM
 - committees, 46, 127, 173, 190
 - standards
 - A 36: 57, 238
 - A 262-85: 202
 - A 304-79: 43
 - A 487: 190
 - B 602: 54
 - B 697: 54
 - E 8-85: 61, 335
 - E 8M-84: 43
 - E 399-83: 14
 - E 647-83: 137
 - E 813-81: 137
 - F 519-77: 1, 10, 14, 56, 61, 69, 319, 343, 374, 384
 - G 35-73: 202
 - G 44: 133
- American Welding Society standards, 57
- Amine solutions, 210
- Annealing, 7
- Anodic polarization, 82
- Atomic hydrogen, 37

B

- Bakeouts, 318
- Barnacle electrode test, 10, 26, 98
- Bending, 10
- Bent beam test method, 190
- Brittle failure, 37
- Bronze electrodes, 90

C

- Cadmium plating, 68, 98, 335, 372
- Cadmium-titanium plating, 68
- Carbon dioxide, 138
- Carbon monoxide, 138
- Charpy impact energy, 343

- Chemical analysis (*See* Testing)
- Chloride-induced stress-corrosion cracking, 209
- Coatings, zinc phosphate (*See also* Surface films; Platings), 318
- Cobalt alloys, 17, 162
- Computer analysis, 219
- Concentration cells, 90
- Copper, 17
- Corrosion, 17, 55, 178, 190, 200, 209
- Corrosion-resistant alloys, 178, 200
- Crack growth, subcritical, 343, 417
- Crack propagation, fatigue, 134, 417
- Crack size, critical, 343
- Crack tips, hydrogen in, 26
- Cracking
 - from chloride, 209
 - critical hydrogen concentrations, 353
 - in HY-80 steel, 274
 - from hydrogen sulfide, 55, 178, 190, 200
 - susceptibility screening, 173, 200
 - U.S. Government standards, 37

D

- Defense Specifications and Standards Program, 37
- Delayed failure testing, 318
- Department of Defense standardization, 37
- Diffusible hydrogen (*See* Hydrogen diffusion)
- Disk pressure test, 13, 153
- Dynamic toughness, 343

E

- Electrochemical sensors, 90
- Electrochemical test methods
 - barnacle electrode, 25, 98
 - hydrogen sensor, 90
 - permeation, 117, 353, 387
 - status, 10
- Electrochemistry of hydrogen embrittlement, 7, 17, 117
- Embrittlement (*See* Hydrogen embrittlement)
- Endothermic occluders, 17
- Environmental cracking (*See* Hydrogen embrittlement; Stress corrosion and cracking; Testing)
- Exchange current density, 18
- Exothermic occluders, 17

F

Fasteners, 53, 55, 335
 Fatigue crack propagation, 134, 417
 Ferrous alloys (*See also* Steels), 37, 387
 Film rupture, 387
 Fracture mechanics, 10, 134, 335, 343

G

Galvanic coupling, 15
 Gas chromatography, 238, 287
 Gas service, ranking materials for, 178, 200
 Glycerin, 238
 Group VB metals, 417

H

Hardness, 37
 Hydrogen, atomic, 37, 90
 Hydrogen, critical concentrations in metals, 353
 Hydrogen determination and measurement, 90, 98, 105
 Hydrogen diffusion
 in crack tips, 26
 critical concentrations, 353
 electrochemical measurement techniques, 10, 25, 90, 98, 117, 353, 387
 in ferrous alloys, 37, 387
 gas chromatography testing, 247
 solubility, 353, 387
 sources of, 17, 55, 372
 in steels (*See* Steels)
 testing (*See* Testing)
 in weld heat affected zones, 219
 in weld metal, 274, 287
 in welding electrodes, 238
 Hydrogen embrittlement
 electrochemistry, 7, 17, 117
 in ferrous alloys, 387
 mechanisms, 7, 17, 133
 by paint strippers, 372
 prevention techniques
 coatings, zinc phosphate, 318
 platings (*See* Platings)
 polarization, 82
 relief treatments, 37, 48, 51, 318
 surface films, nitride and oxide (*See also* Platings), 304
 slow crack growth, 403
 standards (*See* Standards)
 in steels (*See* Steels)
 test methods (*See* Standards; Testing)
 Hydrogen evolution kinetics, 17
 Hydrogen, gaseous, 134

Hydrogen permeation (*See* Hydrogen diffusion)
 Hydrogen-stress cracking, 37, 274, 353
 Hydrogen sulfide stress corrosion cracking resistance, 55, 190
 Hydrogen transport (*See* Hydrogen diffusion)
 Hydrogen trapping, 17, 353, 387

I

Implant test, 274
 Industrial Fasteners Institute standards, 10, 56
 Inhibitors, 134, 304
 International Institute of Welding test, 238
 ISO committees and standards, 46
 Iron, 17, 105

K

Kolachev effect, 160

L

Langmuir adsorption isotherm, 23

M

Maintenance chemicals, 10
 Mass spectrometry, 219
 Materials selection and ranking, 173, 200
 Mercury, 238, 270
 Metals, precious, 153
 Methane, 138
 Microstructure of austenitic stainless steels, 403
 Molten metal, 105
 Molybdenum bronze, 90

N

National Association of Corrosion Engineers standards, 58, 203
 Nickel, 17, 68
 Niobium-hydrogen alloys, 417
 Nitrogen, 138
 Numerical simulation, 219

P

Paint strippers, 372
 Palladium, 18, 90
 Permeability, 117, 387
 Petroleum industry materials selection, 178, 200
 Plasticity, 387

Platings (*See also* Surface films), 10
 aluminum, 83
 cadmium, 68, 98, 335, 372
 nickel, 68
 plating-and-baking processes, 68, 98
 U. S. Government standards, 37, 60

Platinum, 17
 Polarization, 22, 82
 Polythionic acid, 200
 Potential measurements, 90
 Precious metals, 17, 153
 Precipitation hardening, 304
 Proof tests, 343

R

Rust, 218

S

Sensors
 electrochemical, 90
 inert gas probe, 105
 Sievert's law, 287
 Silicone oil test, 240
 Silver, 17
 Slow strain rate test, 10, 68, 178, 372
 Society of Automotive Engineers standards, 55
 Solubility of materials, 353, 387
 Sour gas service, ranking materials for, 178, 200
 Specifications for testing (*See* Standards)
 Spectroscopy, 287
 Standards
 American Bureau of Shipping, 238
 ASTM
 A 36: 57, 238
 A 262-85: 202
 A 304-79: 43
 A 487: 190
 B 602: 54
 B 697: 54
 E 8-85: 61, 335
 E 8M-84: 43
 E 399-83: 14
 E 647-83: 137
 E 813-81: 137
 F 519-77: 1, 10, 14, 56, 61, 69, 319, 343, 374, 384
 F 606-85: 47
 G 35-73: 202
 G 44: 133
 American Welding Society, 57
 Australian RAAF, 385
 comparison, table, 76, 78

Industrial Fasteners Institute, 10, 56
 International Institute of Welding, 238
 ISO, 46
 Kaiser RYY 3-006: 64
 National Association of Corrosion Engineers, 58, 203
 Society of Automotive Engineers, 55
 U.S. Government, 10, 37
 MIL-C-23422: 63
 MIL-C-26074B: 62
 MIL-R-81294B: 385
 MIL-R-83936B: 384
 MIL-STD-1312: 335
 MIL-STD-1501: 335
 QQ-C-320: 64
 QQ-P-416C: 335

Steels

austenitic stainless, 157, 403
 carbon, 117
 castings, 190
 cold work, influence of, 165
 duplex stainless, 403
 electroslog refined, 117
 ferritic, 403
 hydrogen-induced cracking mechanisms, 133
 low alloy, 68, 178, 219, 353, 372
 martensitic, 153, 403
 mechanical properties, 335
 microstructure, 403
 pipeline, 134, 178, 200
 slow crack growth, 403
 sour gas service, ranking materials for, 178, 200
 stainless, 157, 304, 403
 stress-induced martensite, 403
 zinc phosphate coated, 318
 C-1.2Mn, 366
 3.5Ni, 365
 9 Ni cryogenic, 165
 15B41, 318
 20 CrNiMo 10, 162
 HS 25 Co, 168
 35 NCD 16, illus., 164
 35 NiCrMo 16, illus., 156
 HY-80, 274
 250 maraging, illus., 158
 A286, illus., 158
 300M, 83, 98
 301, 403
 302L, illus., 158
 304, 403
 310, 403
 Am 355, illus., 163
 410, 15
 A508, 219, 363

Steels (*cont.*)

- A533, 365
- SAL 2560, 290
- 4140, 318
- 4330 V, 60
- 4340, 10, 68, 175, 335, 344, 372, 387
- Step load testing, 10, 60, 173, 343
- Strain, in ferrous alloys, 387
- Strain rate testing, 68, 156, 173, 178, 372, 387, 403
- Strength, tensile, 37
- Stress corrosion and cracking (*See also* Hydrogen embrittlement)
 - in austenitic stainless steels, 403
 - from chloride, 209
 - critical hydrogen concentrations, 353
 - in HY-80 steel, 274
 - from hydrogen sulfide, 55, 178, 190, 200
 - from sulfide, 55, 178, 190, 200
 - susceptibility screening, 173, 200
 - U.S. Government standards, 37
- Stress-induced martensite, 403
- Stress intensity estimation, critical, 173, 343
- Stress relief methods, 51
- Stress testing, 173
- Subcritical crack growth, 343
- Submunitions, 318
- Sulfide stress cracking, 55, 178, 190, 200
- Surface coverage, 387
- Surface films, nitride and oxide (*See also* Coatings; Platings), 304
- Sustained load testing, 10

T

- Tantalum, 417
- Teapot test, 240
- Temperature dependence of fatigue crack propagation, 417
- Tensile strength, 10, 37
- Tension testing, 10
- Testing (*See also* Standards)
 - accelerated, 14, 60
 - acoustic emission, 14
 - ASTM and ISO committees involved, 46
 - barnacle electrode, 10, 26, 98
 - bent beam, 190
 - Charpy impact, 343
 - comparison of test methods, 238
 - computer analysis, 219
 - constant load, 403
 - disk pressure, 13, 153
 - 8-h test, 60
 - electrochemical
 - barnacle electrode, 25, 98

- hydrogen sensor, 90
- permeation, 117, 353, 387
- status, 10
- environmental cracking, 190, 200
- gas chromatography, 238, 247, 287
- glycerine test, American Bureau of Shipping, 238
- implant, 274
- in liquid iron, mass spectrometry, 105
- proof, 343
- rigidly restrained cracking, 284
- silicone oil, 240
- specifications, 55
- spectroscopy, 287
- stepped load, 14, 60, 173, 343
- strain rate, 10, 68, 156, 173, 178, 372, 387, 403
- stress intensity, critical, 173, 343
- sustained load, 10
- teapot, 240
- tension, 10, 417
- Thermal relief treatments, 37, 48, 51, 318
- Thorium, 18
- Threaded fasteners, 53
- Threshold stress intensity, 173, 343, 417
- Titanium alloys, 17, 68, 157, 162

V

- Vanadium, 18, 417
- Voids in steel, 117

W

- Weldability, 274
- Welding
 - electrode coating moisture, 238
 - electrode testing, 238
 - ferritic arc, 217
 - gas metal arc, 287
 - hydrogen arc atmosphere, 287
 - hydrogen in heat-affected zones, 219, 247, 274
 - prediction of hydrogen content, 287
 - rust, 218
 - shielded metal arc, 238
 - standards, 55
 - weld metal diffusible hydrogen, 274

Z

- Zinc phosphate coatings, 318
- Zirconium, 18