

SUBJECT INDEX

A

Abrasive: 57A, 540
Abrasive media: 542, 549
Absorber tower cleaning: 500
Acids: 352A, 360A, 500, 508, 516, 519, 528, 529, 537, 544, 550, 558, 563
Acid, aqua regia: 518
Acid, chromic: 440A, 454A, 535, 537, 567
Acid, gallic: 419A, 453E
Acid, hydrochloric: 360A, 485A, 501, 503, 519, 529, 551
Acid, hydrofluoric: 393A, 519, 537, 565, 567
Acid, inhibited: 454B, 501, 503, 529
Acid, mixed: 547
Acid, naphthalene sulfonic: 489D
Acid, naphthenic: 498, 515
Acid, nitric: 518, 537, 540, 546, 565, 567
Acid, nitric-sulfuric: 454A
Acid, oleic: 222A, 268A, 454D, 468B
Acid, oxalic: 556
Acid, phosphoric: 119A, 519, 520, 537, 538, 545, 546, 547, 551
Acid, phosphorous: 520
Acid, pickling, measurement: 524
Acid, stearic: 514, 515
Acid, sulfonic: 498
Acid, sulfuric: 360A, 454A, 463C, 519, 520, 538, 541, 550, 551, 557, 563
Acid, waste: 485B
Adsorption: 510A, 513, 515
Aerosol: 546
Aircraft: 76A, 201A, 201B, 297A, 313A, 342A, 342B, 394A, 440A, 452A, 452B, 502, 516, 531
Alcohol: 393A, 537
Aldehydes: 485A
Alkalies: 300A, 468C, 476B, 485D, 495, 525, 528, 536, 546, 552, 571, 572
Alkaline cleaners: 394B, 427B, 432A, 440A, 454A, 497, 537
Alkaline cleaning: 337B, 416A, 453E, 500, 523
Alkaline cleaning cycles: 519
Alkaline etch: 516
Alkaline film: 440A
Alkyl sulfate: 413B
Aluminum: 57A, 76A, 342B, 363A, 394A, 413A, 427B, 450B, 452C, 463A, 468B, 468C, 476B, 499, 502, 516, 518, 520, 531, 537, 542, 544, 546, 547, 565, 566, 567
Aluminum bronze: 544
Aluminum oleate: 505
Aluminum sheet: 499
Aluminum, solubility rate: 553
Aluminum stearate: 505
Ammonium hydroxide: 476A, 546
Analytical control: 557

Aniline: 529
Aromatic hydroxy compounds: 419A
Arsenic: 485A

B

Babbitt metal: 360C
Baking pans: 286A
Barrel burnishing: 435A
Barrel cleaning: 435A
Bearings: 360C
Benzene: 498
Benzyl thiocyanate: 550
Blast abrasives: 573
Blast-airless: 564
Blast cabinet air: 511
Blast centrifugal: 489C
Blast cleaning: 485B, 489C, 508, 509, 511, 532, 542, 549, 552, 562, 573
Blast cleaning, advantages: 549
Blasting economy: 509
Blasting, liquid: 533
Blasting methods: 509
Blasting types: 511
Boiler: 501
Boiling liquid-warm liquid-vapor cleaning: 510
Borax: 540
Brass: 76A, 419A, 427B, 453E, 486A, 504, 540
Brightening: 537
Bronze: 76A, 448B
Brush cleaning: 508
Buffer capacity: 453C
Buffing compound: 537
Burnishing: 435A
Burr removal: 533, 542
Butyl cellosolve: 222A

C

Can cleaning: 344A
Carbon removal: 268A, 297A, 344A, 439A, 494, 498
Carbon removal, formula: 268A
Carbon tetrachloride: 468B
Castings: 469A, 511, 542, 558
Centrifugal blast: 489C
Cetyl alcohol: 515
Chemical cleaning: 470A
Chemical polishing: 537
Chemisorption: 517
Chlorinated solvent: 497
Chrome: 485A, 505
Chromium plating: 566
Circulation methods: 500
Clay: 476A
Cleaner carryover: 541
Cleaning cycles: 486A, 497, 519, 547, 563, 566
Cleaning materials: 450A

Cleaning performance: 342A
 Cleaning types: 534
 Cleanliness: 394B, 463C, 476B
 Cleanliness evaluation: 444A, 517
 Coal tar bases: 538
 Collidine: 503
 Composition, cleaning: 342B, 526, 565
 Compressed air blast: 489C
 Contamination: 337B
 Copper: 419A, 427B, 453E, 468B, 486A, 540
 Copper alloys: 497
 Copper coils: 529
 Copper dip test: 394B
 Copper oleate: 454D
 Copper sulfate: 463C
 Corrosion: 286A, 358A, 362A, 394A, 444A, 452A, 468C, 485A, 485C, 493, 550
 Corrosion inhibitors: 453D, 515, 549
 Cottonseed oil: 507
 Cresol: 114A, 268A, 297A, 452A, 494
 Cupro-nickel: 544
 Cutting: 476A
 Cyclohexanone: 515

D

Diary: 450B
 Diary equipment: 300A
 Degreaser, installation: 510
 Degreaser: 416A, 447A, 463B, 465A, 468C, 469A, 489A, 489F, 499, 521, 537, 539, 543, 563
 Degreaser apparatus: 360B, 453A, 510
 Degreasing methods: 489F
 Descaling: 454C, 457A, 457B, 457C, 476C, 485A, 489B, 500, 503, 504, 508, 509, 519, 529, 532, 533, 570
 Detergent Testing: 394A
 o-Dichlorobenzene: 494, 498
 Die castings: 388A, 486A, 506, 538, 542, 566
 Diethylene glycol: 114A
 Diesel fuel: 362A
 Di-phase cleaning: 569
 Dishwashing: 57A, 300A, 397A, 453C, 545
 Dishwashing composition: 545
 Disodium phosphate: 523
 Dithionates: 453E
 Dow metal: 536
 Drawing: 567
 Drawing compound: 541, 565

E

Electrical resistance: 363A
 Electron diffraction: 515, 535
 Electro-cleaning: 76A, 432A, 454A, 486A, 497, 519, 525, 547, 561, 563, 566
 Electro-pickling: 491A
 Electroplating: 486A, 516, 538, 549
 Electrostatic precipitation: 507
 Electrofinning: 507
 Embrittlement: 509, 563
 Emulsion, solvent: 537
 Emulsion stability: 342A
 Emulsions: 222A, 337B, 342A, 362A, 454A, 486A, 496, 497, 507, 522, 537, 552, 565
 Emulsifying agent: 439A
 Enameling: 463B, 541
 Engine cleaning: 97A, 114A, 268A, 297A,

439A, 494, 498
 Engine composition: 498
 Etching: 489B, 537, 538, 552, 558, 567
 Ethanolamine: 222A
 Ether alkylated: 201A
 Ethylene dichloride: 268A
 Evaluation: 394B, 485C
 Evaluation cleanliness: 394B

F

Fatty acids: 297A, 498, 554
 Films: 505, 530, 537
 Fingerprint cleaning: 358A, 493
 Fingerprint synthetic: 358A
 Flame cleaning: 532
 Flash surface castings: 511
 Fluorescent soil method: 512, 527
 Forgings: 564
 Frothing inhibitors: 416A
 Fused baths, See Molten bath, and the specific compounds.
 Fused caustic baths: 457B, 457C, 570
 Fused salt baths: 360C, 454C, 472A, 476C, 558, 559

G

Glycerol: 341A, 393A
 Glycol: 393A
 Graking immersion: 543
 Graphite: 567
 Gravimetric measurement soil removal: 572
 Grease cleaning: 342A, 362A, 502, 537
 Grit blasting: 509

H

Hand cleaning: 201A, 565
 Hard water scale: 500
 Health hazards: 448A
 Heat exchangers: 454B, 500
 Heat treatment removal: 540
 Heating coils: 529, 540
 Heavy duty cleaners: 342A
 Hivolin: 501
 Hydrogen embrittlement: 485B, 559
 Hydrogen ion: 485A
 Hydrogen peroxide: 468B

I

Igepal: 495
 Immersion cleaning: 337B, 432A, 565
 Inclusions: 444A
 Inclusions classified: 444A
 Inhibition mechanism: 535
 Inhibitors: 427B, 453D, 491A, 503, 509, 521, 529, 551
 Inhibitor films: 515
 Inhibitor test: 485C
 Interfacial tension: 452B
 Ions: 463A, 518
 Ion retention: 518
 Iron: 119A, 419A, 432A, 453E, 467B, 470A, 485A, 495, 502, 503, 515, 535, 543, 555, 560

K

Kerosine: 337A, 362A, 468B, 496, 498
 Ketone: 537
 Kettle cleaning: 443A

L

Laboratory evaluation: 394B
 Lauryl pyridinium chloride: 550
 Lead: 558
 Lead alloys: 497
 Lead oleate: 454D
 Lime: 508
 Lime soap: 495
 Lime soap removal: 495
 Liquid-liquid vapor units: 539
 Liquid-solvent cleaning: 521
 Lubricant: 505, 565
 Lubricant layers: 554
 Lubricating oil: 337A, 517
 Lubrication: 513

M

Machine cleaning: 452B
 Magnafux: 444A
 Magnesium: 342B, 394A, 454B, 468B, 502, 542, 562, 567
 Magnesium alloys: 76A
 Magnesium oxide: 540
 Mechanical cleaning: 76A, 454A, 500, 501, 552
 Mechanical removal: 532
 Mechanism of cleaning: 489A
 Methanol: 393A
 Methyl aniline: 503
 Milk cans: 300A
 Mill scale: 532
 Mineral spirits: 201A, 222A, 538, 569
 Monel: 548
 Molten bath, *See* fused bath.
 Molten salt bath: 560
 Molybdenum: 468B
 Monolayers: 518
 MP-189: 495

N

Nacconol: 495, 546
 Naphtha: 495
 Naphthalene: 476A
 Nickel: 468B, 497
 Nickel plating: 486A
 Nickel-silver: 544
 Non-ferrous: 468A

O

Oil extraction: 507
 Oil layer thickness: 507
 Oil removal: 537, 571
 Oil solvent: 537
 Oil spreading: 454D
 Operations: 463B
 Organic bases: 485A
 Organic sulfur: 485A
 Oxide: 352A, 363A, 393A, 419A, 509, 519, 546, 547, 571
 Oxide film: 535, 554, 555
 Oxide removal: 119A, 341A, 499
 Oxidizing agent: 352A, 519

P

Paint removal: 452A, 453C, 494
 Painted surface: 342A

Paraffin: 536
 Passivated film: 535
 Penetration: 337A, 498
 Perborate: 300A
 Performance test: 201A, 201B, 286A, 297A, 342A, 342B, 394A, 394B, 397A, 439A, 452A, 452B, 452C, 453B, 545
 Petroleum equipment: 500
 Petroleum solvent: 337B, 497
 Phenols: 342A, 352A
 Phosphates: 344A, 394A, 432A, 502, 569
 Phosphate coatings: 523, 552
 Phosphorous trichloride: 337A
 Pickling: 76A, 413B, 454A, 463B, 485B, 486A, 489B, 491, 491A, 509, 510A, 519, 524, 532, 541, 544, 557, 573
 Pickling acid, measurement: 524
 Pine oil: 222A, 496
 Pinholing: 558
 Pipeline washing: 443A
 Pitting: 453D, 509
 Plating: 476B
 Platinum: 463A, 468B, 518
 Polar compounds: 513
 Polish: 435A, 452C, 531, 540
 Polish evaluation: 531
 Polyethylene glycol ricinoleate: 569
 Polyhydric alcohols: 393A, 498
 Porosity: 510A
 Potassium carbonate: 496
 Potassium chromate: 535
 Potassium hydroxide: 268A
 Potassium hydroxide fused: 561
 Powders: 468B
 Precleaning: 547, 552
 Preservative: 337B
 Principles detergency: 506
 Proprietary compounds: 547, 572
 Protective coatings: 523
 Pumice: 540
 Pyrocatechol: 419A, 453E
 Pyrophosphate: 520

Q

Quaternary Ammonium Compounds: 550

R

Radiator: 528
 Radioactive: 463A, 512, 517, 518
 Redeposition of soil: 530
 Reduction: 485A
 Resistance: 344A
 Review: 489B, 489D, 489E, 526, 537, 544, 553, 572
 Review cleanliness methods: 512
 Rinsability: 268A, 453B, 502
 Rinsing: 201A, 342B, 440A, 463B, 468C, 530, 541
 Rinsing test: 394B
 Rinsing variables: 541
 Rotating table: 511
 Rust: 360C, 519, 522, 551, 556
 Rust preventive: 489B
 Rust removal: 360A

S

Salt bath: 558, 559
 Salt descaling: 454C
 Sandblasting: 511, 532, 562
 Scale: 360C
 Scrubbing: 337B
 Sea water: 201B
 Shot blasting: 485B
 Silicate: 342B, 344A, 394A, 440A, 502, 530, 536, 545, 565, 571
 Silicate films: 530, 536
 Silicate, rinsing: 536
 Silver: 419A, 453E, 463A, 518
 Silver plating: 516
 Smut: 363A, 485B, 509, 519, 537, 558, 565
 Soda ash: 523, 540
 Soda pulp: 476A
 Soak cleaning: 337B, 495, 566
 Soap: 114A, 362A, 498, 526, 565
 Soap films: 554
 Soap review: 526
 Sodium aluminate: 560, 561
 Sodium bath: 472A
 Sodium bicarbonate: 565
 Sodium bisulfate: 341A, 363A
 Sodium carbonate: 114A, 495, 518, 545
 Sodium chlorate: 352A
 Sodium chloride: fused bath 560, 561
 Sodium chlorite: 519
 Sodium chromate: 363A, 496
 Sodium fluoride: 520, 561
 Sodium hydroxide: 114A, 457B, 497, 536, 537, 551
 Sodium hydroxide fused: 352A, 360C, 560, 561
 Sodium hydride: 454C, 457A, 457B, 457C, 476C
 Sodium hydrosulfite: 419A
 Sodium hypophosphite: 419A
 Sodium metasilicate: 114A, 300A, 342B
 Sodium nitrate: 352A
 Sodium nitrate fused: 560
 Sodium perborate: 540
 Sodium peroxide: 352A
 Sodium sesquicarbonate: 57A
 Sodium silicofluoride: 363A
 Sodium trisilicate: 342B
 Soil: 548
 Soil removal: 536, 571
 Solubility: 297A, 342A, 342B, 362A
 Soluble oil: 454B
 Sorption sodium ion: 518
 Solvent: 76A, 360A, 360B, 362A, 439A, 440A, 448A, 453A, 454A, 476B, 486A, 489F, 493, 494, 495, 496, 497, 500, 506, 510, 510A, 515, 516, 521, 531, 537, 547, 552, 565, 566
 Solvent emulsion: 486A
 Solvent jet: 552
 Solvent recovery: 539
 Solvent tank: 547
 Solvent vapor: 546
 Spot welding: 520, 546
 Spray: 222A, 337B, 416A, 432A

Spray cleaners: 97A
 Stampings: 504
 Stainless steel: 511, 540
 Standard soil: 342B, 439A, 517, 536
 Steam cleaning: 313A, 394A, 502
 Stearamide: 517
 Steel: 119A, 444D, 463A, 463B, 463C, 469A, 476C, 485B, 486A, 497, 505, 515, 518, 519, 529, 532, 540, 541, 562, 563, 564, 570
 Steel shot: 573
 Steel strip: 468C
 Steel wool: 540
 Sterilizing: 450B
 Strand cleaning: 508
 Sulfonate hydrocarbon: 556
 Surface: 472A, 513
 Surface active agents: 468C, 489D, 527
 Surface cleanliness: 512
 Surface films: 515
 Surface resistance: 546
 Surface roughness: 571
 Surface tension: 394A
 Suspended abrasive: 549
 Swirl method of laboratory cleaning: 572

T

Tannin: 419A, 453E
 Tantalum: 468B
 Tall oil: 496
 Tarnish removal: 452C, 531
 Teepol X: 413B
 Test cleanliness: 463C
 Tergitol: 546
 Textile equipment: 540
 Theory: 468C
 Thiocyanate: 503
 Thiourea: 538
 Tin: 427B
 Tinned iron: 286A
 Tin plate: 507
 Titanium: 485A
 Titanium dioxide: 468B
p-Toluidine: 503
 Tracer: 517
 Trichloroethylene: 360B, 465A, 498, 543, 569
 Trisodium phosphate: 57A, 114A, 495, 497, 536, 565
 Triton: 495
 Tumbling barrel: 511
 Tungsten: 468B
 Turbines: 498
 Twitchell agents: 489D

U

Ultrasonics: 568
 Ultraviolet inspection: 517

V

Vapor blasting: 542
 Vapor degreasing: 448A, 453A, 476B, 510, 521, 537, 539, 552, 565, 566
 Vapor-spray: 539
 Vapor-spray-vapor: 510
 Virgo process: 454C

W**Warm liquor-vapor:** 510**Washing soda:** 565**Water break:** 476B, 511**Welding:** 520, 546, 547**Wetting:** 468B**Wetting agent.** *See* Surface active agent, soap, and synthetics.**Wetting agents:** 119A, 313A, 342B, 394A, 413B, 416A, 453D, 468A, 468B, 489D, 495, 498, 502, 525, 527, 537, 538, 546, 550, 556, 571**Wetting agent theory:** 468A**Wheelabrator:** 485B**Whiting:** 540**Wiping:** 337B, 552**Wire:** 508, 525, 557**Z****Zinc:** 388A, 427B, 497, 530, 538, 566**Zinc alloys:** 538, 542**Zinc base:** 486A