

Subject Index

65% nitric acid test, 250–251

A

Abbreviations, ASTM, 14–16

AC impedance, 788–790

Accelerated tests, 743, 766

Acetic acid salt spray (fog) tests, 132

Acidified synthetic sea water (fog) test, 134

Acidity

aluminum and aluminum alloys, 550

lead and lead alloys, 534

magnesium and magnesium alloys, 541

Acidizing treatments, 814

Acids

copper and copper alloys, 568

stainless steels, 587–588

Acronyms, 12–13

Additives, concrete, 406, 409

Aerations, soils, 390, 392

Aerospace, hydrogen damage, 329–331

Agitated tests, 148

Air, dew point, 38–42

Air port composite tube corrosion, 804–805

Aircraft, *see* Commercial aircraft

Alkalinity

aluminum and aluminum alloys, 550

copper and copper alloys, 569

lead and lead alloys, 534

magnesium and magnesium alloys, 541

stainless steels, 588

Allihn condensers, 252–253

Alloying effects, stainless steels, 585

Alloys

coefficients of thermal expansion, 36

common names, 5–6

density, 25, 33

equivalent weight values, 28–29

resistant, pipeline, 698

sensitization, 124–125

Alternating current methods,

microbiological effects, 514–515

Alumina, effect on

aluminum metal-matrix composites, 641–642

copper metal-matrix composites, 649

magnesium metal-matrix composites, 645

stainless steel metal-matrix composites, 646–647

Aluminum and aluminum alloys, 547–556

acidity/alkalinity, 550

addition, stainless steels, 585

alloying effect, 547

anodized, single frequency impedance test, 126

compatibility with chemicals, 551

crevice corrosion, 551

environmental factors, 550–551

exfoliation corrosion, 266–267, 552, 554

filiform corrosion, 553, 555–556

galvanic corrosion, 551, 555

heat treatment evaluation, commercial aircraft, 689

hydrogen role, 549

intergranular corrosion, 552, 554

ions, 550

liquid metals, 551

mechanical treatments, 548–549

metal-matrix composites, 637–644

alumina effect, 641–642

boron effect, 637–638

effect of diffusion bonds and microstructural contaminants, 642

graphite effect, 638–639

mica effect, 642

reinforcement constituent effect, 642–644

silicon carbide effect, 639–641

as metallic coatings, 622–623

metallurgical treatments, 547

mill and foundry products, 549

natural protective films, 547

pipeline, 697

pitting corrosion, 552, 554

precracked specimens, 555

protective coatings, 547, 549–550, 556

seawater corrosion, 376

smooth specimens, 554–555

staining corrosion, 553–554

stress corrosion cracking, 553–554

test methods, 551–553

test selection factors, 547

uniform corrosion, 553

Aluminum brass, 566

Aluminum bronzes, 567

Ammonia test, copper and copper alloys, 569–570

Anaerobic bacteria, 391

Anions, 390

Anode/cathode area ratio, galvanic corrosion, 235

Anodic protection, chemical pulping, 802

Anodic reaction, 391

Anodized aluminum corrosion test, 125

ANSI/NEMA 250, 767

API standards, 781, 851

Aqueous corrosion testing, 526, 593–595

Aqueous environments, steels, 559

Aqueous media, titanium, passivity, 599–601

Aqueous phase corrosion, oil refining, 820–821

Artificial intelligence, applications, 99–102

ASME B31G, 851

ASTM A 143, 853

ASTM A 239, 527–528

ASTM A 242, 558, 562–563

ASTM A 262, 64, 71, 125, 140, 143–144, 244, 247, 250, 252–253, 255, 261–262, 386, 505, 582, 586, 588, 669, 735–736, 771–773, 802, 851

ASTM A 370, 173, 815

ASTM A 380, 345–346, 585, 668, 776, 855

ASTM A 393, 251

ASTM A 514, 558

ASTM A 517, 558

ASTM A 572, 558

ASTM A 588, 558, 562–563

ASTM A 606, 558

ASTM A 708, 251

ASTM A 763, 143, 244, 248, 252–253, 255, 261–262, 587–588, 771, 773, 851

ASTM A 767, 410

ASTM A 775, 409

ASTM A 852, 558, 562

ASTM A 876, 563

ASTM A 884, 410

ASTM A 923, 586, 774, 803

ASTM A 967, 585, 776

ASTM B 29, 532

ASTM B 69, 526

ASTM B 76, 200–201, 445, 855

ASTM B 78, 201, 445, 855

ASTM B 80, 538

ASTM B 90, 538

ASTM B 93, 538

ASTM B 94, 538

ASTM B 107, 538

ASTM B 117, 127, 131–132, 135, 348, 372, 527–529, 535, 538–539, 542, 544–545, 554, 556, 561, 570–571, 577, 624, 626–627, 633–635, 660, 666, 669, 680, 684, 689–691, 694–695, 751, 758, 767, 775, 777, 852

ASTM B 154, 569, 855

ASTM B 162, 134

ASTM B 201, 526–528

ASTM B 240, 526

ASTM B 275, 537

ASTM B 287, 633–634

ASTM B 368, 132, 134, 571, 577, 633, 635, 660, 680, 684, 694, 758, 852

ASTM B 380, 132, 134, 528, 571, 660, 680, 684, 855

ASTM B 418, 525

ASTM B 456, 684

ASTM B 457, 126, 635, 684, 854

ASTM B 488, 758

ASTM B 499, 527–528

ASTM B 537, 138, 168, 660, 679, 853

ASTM B 538, 125, 633, 684

ASTM B 545, 758, 855

ASTM B 568, 527–528

ASTM B 577, 853

- ASTM B 605, 855
 ASTM B 627, 125, 661
 ASTM B 650, 855
 ASTM B 651, 660, 855
 ASTM B 659, 659
 ASTM B 661, 529
 ASTM B 669, 526
 ASTM B 679, 759
 ASTM B 680, 855
 ASTM B 689, 759, 855
 ASTM B 695, 621
 ASTM B 696, 621
 ASTM B 700, 759
 ASTM B 733, 855
 ASTM B 734, 855
 ASTM B 735, 758, 855
 ASTM B 741, 758, 855
 ASTM B 765, 659, 758, 855
 ASTM B 758, 799
 ASTM B 808, 760
 ASTM B 809, 758, 855
 ASTM B 810, 356, 361, 760, 853
 ASTM B 825, 760
 ASTM B 826, 760
 ASTM B 827, 132, 134–136, 356, 361, 680, 760, 853
 ASTM B 843, 538, 539
 ASTM B 845, 356, 361
 ASTM B 858, 569, 853
 ASTM B 867, 759
 ASTM C 494, 409
 ASTM C 536, 635
 ASTM C 581, 799, 803
 ASTM C 692, 140, 143, 853
 ASTM C 739, 855
 ASTM C 743, 635
 ASTM C 868, 785, 787
 ASTM C 876, 57, 408–409, 721, 855
 ASTM D 130, 683, 821, 855
 ASTM D 512, 698
 ASTM D 516, 698
 ASTM D 522, 635
 ASTM D 523, 635
 ASTM D 572, 157
 ASTM D 609, 679
 ASTM D 610, 138, 635, 679, 720, 724, 855
 ASTM D 660, 724
 ASTM D 662, 635, 724
 ASTM D 664, 820
 ASTM D 665, 683, 821, 855
 ASTM D 714, 138, 635, 724
 ASTM D 772, 724
 ASTM D 822, 633, 635
 ASTM D 823, 635
 ASTM D 849, 683, 855
 ASTM D 870, 132, 635, 680, 684
 ASTM D 876, 855
 ASTM D 968, 635
 ASTM D 974, 819
 ASTM D 1014, 635
 ASTM D 1141, 374, 517, 633, 855
 ASTM D 1186, 635
 ASTM D 1193, 57, 615, 855
 ASTM D 1280, 855
 ASTM D 1384, 141, 143, 577, 683, 855
 ASTM D 1400, 635
 ASTM D 1414, 855
 ASTM D 1567, 635
 ASTM D 1611, 855
 ASTM D 1653, 635
 ASTM D 1654, 138, 164, 545, 625, 635, 679, 684, 690, 720, 855
 ASTM D 1735, 132, 635, 680, 684, 758
 ASTM D 1743, 683, 855
 ASTM D 1748, 132, 684
 ASTM D 2010, 160, 345
 ASTM D 2059, 853
 ASTM D 2197, 635
 ASTM D 2216, 388
 ASTM D 2247, 132, 135, 626, 634–635, 680, 684, 758, 855
 ASTM D 2248, 635
 ASTM D 2251, 855
 ASTM D 2434, 389
 ASTM D 2488, 387, 389
 ASTM D 2570, 141, 143, 683, 767, 855
 ASTM D 2578, 143
 ASTM D 2649, 683, 855
 ASTM D 2671, 855
 ASTM D 2688, 177, 383, 415, 528–529, 535
 ASTM D 2758, 141, 683, 855
 ASTM D 2776, 528–529, 535
 ASTM D 2803, 132, 135, 680, 684, 690, 856
 ASTM D 2809, 683, 854
 ASTM D 2847, 683, 856
 ASTM D 2933, 684, 758
 ASTM D 2937, 387
 ASTM D 2966, 683
 ASTM D 2980, 389
 ASTM D 3258, 635
 ASTM D 3263, 856
 ASTM D 3273, 635, 694
 ASTM D 3276, 635
 ASTM D 3310, 856
 ASTM D 3316, 856
 ASTM D 3359, 633, 635
 ASTM D 3361, 635
 ASTM D 3363, 635
 ASTM D 3482, 856
 ASTM D 3585, 676, 683
 ASTM D 3603, 821, 856
 ASTM D 3632, 157
 ASTM D 3794, 135
 ASTM D 3963, 410
 ASTM D 4048, 821, 856
 ASTM D 4145, 633, 635
 ASTM D 4170, 276
 ASTM D 4340, 683, 856
 ASTM D 4584, 853
 ASTM D 4585, 635, 680, 684
 ASTM D 4587, 635, 695
 ASTM D 4627, 856
 ASTM D 4636, 683
 ASTM D 4739, 820
 ASTM D 5894, 132, 134, 372, 374
 ASTM D 6294, 135
 ASTM D 6396, 157
 ASTM D 6899, 137
 ASTM E 3, 173, 179–180, 385–386
 ASTM E 8, 242, 326, 331
 ASTM E 10, 445
 ASTM E 80, 386
 ASTM E 112, 124
 ASTM E 203, 455
 ASTM E 212, 701
 ASTM E 376, 527, 635
 ASTM E 380, 17–18, 21–22, 57
 ASTM E 399, 333, 606, 651
 ASTM E 456, 53
 ASTM E 466, 310
 ASTM E 468, 311
 ASTM E 527, 57
 ASTM E 558, 725
 ASTM E 606, 311, 375, 805
 ASTM E 647, 313–315, 375, 798
 ASTM E 673, 77
 ASTM E 712, 157, 856
 ASTM E 739, 375
 ASTM E 745, 856
 ASTM E 807, 179–180, 385–386
 ASTM E 827, 78
 ASTM E 937, 856
 ASTM E 983, 79
 ASTM E 984, 79
 ASTM E 995, 79
 ASTM E 1049, 375
 ASTM E 1064, 455
 ASTM E 1078, 79
 ASTM E 1127, 79
 ASTM E 1217, 80
 ASTM E 1290, 333, 336–337
 ASTM E 1325, 53
 ASTM E 1488, 52
 ASTM E 1505, 80
 ASTM E 1523, 79
 ASTM E 1524, 375
 ASTM E 1681, 333–338, 374–375
 ASTM E 1820, 333
 ASTM F 4, 836, 839, 842
 ASTM F 67, 504
 ASTM F 75, 504
 ASTM F 86, 504
 ASTM F 90, 504
 ASTM F 113, 562
 ASTM F 136, 504, 840
 ASTM F 138, 503
 ASTM F 139, 504
 ASTM F 326, 328, 853
 ASTM F 359, 856
 ASTM F 482, 856
 ASTM F 483, 856
 ASTM F 519, 328–331, 337, 689–690, 853
 ASTM F 560, 504
 ASTM F 562, 504
 ASTM F 563, 504
 ASTM F 620, 504
 ASTM F 621, 504
 ASTM F 688, 504
 ASTM F 745, 504
 ASTM F 746, 119, 178, 218, 227, 384, 503, 505, 777, 842, 856
 ASTM F 748, 504
 ASTM F 763, 504
 ASTM F 799, 504
 ASTM F 897, 385–386, 503, 505, 854
 ASTM F 945, 853
 ASTM F 961, 504
 ASTM F 981, 504
 ASTM F 1058, 504
 ASTM F 1089, 505, 856
 ASTM F 1091, 504
 ASTM F 1108, 504
 ASTM F 1110, 856
 ASTM F 1113, 328
 ASTM F 1295, 504
 ASTM F 1314, 504
 ASTM F 1341, 504
 ASTM F 1350, 504
 ASTM F 1377, 504
 ASTM F 1472, 504
 ASTM F 1537, 504
 ASTM F 1580, 504
 ASTM F 1586, 504
 ASTM F 1624, 337–338
 ASTM F 1713, 503
 ASTM F 1801, 840
 ASTM F 1813, 504
 ASTM F 1875, 503
 ASTM F 1940, 328, 331
 ASTM F 2004, 504
 ASTM F 2005, 504
 ASTM F 2063, 504

- ASTM F 2066, 504
 ASTM F 2068, 505
 ASTM F 2082, 504
 ASTM F 2129, 140, 143
 ASTM G 07, 344
 ASTM G 1, 23, 43, 57, 63, 138, 143, 145, 172–173, 177, 180, 183, 192, 198, 206–208, 211, 242, 345–346, 375, 383, 400, 406, 445, 455, 527–528, 535, 544, 552, 554, 560, 562–563, 602, 619, 625, 649, 651, 679, 772, 795, 851
 ASTM G 2, 613–614, 736, 851
 ASTM G 3, 27, 57, 59–60, 140, 143, 177, 383, 401, 555, 588, 606, 679, 776, 839, 854
 ASTM G 4, 57, 143, 157, 177–178, 192, 211, 383, 560, 604, 613, 619, 681, 736, 772, 784, 795, 851
 ASTM G 5, 57, 60, 109, 140, 143, 226, 229, 401, 455, 505, 555, 561, 588, 604, 606, 628, 649, 651, 660, 666, 680, 684, 690, 736, 776, 797, 803, 839, 842, 854
 ASTM G 6, 852
 ASTM G 7, 853
 ASTM G 8, 635, 852
 ASTM G 9, 852
 ASTM G 11, 852
 ASTM G 12, 635, 852
 ASTM G 15, 57, 174, 205, 226, 266, 375, 381, 560–561, 580, 679, 720, 851
 ASTM G 16, 52, 57, 171, 173–174, 178, 193, 212, 346, 374–375, 384, 406, 560–561, 679, 777, 851
 ASTM G 17, 852
 ASTM G 19, 852
 ASTM G 20, 852
 ASTM G 26, 633
 ASTM G 28, 64, 143, 244, 254, 258–259, 261, 263, 582, 584, 593, 595, 606, 771, 773, 851
 ASTM G 30, 164, 167, 171, 174, 193, 242, 293, 299, 375, 385–386, 505, 554, 562, 583, 589, 593, 604, 606, 735, 773, 805, 853
 ASTM G 31, 57, 62, 64, 140, 143–144, 177, 185, 207, 375, 383, 454, 528–529, 535, 544, 560, 581–582, 588, 593, 595, 597, 602, 613, 619, 665, 680, 684, 783, 785, 802, 852
 ASTM G 32, 172, 174, 179, 276, 373, 375, 385–386, 595–597, 803, 854
 ASTM G 33, 166–167, 238, 346, 406, 528–529, 679, 681, 684, 713, 853
 ASTM G 34, 140, 143, 173–174, 267–268, 270–271, 548, 552, 554, 684, 689, 690, 852
 ASTM G 35, 140, 143, 295, 583, 589, 604, 606, 795, 820, 853
 ASTM G 36, 140, 143, 295, 298, 505, 562, 580, 583, 589, 593, 597, 604, 606, 773, 803, 853
 ASTM G 37, 295, 570, 767, 853
 ASTM G 38, 57, 164, 167, 171, 174, 179, 193, 293–294, 375, 505, 554, 564, 583, 589, 606, 735, 815, 853
 ASTM G 39, 164, 167, 171, 174, 179, 193, 294, 375, 385–386, 505, 554, 562, 583, 589, 735, 853
 ASTM G 40, 57, 179, 385, 720, 854
 ASTM G 41, 295, 562, 589, 607, 853
 ASTM G 42, 635, 852
 ASTM G 43, 133–134, 633, 680
 ASTM G 44, 143, 295, 299, 375, 554–555, 562, 583, 589, 680, 689–690, 775, 852
 ASTM G 46, 57, 63, 71–72, 138, 143, 145, 173–174, 178, 184, 193, 211, 223, 242, 346, 375, 384, 400, 406, 505, 527–528, 552, 554, 561, 581, 589, 605, 616, 619, 649, 651, 666, 679, 713, 720, 736, 775, 852
 ASTM G 47, 179, 299, 375, 385–386, 554, 604, 689, 690, 853
 ASTM G 48, 140, 143, 212, 222–225, 384, 583, 589, 593, 597, 606, 669, 680, 684, 774–775, 795, 799, 852
 ASTM G 49, 143, 164, 167, 179, 294–295, 375, 385–386, 505, 554, 562, 564, 589, 606, 735, 815, 853
 ASTM G 50, 57, 143, 164, 166–167, 238, 240, 344, 346, 528–529, 554, 560, 562, 588, 625, 665, 681, 713, 772, 795, 853
 ASTM G 51, 400, 535, 698, 713, 854
 ASTM G 52, 170–174, 374, 560, 572, 713, 772, 852
 ASTM G 53, 633, 635
 ASTM G 54, 201, 437, 445, 610, 852
 ASTM G 56, 720
 ASTM G 57, 57, 399–400, 528–529, 535, 697, 713, 854
 ASTM G 58, 164, 167, 171, 174, 179, 295, 385–386, 554, 589, 735, 771, 802, 853
 ASTM G 59, 57, 60, 109, 111, 177, 184, 208–210, 375, 383, 401, 408, 455, 505, 561, 584, 588, 628, 660, 680, 684, 702, 854
 ASTM G 60, 143, 348, 561, 635, 680–681, 695, 713, 775, 853
 ASTM G 61, 60, 118–119, 140, 143, 178, 193, 215, 226, 228–229, 375, 384–386, 401, 406, 455, 505, 528–529, 561, 584, 628, 660, 666, 680, 684, 690, 735, 736, 776, 791, 840, 842, 854
 ASTM G 62, 852
 ASTM G 64, 385–386, 853
 ASTM G 65, 595–597, 854
 ASTM G 66, 173–174, 268, 270, 552–554, 852
 ASTM G 67, 244, 554, 852
 ASTM G 69, 59, 213, 555, 680, 684, 690, 777, 854
 ASTM G 71, 57, 61, 140, 143, 171, 174, 179, 226, 238, 239, 242, 375, 384–385, 401, 505, 535, 561, 651, 721, 777, 854
 ASTM G 72, 157
 ASTM G 73, 172, 174, 179, 276, 373, 375, 385–386, 854
 ASTM G 75, 140, 143, 854
 ASTM G 76, 275, 854
 ASTM G 77, 854
 ASTM G 78, 63, 140, 143, 171, 174, 178, 193, 226, 375, 384, 589, 604, 713, 774, 799, 852
 ASTM G 79, 201–202, 445–446, 713, 852
 ASTM G 80, 635, 852
 ASTM G 82, 57, 59, 117, 171, 174, 178–179, 234, 239, 242, 375, 384–385, 535, 555, 650, 660, 680, 684, 777, 854
 ASTM G 83, 854
 ASTM G 84, 159, 167, 238, 344, 347, 359, 635, 713, 853
 ASTM G 85, 132, 212–213, 268, 272, 372, 554, 556, 561, 571, 633–635, 681, 684, 689–691, 694, 751, 758, 775, 853
 ASTM G 86, 157
 ASTM G 87, 132, 135, 348, 527–529, 561, 626, 635, 680–681, 684, 713, 758, 853
 ASTM G 90, 635, 853
 ASTM G 91, 160, 167, 345, 527–528, 713, 853
 ASTM G 92, 167, 238, 345, 347, 528–529, 560, 635, 681, 684, 853
 ASTM G 94, 157
 ASTM G 95, 852
 ASTM G 96, 111, 177, 189–190, 193, 210, 383, 415, 736, 783, 787, 854
 ASTM G 97, 239, 539, 854
 ASTM G 98, 595, 597, 854
 ASTM G 99, 854
 ASTM G 100, 119, 217, 226, 375, 628, 680, 855
 ASTM G 101, 167, 562–563, 713, 853
 ASTM G 102, 28–30, 57, 60, 109, 177, 185, 190, 193, 679–680, 702, 736, 777, 829, 855
 ASTM G 103, 295, 554, 854
 ASTM G 104, 713
 ASTM G 105, 854
 ASTM G 106, 61–62, 112, 140, 143, 401, 408, 529, 628, 660, 680, 690, 736, 842, 855
 ASTM G 107, 61, 65, 89, 778, 852
 ASTM G 108, 61, 124–125, 140, 143, 180, 244, 257, 261, 385, 680, 736, 777, 802, 855
 ASTM G 109, 407–409, 563, 713, 852
 ASTM G 110, 244, 552, 554, 852
 ASTM G 111, 157, 736, 852
 ASTM G 112, 266, 268, 270, 554, 852
 ASTM G 113, 853
 ASTM G 116, 164, 167, 241–242, 345, 347, 561, 853
 ASTM G 117, 212–213, 852
 ASTM G 118, 854
 ASTM G 119, 57, 854
 ASTM G 123, 295, 298, 583, 589, 773, 854
 ASTM G 124, 157
 ASTM G 129, 157, 298, 337, 375, 555, 561, 589, 736, 773, 791, 854
 ASTM G 131, 852
 ASTM G 134, 854
 ASTM G 135, 90, 778, 852
 ASTM G 139, 299, 375, 689, 854
 ASTM G 140, 160, 345, 853
 ASTM G 141, 853
 ASTM G 142, 157, 852
 ASTM G 146, 157, 852
 ASTM G 147, 853
 ASTM G 148, 123–124, 401, 854
 ASTM G 149, 164–165, 167, 241–242, 853
 ASTM G 150, 120, 218, 589, 680, 735, 775, 855
 ASTM G 156, 853
 ASTM G 157, 223, 792, 852
 ASTM G 158, 854
 ASTM G 160, 854
 ASTM G 161, 65, 792, 852
 ASTM G 162, 185, 854
 ASTM G 163, 854
 ASTM G 165, 699, 854
 ASTM G 166, 852
 ASTM G 168, 297, 336, 589, 774, 854
 ASTM G 170, 157, 852
 ASTM G 472, 606
 Atmospheric corrosion, metals processing, 775
 Atmospheric exposure tests, 159–168
 copper and copper alloys, 568
 corrosion inhibitors, 493–494
 exposure program, 163
 galvanic corrosion, 240–242
 indoor atmospheres, 162–163, 166
 monitoring variables, 159–161

outdoor exposure, 165–166
 powder metallurgy materials, 665
 principles, 159–163
 program development, 163
 site monitoring/evaluation of
 environment, 166–167
 specimens, 163–165
 types of exposures, 159
Atmospheric environment
 classification, 161–162, 343
 highways, tunnels, and bridges, 707–708,
 712
 service test, 199
 steels, 559
Atmospheric gaseous pollutants, design
 guidelines, 350
Atmospheric particulate matter, design
 guidelines, 350
Auger electron spectroscopy, 77–79
Austenitic stainless steels, 586
Autoclaves, 801–802
Automobiles, 673–684
 automatic transmission fluid, 676
 cabinet tests, 680
 controlling corrosion, 677–679
 corrosion mechanisms, 676–677
 cyclic tests, 680–681
 design improvements, 673
 electrical and electronic systems, 679
 electrochemical tests, 679–680
 engine oils and coolants, 676
 environment, 673–676
 external exposure, 674–675
 field tests, external exposure, 681–682
 immersion tests, 679–680
 internal combustion exposure, 675
 internal functional liquids, 675–676
 laboratory tests, external exposure,
 679–681
 liquid passage and reservoirs, 678
 materials, 673
 metallic materials, 674
 processing, 673
 test methods, 679–684
 testing, 682–684
Automotive fasteners, 331
Automotive radiators, accelerated
 corrosion testing, 576–577
AWWA standards, 851
Axial heating rate, liquid metals, 470

B

Bacteria
 corrosive, 176
 pipeline, 698
Bar steel, 562–563
Barnacle electrode, 123, 328
Basquin equation, 304
Bent-beam test, oil and gas production,
 815
Beverage, see Food and beverage
BI 103–01, 132, 135
BI 104–01, 132
BI 104–02, 132
BI-123–01, 132
Bias effects, indoor atmospheres, 355
Bimetallic couples, pipeline, 700
Biofilms, 367, 509–510
Biofouling, copper and copper alloys, 568
Biological activity test, soils, 401
Biological factors, freshwater, 381
Biological organisms, seawater, 366
Black liquor system corrosion, 803

Bleach plant, 798–800
Block designs, 55–56
BNF jet test, copper and copper alloys,
 573
Bode phase angle and magnitude plots,
 113, 127
Boron, effect on metal-matrix
 composites, 637–638, 644
Bottom up approach, 92
Box-and-Whisker plots, 91–93
BQ 105–01, 132
Brasses, 565–566
Breakaway corrosion, high-temperature
 corrosion, 196
Bridges, see Highways, tunnels, and
 bridges
British Std 1036, 683
Brownstock and black liquor system
 corrosion, 803
BSI Code of Practice 7361 Part 1, 525
BSP standards, 768
Burner, rigs simulation, 458–459

C

C-ring test, oil and gas production, 815
Cabinet corrosion tests, 131–138
 acetic acid salt spray (fog) tests, 132
 acidified synthetic sea water (fog) test,
 134
 automobiles, 680
 CASS test, 134
 corrodokote test, 134
 corrosive gas tests, 135
 cyclic acidified salt fog test, 133–134
 cyclic corrosion tests, 136–138
 cyclic salt fog/UV exposure, 134
 dilute electrolyte cyclic fog/dry test, 134
 evaluation of results, 137–138
 filiform tests, 135
 humidity tests, 134–135
 mixed flowing gas, 136
 salt spray (fog) test, 131–132
 salt/SO₂ spray (fog) test, 134
Cables, telecommunications, 762–763
Cadmium, as metallic coatings, 623
Capillary water, 389
Carbon steel, 376, 716
Carbonates, in seawater, 366
Carbonation, concrete, 406
Carburization, 198, 201, 437–440
Case-based reasoning, 101–102
CASS test, 134, 571
Cast iron, pipeline, 696
Catastrophic corrosion, high-temperature
 corrosion, 196
Cathodic protection, 394
 concrete, 410
 highways, tunnels, and bridges, 710
 piers and docks, 719
 pipeline, 699
Cathodic reaction, 392
Cations, 390
Cavitation, 274, 276
 copper and copper alloys, 573
 freshwater, 386
 seawater, 370
CCT, 132
Ceramics, molten salts, 461–463
Chemical cleaning procedures, 43–45
Chemical etching, 69–70
Chemical processing, 779–793
 anticipating process chemistry effects,
 780–781
 computerized test database, 793
 confidence in data, 792–793
 coupon testing, 784–787
 electrical resistance probe, 787
 field testing, 783
 institutional requirements, 781
 interpreting data, 785–787
 laboratory testing, 783–784
 linear polarization, 787–789
 materials selection, 779–780
 pilot plant testing, 784
 probe testing, 787–788
 specialized testing, 788–792
 test location, 782–783
Chemical pulping, 800–803
Chemical vapor deposition, 621
Chloride, ingress into concrete, 406
Chromium and chromium alloys, as
 metallic coatings, 623
Chromium carbide precipitates, 249
Chromium-iron alloys, phase
 formation, 73
Chronopotentiometry, electrodeposited
 coatings, 661
Chrysler LP 461H-117, 681
Chrysler Std MS-4338D, 683
CLIMAT test, 347
Close interval survey, pipeline, 703
Closures, telecommunications, 762–763
CO₂ corrosion, modeling, 100
Coal ash corrosion, 442
Coating degradation, 788–789
Coatings
 AC impedance, 788–790
 aluminum and aluminum alloys, 556
 highways, tunnels, and bridges, 710
 magnesium and magnesium alloys, 545
 in oil and gas production, 814
 piers and docks, 719
 pipeline, 698
 see also Electrodeposited coatings;
 Metallic coatings on steel;
 Nonmetallic coatings; Protective
 coatings and films
Cobalt-base alloys, 591–597
 aqueous corrosion testing, 593–595
 compositions, 591
 galling test, 596
 hot corrosion testing, 597
 investment castings, 595
 microstructures, 592–593
 oxidation testing, 597
 stress corrosion cracking, 593–594
 wear testing, 595–597
Coefficients of thermal expansion, 36
Coffin-Manson equation, 304
Commercial aircraft, 687–692
 aluminum alloy/heat-treat evaluation, 689
 controlling corrosion, 688
 high-strength steel testing, 689
 hydrogen damage, 329–331
 in-service monitoring, 688
 inspection, 688
 materials selection, 689
 paint evaluation, 689, 691
 problem areas, 689
 service environments, 687–688
 surface finishes evaluation, 691
Composite materials, piers and docks,
 716–717
Composite tube corrosion and cracking,
 805
Computer modeling, galvanic corrosion,
 239–240, 242

- Concrete, 405–410
 - additives, 406, 409
 - carbonation, 406
 - cathodic protection, 410
 - chloride ingres, 406
 - complexities associated with corrosion evaluation, 405–406
 - environment, 405
 - field testing, 408–409
 - laboratory testing, 406–408
 - membranes, 410
 - outdoor exposures, 406
 - reinforced and prestressed, 716
 - reinforcing bar coatings, 409–410
 - resistivity, 405
 - sealers, 410
 - solution tests in concrete-like solutions, 406–407
 - standards, 409
 - testing in laboratory specimens, 407–408
- Condensate zone, 783
- Condensers, 250, 572–573
- Condensing surfaces, 789
- Conductivity, exfoliation corrosion, 269
- Conductors, electric power, 725
- Confidence limits for the mean, 84
- Constant phase elements, 114
- Contact electric resistance testing, chemical pulping, 801
- Continuous immersion, 782
- Conversion factors, 18–19
 - corrosion rate, 24
 - reference potentials, 27
- Cooling waters, polluted, copper and copper alloys, 568
- Copper-accelerated salt spray test, 134
- Copper and copper alloys, 565–578
 - acids, 568
 - alkalies and ammonia, 569
 - aluminum brass, 566
 - aluminum bronzes, 567
 - ammonia tests, 569–570
 - atmospheric exposure, 568
 - automotive radiators, 576–577
 - biofouling, 568
 - BNF jet test, 573
 - brasses, 565–566
 - cavitation tests, 573
 - classification, 565
 - copper-beryllium alloys, 567
 - copper-bismuth, 567
 - copper-bismuth-selenium, 567
 - copper nickels, 567
 - copper-silicon alloys, 567
 - electrical resistance tests, 573–574
 - erosion-corrosion tests, 574–575
 - galvanic corrosion tests, 575–576
 - high copper alloys, 565
 - hydrochloric acid spray test, 571–572
 - inhibited alloys, 567
 - liquid metal embrittlement, 569
 - mercurous nitrate test, 569
 - metal-matrix composites, 648–649
 - microbiologically influence corrosion testing, 577–578
 - modified salt spray (fog) testing, 571
 - nickel silvers, 567
 - organic compounds, 569
 - oxidation test, 575
 - oxidizing salts, 569
 - phosphor bronzes, 567
 - pipeline, 697
 - pitting corrosion, in condenser tubes, 572–573
 - polluted cooling waters, 568
 - potentiostatic tests, 576
 - protective film, 565
 - salt droplet test, 571
 - salt spray test, 570–571
 - salts, 569
 - seawater corrosion, 376, 568, 572
 - selection for environments, 567–569
 - smelting, refractories, 578
 - in soils, 394–395, 568, 576
 - stainless steels, 585
 - steam, 568
 - stress corrosion cracking, in Mattsson's solution, 570
 - testing in water, 568, 572
 - tin brasses, 566
- Copper-beryllium alloys, 567
- Copper-bismuth, 567
- Copper-bismuth-selenium, 567
- Copper-nickel alloys, 279, 567
- Copper-silicon alloys, 567
- Copper sulfate-sulfuric acid tests, 251–253
- Copper-zinc alloys, seawater corrosion, 376
- Corrodokote test, 134, 571
- Corrosion, forms, 91
- Corrosion acceptance testing, 780
- Corrosion agents, soils, 390
- Corrosion attack, classification, 713
- Corrosion currents, causes, 712
- Corrosion failure analysis, 50–51
- Corrosion fatigue, 302–318
 - aluminum metal-matrix composites, reinforcement constituents, 643–644
 - common elements of experiments, 310
 - component service life prediction, 318
 - crack detection, 311
 - crack length measurement, 314
 - cyclic strain-induced dissolution, 316
 - data analysis and evaluation, 311, 315–316
 - definition, 303
 - effect of applied polarization, 308
 - electrode potential, 308–309
 - environmental cell design, 311–313
 - factors controlling, 303–308
 - fracture mechanics methods, 312–316
 - frequency effects on crack propagation, 306–307
 - future research, 318
 - life prediction, 317–318
 - loading frequency, 305–308
 - magnesium and magnesium alloys, 540–541
 - measurement of crack solution pH and potential, 317
 - mechanical driving forces, 304–308
 - mechanical variables, 304
 - mechanisms, 303
 - medical and dental materials, 840
 - metal-matrix composites, 651
 - metallurgical variables, 309–310
 - nomenclature, 302–303
 - programmed stress intensity experimentation, 316
 - pulp and paper, 798
 - relationship with stress corrosion cracking, 310
 - small crack methods, 316–317
 - smooth specimen $\Delta\epsilon(N)$, 311–312
 - smooth specimen $\Delta\sigma$ -life method, 310–311
 - stages, 303
 - sulfur ion content, 309
- Corrosion index, pipeline risk evaluation, 97–99
- Corrosion inhibitors, 480–497
 - atmospheric testing, 493–494
 - chemical stability, 481
 - compatibility, 481
 - corrosion product layers, 490
 - corrosion rate measurements, 487–488
 - cost effectiveness, 486
 - direct hydrogen measurements, 488
 - electrical resistance measurements, 489
 - electrochemical impedance spectroscopy, 492–493
 - electrochemical noise measurements, 493
 - environment conditioning, 496
 - flow and pressure effects, 494–495
 - galvanic measurements, 493
 - high pressure testing, 494
 - highways, tunnels, and bridges, 709–710
 - historical perspective, 480–481
 - importance of system analysis, 481
 - indirect hydrogen measurements, 488–489
 - interphase, 490–491
 - IR-problem, 490
 - iron counts, 488
 - linear polarization, 490
 - metallurgy selection, 495–496
 - performance characteristics, 486–487
 - pH and flow effects, 484–485
 - physical stability, 481
 - pipeline, 700
 - practical applications, 491–492
 - precorroded surface inhibition, 496–497
 - producing wells, 813–814
 - protection and inhibitor adsorption, 482–483
 - pulp and paper, 797
 - quality criteria, 481–482
 - steady state corrosion rate, 485
 - surface preparation, 495
 - test procedures, 483–484
 - thermal stability, 481
 - transport phenomena, 481
- Corrosion potential
 - distribution, galvanic corrosion, 237
 - measurements, electrodeposited coatings, 660
 - pitting, 213
- Corrosion prediction, polarization scans, 100
- Corrosion product
 - chemical cleaning procedures, 43–45
 - deposition, liquid metals, 472
 - electrolytic cleaning procedures, 46
 - iron counts, 488
 - layers, corrosion inhibitors, 490
- Corrosion rate, 346
 - calculation, 23
 - conversion factors, 24
 - conversion to mass loss and penetration rate, 109
 - measurements, corrosion inhibitors, 487–488
- Corrosion resistance, electrodeposited coatings, 656
- Corrosion resistance alloy, 815–816, 818
- Corrosion sample analysis, high-temperature gases, 444–445
- Corrosion tests, 49–58
 - block designs, 55–56
 - completely randomized designs, 54–55
 - crude oil systems, 431
 - curve fitting, 53–54
 - data reliability levels, 51–52

define goals and objectives, 49–51
 design, 51–56
 designing experiments, 54–56
 determining number of observations, 53
 develop test protocol, 56
 engineering, 56–57
 factorial designs, 55
 hydrocarbon gas systems, 430
 industrial chemicals, 422–423
 modifications, 57
 probability sampling, 53
 produced water systems, 430–431
 randomization, 53–55
 seawater, 371–374
 statistical basis, 52–53
 statistical modeling, 53–54
 statistical tests, 56
 Corrosion yard instrumentation, 345
 Corrosive gas tests, 135, 355–356, 360
 Coupon testing
 bleach plant, 799
 chemical processing, 784–787
 chemical pulping, 801
 glass-lined steel, 787
 indoor atmospheres, 359–360
 industrial waters, 415
 organic liquids, 454
 pipe, 701, 704
 pitting, 211–213
 surface finish, 602–603, 784
 water handling systems, 826–828
 Covariance of independent variables, 87
 Crack closure, 305
 Crack propagation, corrosion fatigue, 312–316
 Cracking, environmental, 122–125
 Crevice corrosion, 221–229, 791
 aluminum and aluminum alloys, 551
 ASTM G 48, 222–225
 ASTM G 78, 226
 critical potentials, measurement, 228–229
 depassivation pH, measurement, 229
 electrochemical critical temperature, 227–228
 electrochemical tests, 226–229
 freshwater, 178, 384
 industrial chemicals, 421
 mechanisms, 221–222
 medical and dental materials, 840
 metals processing, 774–775
 nickel and nickel alloys, 583
 non-electrochemical tests, 222, 226
 seawater, 171, 369
 stainless steels, 589
 steels, 561
 titanium, 604–605
 Critical potentials, measurement, 228–229
 Critical temperature tests, 224–225
 Cross contamination effects, 784
 Crude oil, 427–429
 CUNA 07901, 682
 Current density, 59–61
 Curve fitting, 53–54
 Cyclic acidified salt fog test, 133–134
 Cyclic corrosion tests, 136–138
 Cyclic polarization, electrochemical tests, 215
 Cyclic potentiodynamic polarization, 61, 118–119, 791
 Cyclic salt fog/UV exposure, 134
 Cyclic strain-induced dissolution, corrosion fatigue, 316
 Cyclic tests, metallic coatings on steel, 627

D

Data, 59–65, 89
 compilation, 89
 current, 59–61
 electrochemical test, 59–62
 impedance, 61
 localized corrosion, 63
 overcoming knowledge gaps, 91–92
 potential, 59
 quality, 90–91
 standardized recording formats, 89–90
 statistical analysis, 86–88
 stress corrosion cracking, 64
 velocity sensitive corrosion, 64–65
 Dealloying, 278–286
 ASTM and NACE standards, 285
 dissolution and reprecipitation model, 281–282
 electrochemical tests, 284
 enhance diffusion models, 280
 freshwater, 386
 fundamentals, 278–279
 immersion tests, 283–284
 ISO standards, 285
 metallographic analysis, 72–73
 microstructural examination, 284
 oxide formation model, 281
 parting limit, 282–283
 percolation model, 281
 seawater, 370
 service performance versus test results, 284–285
 surface diffusion, 280–281
 testing techniques, 283–284
 use of standards in industry, 285
 volume diffusion model, 279–280
 Deep ocean testing, seawater corrosion testing, 172–173
 Degree of protection, corrosion inhibitors, 483
 Delayed failure, hydrogen damage, 326–327
 Density, 25, 33–35
 Dental materials, 835–838
 see also Medical and dental materials
 Depassivation pH, measurement, 229
 Deposit etchants, 69–70
 Depth of attack, metal-matrix composites, 649
 Dew point, 38–42, 359
 Differential flow cell technique, industrial waters, 417
 Diffusion, metallic coatings, 621
 Diffusion bonds, effect on aluminum metal-matrix composites, 642
 Diffusion coefficient, 197
 Diffusivity, 322–323
 Digesters, 801
 Dilute electrolyte cyclic fog/dry test, 134
 DIN 40046, 758
 DIN 50017, 132, 758
 DIN 50018, 132, 135, 680–681
 DIN 50021, 132
 DIN 50908, 564
 DIN 50916, 569, 680
 Direct current polarization technique, microbiological effects, 513
 Disk pressure tests, 331–332
 Dissolution and reprecipitation model, dealloying, 281–282
 Dissolution behavior, metal-matrix composites, 650
 Dissolved oxygen monitoring, water handling systems, 831
 Dissolved salts, soils, 390

Docks, *see* Piers and docks
 Double-cantilever beam test, 336, 815
 Dual cell techniques, microbiological effects, 516
 Ductile iron, pipeline, 696
 Ductility, hydrogen damage, 325–326
 Duplex stainless steels, 587
 Dust, military aircraft and equipment, 695
 Dynamic testing, stress corrosion cracking, 298

E

EC test, electrodeposited coatings, 661
 Economizer, 805
 EIA 364-B, 767
 EIA RS-364-50, 353, 356, 361
 Electrochemical potentiokinetic reactivation tests, simplified, 261
 Electric heater wire tests, high-temperature corrosion, 200
 Electric power, 722–725
 Electrical and electronic systems, automobiles, 679
 Electrical continuity, highways, tunnels, and bridges, 709
 Electrical insulation, coupons, 784–785
 Electrical isolation, highways, tunnels, and bridges, 709
 Electrical resistance
 copper and copper alloys, 573–574
 industrial waters, 415
 measurements, corrosion inhibitors, 489
 Electrical resistance probes, 189–190
 chemical processing, 787
 microbiological effects, 516
 seawater, 374
 soils, 396
 Electrical resistivity, soils, 399
 Electrochemical behavior, tantalum, 617
 Electrochemical tests, metallic coatings on steel, 627–629
 Electrochemical behavior, niobium, 618
 Electrochemical corrosion
 measurements, high-temperature/high-pressure corrosion testing, 152–153
 Electrochemical critical temperature, 227–228
 Electrochemical factors, stress corrosion cracking, 291–292
 Electrochemical impedance, 101–102, 112–114
 Electrochemical impedance spectroscopy
 corrosion inhibitors, 492–493
 freshwater, 383
 metallic coatings on steel, 628
 microbiological effects, 514–515
 seawater, 373
 Electrochemical kinetic data, obtaining corrosion rates, 108–109
 Electrochemical laboratory tests, soils, 401–402
 Electrochemical measurements
 corrosion inhibitors, 489–493
 soils, 184–186
 Electrochemical mechanism, 632–634
 Electrochemical methods, pipeline, 702–703
 Electrochemical noise, 61–62, 121, 790–791
 microbiological effects, 516
 measurements, corrosion inhibitors, 493
 organic coating, 127
 resistance, 115–117
 Electrochemical polarization

- chemical pulping, 801–802
 - freshwater, 384
 - soils, 184–185
 - Electrochemical potentiokinetic reactivation tests, 255–258
 - Electrochemical probes, 190–191, 783
 - Electrochemical reactivation technique, 61
 - Electrochemical test data, 59–62
 - Electrochemical tests, 107–127, 207–210, 213
 - alloy sensitization, 124–125
 - anodized aluminum corrosion test, 125
 - automobiles, 679–680
 - barnacle electrode technique, 123
 - bleach plant, 799
 - characterization of anodized surfaces and conversion coatings, 127
 - crevice corrosion, 226–229
 - critical temperature tests, 218
 - cyclic polarization, 215–217
 - cyclic potentiodynamic polarization methods, 118–119
 - dealloying, 284
 - electrochemical impedance methods, 112–114
 - electrochemical impedance spectroscopy, 126–127
 - electrochemical noise, 121, 127, 218–219
 - electrochemical noise resistance, 115–117
 - electrodeposited coatings, 660
 - electrolytic corrosion test, 125
 - electronics, 759
 - evaluation of protective coatings and films, 125–127
 - exfoliation corrosion, 269
 - frequency modulation methods, 114–115
 - galvanic corrosion, 117–118, 239, 242
 - galvanostatic measurements, 217
 - metals processing, 776–777
 - nickel and nickel alloys, 584
 - organic liquids, 455
 - paint adhesion on a scribed surface test, 125
 - passivity and localized corrosion, 118–122
 - permeation method, 123–124
 - polarization methods, 109–117
 - potential probe methods, 118
 - potential step-down or scan-down methods, 119–120
 - potentiodynamic methods, 122–123
 - potentiostatic measurements, 217–218
 - powder metallurgy materials, 666–667
 - pulp and paper, 797
 - scratch repassivation, 120, 122
 - seawater, 372–373
 - shot noise methods during pitting, 121–122
 - single frequency impedance test, 126
 - specimen mounting, 213–215
 - statistical distribution in critical potentials, 120–121
 - Tafel extrapolation, 110
 - telecommunications, 766
 - tribo-ellipsometric methods, 122
 - Electrode potential, corrosion fatigue, 308–309
 - Electrode reaction, thermodynamics and kinetics, 107–109
 - Electrodeposited coatings, 656–662
 - chronopotentiometry, 661
 - corrosion mechanisms, 657–659
 - corrosion potential measurements, 660–661
 - corrosion resistance, 656
 - corrosion testing, 659–662
 - EC test, 661
 - electrochemical tests, 660
 - in-situ imaging and nondestructive evaluation, 662
 - polarization resistance, 661
 - porosity, 659
 - salt spray-fog testing, 660
 - Electrolyte chemistry, freshwater, 381–382
 - Electrolyte flow, effects on freshwater
 - corrosion testing, 179
 - Electrolyte flow rate, 235–236
 - Electrolytic cleaning procedures, 46
 - Electrolytic corrosion test, 125
 - Electrolytic etching, 69
 - Electrolytic polishing, 69
 - Electromotive series, 395
 - Electronics, 754–760
 - classification of environments, 755–756
 - corrosion mechanisms, 756–757
 - corrosion of components, 757–758
 - corrosion products, 760
 - electrochemical tests, 759
 - environmental tests, 759–760
 - environments, 754–755
 - materials, 754
 - tests and standards, 758–759
 - Electrostatic precipitator, 805
 - Elements, physical properties, 32
 - Energy storage batteries, lead and lead alloys, 535–536
 - Engine coolants, 676
 - Engine oils, 676
 - Enhanced diffusion models, dealloying, 280
 - Ennoblement, seawater, 371
 - Environmental cracking, 370, 373–374, 700
 - Environmental deterioration analysis
 - logic diagram, 98
 - Environmental factors, stress corrosion cracking, 291
 - Environmental hydrogen embrittlement, 325
 - Environmental modification, highways, tunnels, and bridges, 709
 - Environmental simulation, telecommunications, 766
 - Environmentally assisted cracking, 122–125
 - Erosion corrosion, 275–276, 494, 789
 - copper and copper alloys, 574–575
 - factors controlling, 273–274
 - freshwater, 386
 - mechanisms, 273
 - seawater, 370
 - Error, 83
 - Etching, sample, 69–71
 - Evans diagram, 233–235
 - Exfoliation corrosion, 266–272
 - aluminum and aluminum alloys, 266–267, 552–554
 - classification, 270
 - electrochemical and conductivity tests, 269
 - evaluation of test results, 269–270
 - immersion tests, 268–269
 - relation to service conditions, 267
 - specimen inspection, 270–271
 - test controls, 272
 - test duration, 269
 - test procedures, 267–269, 271–272
 - test specimens, 269
 - Expert Systems, 99–100
 - External corrosion direct assessment, buried pipelines, 402–404
 - Extreme value statistics, 85, 94
- F**
- Factorial designs, 55
 - Factorial experiments, 55, 85–86
 - Failure, 64
 - factors and subfactors controlling occurrence, 91
 - Failure analysis, 91, 712–713
 - Failure modes, nuclear power, 733
 - Faraday's equation, constants, 30
 - Faraday's law, 109, 242
 - Fault tree analysis, 95–96
 - Ferric sulfate-50% sulfuric acid test, 253
 - Ferritic stainless steel, 248, 586–587
 - Ferroxyl test, powder metallurgy materials, 667–668
 - Fibers, effect on lead metal-matrix composites, 646
 - Field tanks and vessels, 819
 - Filiform corrosion, 135, 553, 555–556
 - Fine particles, indoor atmospheres, 357–360
 - Fire protection, flue gas desulfurization, 750
 - Fitness-for-service evaluations, 781
 - Fixturing, 66–67
 - Flow induced localized corrosion, 494
 - Flow rate, effect on corrosion, 176
 - Flue gas desulfurization, 746–752
 - corrosion control, 749–750
 - corrosion environments, 749
 - fire protection, 750
 - materials of construction, 746–748
 - test methods, 750–752
 - welding, 750
 - Fluidized bed boiler, 805
 - Fog testing, copper and copper alloys, 571
 - Food and beverage, 822–824
 - Forced-convection loops, liquid metals, 476
 - Ford Std M2C138-CJ, 683
 - Ford TM-BI 123-01, 681
 - Foundations
 - electric power, 723–724
 - selection of type, 707
 - Foundry products, aluminum and aluminum alloys, 549
 - Four-point bend tests, 336–337
 - Fracture mechanics testing, hydrogen damage, 332–339
 - Free ground water, 389
 - Frequency modulation methods, 114–115
 - Freshwater, 380–386
 - biological factors, 381
 - corrosion forms, 382
 - dealloying, 386
 - electrolyte chemistry, 381–382
 - factors affecting corrosion, 175–176
 - metallurgy, 381
 - process conditions, 381
 - resistance probes, 383
 - water chemistry, 380–381
 - weight loss testing, 382
 - Freshwater corrosion testing, 175–180
 - cavitation, 386
 - design, 177
 - electrochemical impedance spectroscopy, 383
 - electrochemical polarization, 384
 - electrolyte flow effects, 179
 - erosion corrosion, 386
 - exposure methods, 176–179
 - fretting corrosion, 386
 - galvanic corrosion, 178–179, 384, 386
 - intergranular corrosion, 180, 386
 - pitting and crevice corrosion, 178, 383–384

polarization, 382–383
 stress-corrosion cracking, 179–180, 386
 uniform corrosion, 177–178, 382–383
 Fretting corrosion, 274–275
 factors controlling, 275
 medical and dental materials, 840
 Fretting fatigue, 275–276
 Fretting wear, tests, 276
 Fugacity, 323–324
 Fungus, military aircraft and equipment, 694
 Fusayama's solution, 841

G

Galvanic corrosion, 117–118, 191, 233–242, 789
 aluminum and aluminum alloys, 551, 555
 anode/cathode area ratio, 235
 atmospheric tests, 240–242
 between matrix and reinforcement constituents, 650–651
 computer modeling, 239–240, 242
 copper and copper alloys, 575–576
 corrosion inhibitors, 493
 current and potential distributions, 237
 direct measurement, 117–118
 electrochemical reactions, 233
 electrochemical tests, 239, 242
 electrolyte flow rate, 235–236
 factors controlling, 237–238
 freshwater, 178–179, 384, 386
 lead and lead alloys, 535
 measured currents, 236–237
 medical and dental materials, 840–841
 metal-matrix composites, 650–651
 mixed potential theory, 235
 seawater, 171, 369–370
 soils, 185
 standards, 242
 steels, 561
 testing techniques, 238–241
 Galvanic couples, exposure, 238–239, 241–242
 Galvanic protection, zinc, 525–526
 Galvanic series, 234–235
 Galvanized steel, pipeline, 696–697
 Galvanostatic methods, 119, 217
 Gas pipeline, risk assessment, 95–96
 Gaseous zone, 783
 Gases
 lead and lead alloys, 534–535
 physical properties, 31
 see also High-temperature gases
 Gaskets, 780
 General corrosion, 171, 588, 601–604
 General Motors Std Dextron II Spec., 683
 General Motors Std M95-MAT-001, 683
 Glass-lined steel coupons, 787
 Glossary, 7–11
 GM 4298P, 626
 GM 4299P, 132
 GM 4465P, 132, 626
 GM 4476P, 132
 GM 9102P, 138, 625
 GM 9505P, 132, 681
 GM 9511P, 132
 GM 9540P, 132, 137, 375, 680–681
 GM 9682P, 132
 Grain refining, magnesium and magnesium alloys, 539
 Graphite, effect on metal-matrix composites, 638–639, 644–645, 648
 Gravimetric corrosion rates, 544–545, 581, 649

Gravitational water, 389
 Greco-Latin square, 85–86
 Grinding, sample, 67–68
 Ground synthetic dust mixture, indoor atmospheres, 357–358

H

Hafnium, 613–616
 test solutions, 615
 Hammett acidity function, 450
 Hanks' solution, 841
 Hardware
 aerial cable, 763
 electric power, 724–725
 Health hazards, lead, 536
 Heat tinting, 70
 Heat transfer, industrial chemicals, 421
 Heat transfer components, nuclear power, 728–729
 Heat transfer systems, water handling systems, 832
 Heat treatment, magnesium and magnesium alloys, 539
 Heated surface, 791
 High pressure environments, 154–156
 High pressure testing, corrosion inhibitors, 494
 High-temperature corrosion, 194–202
 aluminum and aluminum alloys, 550–551
 carburization corrosion tests, 201
 chemical thermodynamic and physical principles, 196–197
 electric heater wire tests, 200
 kinetics, 194–196
 magnesium and magnesium alloys, 542
 metallographic analysis, 74
 modes, 197
 molten salt corrosion tests, 201
 oil refining, 819–820
 residual fuel oil corrosion tests, 200
 service testing, 198–201
 specimen preparation, 198–199
 steels, 559
 sulfur corrosion tests, 200–201
 testing in environments, 197–198
 High temperature environments, 155–156
 High-temperature gases, 434–436
 Brinkley method, 438
 carburization and metal dusting, 437–440
 coal ash corrosion, 442
 corrosion sample analysis, 444–445
 environments, 435–437
 kinetics, 436
 laboratory and field testing controls, 435
 mass change analysis, 445
 materials for test equipment, 442–443
 metallographic analysis, 444–445
 oxidation, 436
 oxidation rate laws, 436–437
 reference materials, 435
 sample preparation, 434–435
 service test standards, 445–446
 structural changes, 445
 sulfidation, 441–443
 testing, 437, 439
 thermodynamics, 436
 High-temperature/high-pressure corrosion testing, 147–157
 agitated tests, 148
 ASTM standards, 157
 dissolved gas effects, 151

electrochemical corrosion
 measurements, 152–153
 factors affecting environments, 149–150
 in high-purity water, 157
 hydrogen effects, 151
 hydrogen permeation measurement, 153–154
 mechanical property testing, 154
 NACE standards, 156–157
 oxygen effects, 150–151
 pressurized corrosion tests, 147–149
 refreshed and recirculating tests, 148–149
 safety, 154–155
 simulation of service environments, 155–156
 special test conditions, 150–151
 static tests, 148
 test conditions, 147
 test variations, 151–154
 windowed test vessels, 152
 High velocity flow testing, seawater, 373
 Highways, tunnels, and bridges, 706–714
 coatings, 710
 corrosive environments, 707–709
 electrical continuity, 709
 environmental modification, 709
 failure analysis, 712–713
 future, 714
 in-service monitoring, 711–712
 inhibitors, 709–710
 material selection, 709, 711
 materials of construction, 706–707
 problem areas, 710–711
 unresolved issues, 713–714
 Hot corrosion testing, cobalt-base alloys, 597
 Hot dip coating, 620
 Hot plate boiling corrosion testing, chemical pulping, 801
 Hot wall, 791
 Humidity tests, 134–135, 355, 359, 545
 Hydrocarbon gas systems, corrosion testing, 430
 Hydrochloric acid spray test, 571–572
 Hydrogen
 in aluminum and aluminum alloys, 549
 diffusible concentration, 123–124
 effects, oil and gas production, 818
 measurement of concentration, 327
 nickel and nickel alloys, 581
 niobium, 618
 role in titanium, 601
 tantalum, 617
 testing, titanium, 607–609
 Hydrogen damage, 322–339
 ASTM E 1681, 333–336
 ASTM F 326, 328
 ASTM F 519, 329–331
 ASTM F 1113, 328
 ASTM F 1459, 331–332
 ASTM F 1624, 337–338
 ASTM F 1940, 328, 331
 ASTM G 129, 337
 ASTM G 168, 336
 cantilever bend tests, 335–336
 delayed failure, 326–327
 diffusivity, 322–323
 ductility effects, 325–326
 environmental hydrogen embrittlement, 325
 fracture mechanics testing, 332–339
 fugacity, 323–324

hydrogen concentration measurement, 327
 internal hydrogen embrittlement, 325
 interpretation of test results, 327
 mechanical testing, 328–331
 notch effect, 326
 pipeline, 700
 potential, 328
 principles, 322–339
 process control, 328–329
 ripple loads, 333
 solubility, 323
 stress corrosion cracking, 325
 temperature and strain rate, 328
 test selection, 338–339
 three-point and four-point bend tests, 336–337
 trapping behavior, 324
 Hydrogen embrittlement cracking tests, 151, 202, 371
 Hydrogen induced cracking, 94–95, 818
 Hydrogen measurements
 corrosion inhibitors, 488–489
 high-temperature/high-pressure corrosion testing, 153–154
 Hydrogen probes, 191

I

IEC 60068-2-18, 856
 IEC 60068-2-43, 767, 856
 IEC 60068-2-60, 856
 IEC 60068-2-66, 856
 IEC 60068-2-67, 856
 IEC 60068-2-74, 856
 IEC 60426, 856
 IEC 60512-11-14, 856
 IEC 60512-11-7, 856
 IEC 60695-5-1, 856
 IEC 68-2-1, 758
 IEC 68-2-11, 758
 IEC 68-2-2, 758
 IEC 68-2-3, 758
 IEC 68-2-30, 758
 IEC 68-2-42, 758
 IEC 68-2-43, 758
 IEC TR 60355, 856
 IEC TR 60695-5-2, 856
 Ignition testing, titanium, 609
 Immersion corrosion, zinc, 529
 Immersion critical crevice-corrosion temperature, 224–225
 Immersion critical pitting temperature, 224–225
 Immersion testing, 139–146
 automobiles, 679–680
 cleaning specimens, 145
 cyclic test procedure, 144
 dealloying, 283–284
 evaluation of results, 145
 exfoliation corrosion, 268–269
 molten salts, 460–461
 physical parameters, 141
 precautions and validity of results, 145–146
 principles, 139–141
 seawater, 372
 simple tests, 144
 simulation and acceptance testing, 144
 specimen preparation, 144–145
 test conditions, 139–141
 test duration, 141
 titanium, 604
 types, 141–144
 Immersion zone, piers and docks, 718

Impedance, 61
 Impingement angle, 273–274
 Implants, 834–837
 In-plant testing, 187, 767–768, 772
 In-service monitoring
 commercial aircraft, 688
 food and beverage, 824
 highways, tunnels, and bridges, 711–712
 steam generation, 743
 telecommunications, 764–765
 In-situ imaging, electrodeposited coatings, 662
 In vivo environments, 500–505
 Indoor atmospheres, 349–361
 coarse particle testing, 356–357, 360
 corrosive gas testing, 355–356, 360
 description of environment, 349–353
 dewpoint monitoring, 359
 field testing, 359–360
 fine particle concentrations, 351
 fine particle testing, 357–360
 ground synthetic dust mixture, 357–358
 metal coupon exposures, 359–360
 standards, 360–361
 testing for thermal, humidity, and bias effects, 355, 359
 testing of electronic equipment, 354
 unique aspects of testing, 353–354
 variables, 354–355
 Industrial applications, 187–193
 corrosion test specimens, 189
 crevice corrosion, 191
 electrical resistance probes, 189–190
 electrochemical probes, 190–191
 galvanic corrosion, 191
 hydrogen probes, 191
 in-plant testing, 187
 maintaining device installation, 188–189
 measurement technologies, 187–188
 online monitoring, 191–192
 specimens, 189
 standards, 192–193
 stress corrosion cracking, 191
 testing precautions, 192
 Industrial chemicals, 418–423
 batch and continuous processes, 418–423
 chlorides and halides, 421
 contaminating chemicals, 421–422
 corrosion testing, 422–423
 crevice corrosion, 421
 heat transfer, 421
 pH, 419–420
 pressure and temperature effects, 419
 test design, 422
 unique aspects, 418–423
 velocity, 421
 Industrial waters, 413–417
 coupon tests, 415
 differential flow cell technique, 417
 distribution in a process plant, 413
 electrical and electrochemical methods, 415
 laboratory testing, 414
 miniature heat exchanger with combined corrosion and fouling evaluation, 416
 plant testing, 414–416
 synthetic crevice devices, 416
 test exchangers, 415–416
 thin layer activation, 416
 Inspection, commercial aircraft, 688
 Instrumented pigs, pipeline, 702
 Insulators, electric power, 725

Intergranular attack, evaluating susceptibility, 259–261
 Intergranular corrosion, 64, 244–264, 386
 65% nitric acid test, 250–251
 aluminum and aluminum alloys, 552, 554
 annealing effect, 247
 associated with precipitates, 245
 copper sulfate-sulfuric acid tests, 251–253
 electrochemical potentiokinetic reactivation tests, 255–258
 ferric sulfate-50% sulfuric acid tests, 253
 freshwater corrosion testing, 180
 future developments, 261–264
 grain-boundary imperfection effect, 245
 grain-face corrosion rate, 245
 medical and dental materials, 840
 metals processing, 772–773
 nickel and nickel alloys, 582
 nickel-rich chromium-bearing alloys, 257–259
 nitric-hydrofluoric acid tests, 255
 origin of evaluation tests, 250
 oxalic acid etch tests, 253–255
 precipitates at grain boundaries, 249
 principles, 244–247
 seawater, 370
 testing strategy, 259–261
 weld decay zone, 262
 Intergranular cracking, copper and copper alloys, 569
 Internal combustion exposure, automobiles, 675
 Internal functional liquids, automobiles, 675–676
 Internal hydrogen embrittlement, 325
 International System of Units, 17
 Internet, 102
 Interphase, in presence of corrosion inhibitors, 490–491
 Intertidal zone, piers and docks, 718–719
 Ion scattering spectroscopy, 81
 IR-problem, corrosion inhibitors, 490
 Iron, pipeline, 696
 ISO 1462, 375, 680, 684, 856
 ISO 2160, 858
 ISO 3160-2, 856
 ISO 3183-3, 818
 ISO 3231, 132, 135
 ISO 3651, 857
 ISO 3768, 666
 ISO 3769, 680, 758
 ISO 3770, 680, 758
 ISO 4404, 858
 ISO 4524-2, 758
 ISO 4536, 856
 ISO 4538, 856
 ISO 4539, 856
 ISO 4540, 168, 375, 666, 684, 856
 ISO 4541, 132, 856
 ISO 4542, 168, 681, 856
 ISO 4543, 857
 ISO 4623, 375, 857
 ISO 4952, 858
 ISO 6251, 858
 ISO 6351, 858
 ISO 6270-1, 132
 ISO 6957, 569, 857
 ISO 6988, 857
 ISO 7253, 132
 ISO 7384, 375, 680–681, 857

ISO 7441, 164, 168, 240, 242, 857

ISO 7539, 375

ISO 7539-1, 174, 857

ISO 7539-2, 171, 174, 857

ISO 7539-3, 171, 174, 857

ISO 7539-4, 857

ISO 7539-5, 171

ISO 7539-5, 174, 857

ISO 7539-6, 555, 857

ISO 7539-7, 555, 562, 857

ISO 7539-8, 857

ISO 7549-6, 564

ISO 8044, 679, 857

ISO 8407, 173–174, 679, 857

ISO 8565, 168, 681, 857

ISO 8993, 174, 375, 857

ISO 8994, 168, 174, 375, 858

ISO 9223, 168, 348, 560, 755, 858

ISO 9223-6, 162

ISO 9224, 168, 348, 560, 858

ISO 9225, 168, 348, 858

ISO 9226, 168, 348, 681, 858

ISO 9227, 132, 680, 758, 858

ISO 9400, 858

ISO 9455, 858

ISO 9591, 375, 858

ISO 10062, 132, 680, 684, 760, 858

ISO 10270, 858

ISO 10289, 857

ISO 11130, 858

ISO 11303, 168, 858

ISO 11306, 375, 858

ISO 11463, 375, 858

ISO 11474, 858

ISO 11782, 375

ISO 11782, 375, 858

ISO 11845, 375, 858

ISO 11846, 858

ISO 11881, 858

ISO 11972, 858

ISO 11997, 857

ISO 13402, 858

ISO 13806, 858

ISO 14713, 858

ISO 14993, 858

ISO 15156, 812

ISO 15324, 858

ISO 16701, 858

ISO 65092, 857

ISO corrosion classification system,
outdoor atmospheres, 347

ISO DIS 16701, 132

ISO TC 156, 161

ISO TR 8502-1, 857

ISO TR 10129, 858

ISO TR 10217, 858

ISO TR 10271, 858

ISO TR 12928, 858

J

JASO M 609, 681

JASO M 610, 132, 681

JIS H8681, 680

JIS Z2371, 132, 680–682

JIS Z2381, 681

K

Kettle test, 484

Kinetic modeling, 792

Kinetics, high-temperature gases, 36

Kohler principle of illumination, 70–71

Krebs-Ringer solution, 841

L

Langelier saturation index, 380–381

Langmuir isotherm, 483

Latin square design, 55–56

Lawrence gage, 328

Lead and lead alloys, 531–536

acidity/alkalinity, 534

corrosion, 533–534

effects of alloying, 532

environment, 536

galvanic corrosion, 535

gases, 534–535

metal-matrix composites, 646

microstructural effects, 532

mill products, 532–533

natural protective films, 531–532

salt spray, 535

salts, 534–535

sensitivity to environmental factors,
534–535

soil, 394–395, 534–535

solubility, 533

world consumption, 531

Lead-antimony, 532

Lead-calcium, 532

Lead-copper, 532

Lead paint, bridges, 711

Lead-silver, 532

Lead-tin, 532

Life prediction, 92–94, 317–318

Linear polarization

chemical processing, 787–789

chemical pulping, 801

corrosion inhibitors, 490

industrial waters, 415

Linear polarization-resistance meter,
water handling systems, 828–829

Linear rate law, 436

Linear reaction kinetics, high-
temperature corrosion, 194–195

Linear regression, 86–87

Linings, pipeline, 698

Liquid drop erosion, 274

Liquid impingement erosion, tests, 276

Liquid metal embrittlement, 73–74, 569

Liquid metals, 465–477

aluminum and aluminum alloys, 551

axial heating rate, 470

circulation type, 470

containment surface condition, 468

corrosion product deposition, 472

environment, 465

exposure temperature, 468–469

exposure time, 471

external environment effect, 472

forced-convection loops, 476

heat input/removal zones, 470

large engineering experiments, 476–477

loop temperature differential, 471

mechanical stress, 470–471

monometallic or multi-metal/alloy

containment system, 471–472

nickel and nickel alloys, 581

reactive impurity content, 469

refluxing capsules, 474

rotating cylinder technique, 475

seesaw capsules, 474–475

specimen examination, 473

stainless steels, 588

static isothermal capsules, 473–474

test procedures, 472–473

test specimen configuration, 471

thermal-convection loops, 475–476

thermophysical condition, 467–468

unique aspects, 465–467

use of capsules for pre-exposure, 475

variables, 467–472

velocity, 469

Liquids, physical properties, 31

Liquor heater corrosion, 803

Localized corrosion, 63, 119–120

Log-normal distribution, 85

Logarithmic reaction kinetics, high-
temperature corrosion, 195–196

Loop temperature differential, liquid
metals, 471

Low pressure, military aircraft and
equipment, 694

LP-463PB-10-01, 132

LP-463PB-22-01, 132

LP-463PB-45-01, 132

LP-RPES-COR, 768

M

Macrofouling films, seawater, 367

Magnesium and magnesium alloys,
537–545

compositional effects, 537–539

contaminant tolerance limits, 538

corrosion characteristics, 537–541

corrosion testing, 544–545

elevated temperature, 542

environmental factors, 541–544

galvanic corrosion, 542–544

gravimetric corrosion rates, 544–545

humidity tests, 545

ions/salts, 541

metal fasteners, 543

metal-matrix composites, 644–645

metallurgical treatment effect, 539–540

mill products, 540

organic compounds, 542

painted corrosion performance, 545

protective films, 537

stress-corrosion cracking, 540–541

Magnesium-zinc alloys, 540

Magnetic resonance imaging, cautions with
medical and dental materials, 836

Maintenance steering group system, 96–98

Manganese, stainless steels, 585

Manholes, telecommunications, 763

Marine atmosphere zone, piers and
docks, 719

Martensitic stainless steels, 587

Mass change analysis, high-temperature
gases, 445

Mass loss tests, 109, 206–208

Mass transport overpotential, 110

Mattsson's solution, 570

Mechanical coatings, steel, 621–622

Mechanical damage, pipeline, 700

Mechanical polishing, 68

Mechanical property testing, high-
temperature/high-pressure
corrosion testing, 154

Mechanical pulping, 803

Mechanical stress, liquid metals, 470–471

Mechanical treatments, aluminum and
aluminum alloys, 548–549

Medical and dental materials, 834–843

corrosion environments, 841

corrosion evaluation, 842

corrosion-fatigue, 840

crevice corrosion, 840

dental alloys, 837–838

fretting corrosion, 840

- future, 843
 - galvanic corrosion, 840–841
 - implants, 834–835
 - intergranular corrosion, 840
 - metallic dental materials, 835–836
 - minimization of corrosion, 839
 - MRI cautions, 836
 - pitting, 839–840
 - problem areas, 841
 - regulations, 842–843
 - stress corrosion cracking, 840
 - surface modification, 838–839
 - surgical implant alloys, 836–837
 - Membranes, concrete, 410
 - Mercurous nitrate test, copper and copper alloys, 569
 - Mercury, aluminum and aluminum alloys effect, 551
 - Metal coupon exposures, indoor atmospheres, 359–360
 - Metal dusting, 74, 437–440
 - Metal ion contamination, 780
 - Metal-matrix composites, 637–652
 - aluminum, 637–644
 - alumina effect, 641–642
 - boron effect, 637–638
 - effect of diffusion bonds and microstructural contaminants, 642
 - graphite effect, 638–639
 - mica effect, 642
 - reinforcement constituent effect, 642–644
 - silicon carbide effect, 639–641
 - comparison of corrosion behavior, 651–652
 - copper, 648–649
 - corrosion fatigue, 651
 - depleted uranium, 646
 - depth of attack, 649
 - dissolution behavior, 650
 - galvanic corrosion, 640–641, 650–651
 - gravimetric evaluation, 649
 - lead, 646
 - loss in mechanical properties, 649
 - magnesium, 644–645
 - pitting corrosion, 651
 - stainless steel, 646–647
 - stress corrosion, 651
 - titanium, 647–648
 - uniform corrosion, 651
 - zinc, 649
 - Metallic coatings on steel, 620–630
 - aluminum and aluminum alloys, 622–623
 - cabinet tests, 626–627
 - cadmium, 623
 - chemical vapor deposition, 621
 - chromium, 623
 - corrosion resistance, 623–624
 - corrosion testing, 624–630
 - cyclic tests, 627
 - diffusion, 621
 - electrochemical impedance spectroscopy, 628
 - electrochemical tests, 627–629
 - electroplating, 620–621
 - functions, 620
 - hot dip coatings, 620
 - mechanical coating, 621–622
 - physical vapor deposition, 621
 - simulated service, 625
 - static atmospheric testing, 625–626
 - terne, 623
 - thermal spray, 621
 - tinplate, 623
 - zinc and zinc alloys, 622, 624
 - Metallographic analysis, 66–75
 - corrosion due to phase changes, 73
 - dealloying, 72–73
 - general corrosion, 73
 - high temperature corrosion, 74
 - high-temperature gases, 444–445
 - liquid metal embrittlement, 73–74
 - metal dusting, 74
 - oxidation, 74
 - pitting, 71–72
 - sample selection, 66–75
 - stress corrosion cracking, 71
 - sulfidation, 74
 - Metallurgical treatments, aluminum and aluminum alloys, 547–548
 - Metallurgy
 - impact on corrosion, 176
 - selection, corrosion inhibitors, 495–496
 - Metals
 - density, 33
 - equivalent weight values, 28–29
 - flue gas desulfurization, 746
 - Metals processing, 769–778
 - corrosive atmospheres, 775
 - crevice corrosion, 774–775
 - electrochemical tests, 776–777
 - factors influencing corrosion resistance, 769–770
 - forms of corrosion, 769
 - future testing needs, 778
 - in-plant and field testing, 772
 - intergranular corrosion tests, 772–773
 - materials selection, 769
 - passivation, 775–776
 - pitting, 774–775
 - procedure manuals, 777–778
 - quality control tests, 771
 - sampling and statistical analysis, 777
 - service environment and operation, 770
 - simulated-service tests, 771
 - stress-corrosion cracking, 773–774
 - test selection, 771
 - Metric practice guide, 20–21
 - Mica, effect on aluminum metal-matrix composites, 642
 - Microbiological activity, soils, 390–391
 - Microbiological effects, 509–519
 - alternating current methods, 514–515
 - direct current polarization technique, 513
 - dual cell techniques, 516
 - electrical resistance probes, 516
 - electrochemical noise, 516
 - field tests, 518–519
 - microelectrode techniques, 515
 - multiple crevice assembly, 517
 - open circuit corrosion potential, 512
 - performing test without influence of microbes, 517–518
 - pitting potentials, 514
 - polarization resistance, 513
 - potentiodynamic sweep techniques, 514
 - proper sampling techniques, 511–512
 - redox potential, 512–513
 - remote crevice assembly, 517
 - scanning vibrating probe techniques, 515
 - Tafel polarization, 513–514
 - unique aspects, 509–510
 - variables, 510–511
 - Microbiologically influenced corrosion testing, 577–578, 698, 797
 - Microelectrode techniques,
 - microbiological effects, 515
 - Microstructural contaminants, effect on aluminum metal-matrix composites, 642
 - Microstructure, 559, 586
 - MIL 202F, 767
 - MIL 883C, 767
 - MIL-A-81801, 526
 - MIL-C-16173, 683
 - MIL-C-81309, 683
 - MIL-I-46955, 683
 - MIL-STD-810, 132, 694–695
 - MIL-STD-810E, 349–361
 - MIL-STD-810E-14, 353, 356, 360–361
 - MIL-T-5422, 683, 758
 - Military aircraft and equipment, 693–695
 - Mill products, 540, 549, 587
 - Miniature heat exchange, with combined corrosion and fouling evaluation, 416
 - Mixed flowing gas, 136
 - Mixed-potential theory, 117, 235
 - Modeling
 - bottom up approach, 92
 - extreme value statistics, 94
 - mathematical, 92–94
 - top down approach, 95–99
 - Moisture content, pipeline, 697
 - Molten salts, 457–463
 - ceramics, 461–463
 - controlled laboratory testing, 459–460
 - high-temperature corrosion, 201
 - immersion test, 460–461
 - simulation burner rigs, 458–459
 - test condition selection, 457
 - thick deposits, 461
 - thin deposits, 458–461
 - Molybdenum
 - stainless steels, 586
 - carbide precipitates, 249
 - Monitoring devices, installation, 188–189
 - Monometallic containment system, liquid metals, 471–472
 - Mounting, 66–67
 - MTI standards, 143
 - Multi-metal/alloy containment system,
 - liquid metals, 471–472
 - Multiple crevice assembly, 223–224, 517
 - Multiple regression analysis, 87
 - Multiplication factors, 22
- N**
- NACE 3D170, 193
 - NACE MR0174, 813, 859
 - NACE MR0175, 193, 812, 814, 818, 821, 859, 812
 - NACE MR0176, 816, 859
 - NACE MR0274, 860
 - NACE RP0100, 859
 - NACE RP0169, 395, 713, 859
 - NACE RP0170, 820, 860
 - NACE RP0172, 168, 713
 - NACE RP0173, 375, 560, 860
 - NACE RP0174, 396, 859
 - NACE RP0175, 859
 - NACE RP0176, 168, 719, 819, 859
 - NACE RP0177, 396, 859
 - NACE RP0178, 861
 - NACE RP0180, 859
 - NACE RP0181, 819, 859
 - NACE RP0182, 860
 - NACE RP0184, 861
 - NACE RP0185, 860

- NACE RP0186, 817
 NACE RP0187, 563, 713, 719
 NACE RP0188, 861
 NACE RP0189, 193, 860
 NACE RP0190, 819, 860–861
 NACE RP0191, 814, 860
 NACE RP0192, 817, 860
 NACE RP0193, 859
 NACE RP0194, 859
 NACE RP0196, 859
 NACE RP0197, 858
 NACE RP0198, 858
 NACE RP0199, 859
 NACE RP0200, 860
 NACE RP0272, 679
 NACE RP0273, 814, 860
 NACE RP0274, 396, 860
 NACE RP0275, 860
 NACE RP0276, 860
 NACE RP0278, 860
 NACE RP0281, 186, 713, 861
 NACE RP0285, 396
 NACE RP0286, 396, 859
 NACE RP0287, 713, 861
 NACE RP0288, 861
 NACE RP0290, 713
 NACE RP0291, 814, 860
 NACE RP0292, 860
 NACE RP0294, 859
 NACE RP0295, 861
 NACE RP0296, 860
 NACE RP0297, 861
 NACE RP0298, 861
 NACE RP0300, 859
 NACE RP0372, 819, 861
 NACE RP0375, 396, 819, 860
 NACE RP0376, 861
 NACE RP0386, 861
 NACE RP0387, 239, 819, 859
 NACE RP0388, 859
 NACE RP0390, 713
 NACE RP0394, 861
 NACE RP0395, 861
 NACE RP0398, 861
 NACE RP0399, 861
 NACE RP0472, 820, 860
 NACE RP0475, 817, 860
 NACE RP0487, 396, 859, 861
 NACE RP0490, 861
 NACE RP0491, 816, 860
 NACE RP0492, 819, 859, 861
 NACE RP0495, 861
 NACE RP0497, 859
 NACE RP0502, 395, 403
 NACE RP0572, 859
 NACE RP0575, 859
 NACE RP0590, 859
 NACE RP0591, 168, 861
 NACE RP0592, 861
 NACE RP0675, 859
 NACE RP0690, 859
 NACE RP0692, 168, 861
 NACE RP0775, 143–144, 193, 560, 818, 860
 NACE TM0169, 178, 193, 560, 860
 NACE TM0170–70, 168
 NACE TM0171, 143, 157, 177–178, 561, 860
 NACE TM0172, 821
 NACE TM0173, 817, 860
 NACE TM0174, 143, 635, 861
 NACE TM0175–75, 168
 NACE TM0177, 156, 563, 774, 814, 818, 860
 NACE TM0183, 814, 861
 NACE TM0184, 861
 NACE TM0185, 143, 156, 814, 861
 NACE TM0186, 814, 861
 NACE TM0187, 816, 860
 NACE TM0192, 861
 NACE TM0193, 859
 NACE TM0194, 860
 NACE TM0196, 861
 NACE TM0197, 860
 NACE TM0198, 156, 860
 NACE TM0199, 860
 NACE TM0270, 561
 NACE TM0274, 143, 157, 178, 383, 561, 860
 NACE TM0275, 860
 NACE TM0284, 143, 564, 821, 860
 NACE TM0286, 143, 416, 860
 NACE TM0294, 859
 NACE TM0296, 860
 NACE TM0297, 861
 NACE TM0298, 860
 NACE TM0299, 859
 NACE TM0374, 143, 382, 817, 860
 NACE TM0384, 814, 861
 NACE TM0398, 859
 NACE TM0399, 859
 NACE TM0497, 859
 NACE TM0498, 859
 NACE TM0499, 859
 Near mud drum, 805
 Near surface techniques, 81
 Nernst equation, 107–108
 NES M0140, 132
 NES M0158, 132
 Neural networks, 100–101
 Nickel and nickel alloys, 580–584
 alloying effects, 580
 aqueous solution variables, 581
 crevice corrosion, 582
 depth of attack measurements, 581
 electrochemical testing, 584
 environmental factors, 581
 gravimetric, 581
 hydrogen, 581
 intergranular corrosion, 582
 liquid metals, 581
 metallurgical factors, 580
 microstructural effects, 580–581
 pitting corrosion, 581, 583
 stainless steels, 585
 stress corrosion cracking, 583
 uniform corrosion, 581–582
 Nickel-chromium-molybdenum alloys,
 seawater corrosion, 376
 Nickel-copper alloys, seawater corrosion,
 376
 Nickel-rich chromium-bearing alloys,
 257–259
 Nickel silvers, 567
 Nickel-chromium-iron alloys, phase
 formation, 73
 Niobium, 585, 618–619
 Nitric-hydrofluoric acid test, 255
 Nitridation, high-temperature corrosion, 198
 Nitrogen, stainless steels, 585
 Nondestructive evaluation,
 electrodeposited coatings, 662
 Nonmetallic coatings, 632–636
 cooperative practice yielding, 636
 corrosion effects, 634
 corrosive environmental exposure, 634
 materials, 632
 noncorrosive effects, 634
 service life testing, 636
 test method selection, 634–636
 Nonmetallic inorganics, flue gas
 desulfurization, 747–748
 Nonmetallic materials, 100–101, 799–800,
 816–817
 Nonstandard operations, chemical
 processing, 780–781
 Normal distribution, 84
 Notches, hydrogen damage, 326
 Nova rupture risk, 96
 Nuclear power, 727–736
 corrosion problems, 733–734
 corrosion testing, 734–736
 failure modes, 733
 future, 736
 materials of construction, 727–728
 power conversion and auxiliary
 systems, 729, 732–733
 pressure vessels and heat transfer
 components, 728–729
 reactor coolant systems, 728–733
- ## O
- Offshore structures, 819
 Oil and gas production, 812–819
 artificial lift wells material selection, 816
 coatings and linings, 814
 corrosion, 812–814
 corrosion resistance alloy, 815–816
 field tanks and vessels, 819
 HIC resistance, 818
 hydrogen effects, 818
 inhibition, 813–814
 monitoring corrosion, 817–819
 offshore structures, 819
 oil products, 821
 oil refining, 819–921
 sulfide stress cracking, 814–815
 surface piping, 817–819
 testing nonmetallic materials, 816–817
 water injection wells and facilities, 817
 Oil products, 821
 Oil refining, 819–921
 Oilfield corrosion test environments,
 156–157
 Online monitoring, industrial
 applications, 191–192
 Open circuit corrosion potential,
 microbiological effects, 512
 Optical etching, 70
 Organic coatings, 127, 394
 Organic compounds, 542, 569, 746–747
 Organic liquids, 448–456
 cathodic process, 454
 corrosion types, 448–449
 coupon testing, 454
 electrochemical testing, 455
 environment, 448–449
 environmental variables, 451–454
 field testing, 455–456
 surface film, 453
 unique aspects, 449–451
 variables, 449
 water content, 450, 452
 Outdoor atmospheres, 343–348
 acidity/alkalinity, 541
 corrosion yard instrumentation, 344–345
 ISO corrosion classification system,
 347–348
 laboratory simulation tests, 348
 site selection and preparation, 343–344
 special testing procedures, 346–347
 stainless steels, 588
 terminology, 344
 test specimens and identification,
 345–346

Overhead ground wires, electric power, 725
 Overvoltage values, 26
 Oxalic acid etch tests, 253–255
 Oxidation
 high-temperature, 197, 436
 metallographic analysis, 74
 Oxidation rate laws, high-temperature gases, 436–437
 Oxidation reduction potential, water handling systems, 831
 Oxidation testing, 575, 597
 Oxide formation model, dealloying, 281
 Oxidizing salts, copper and copper alloys, 569
 Oxygen
 content, pipeline, 698
 dissolved, in seawater, 365–366
 in sodium, 469
 in soils, 390, 392

P

Paint, evaluation in commercial aircraft, 689, 691
 Paper machine, 795–798
 Paper, *see* Pulp and paper
 Parabolic rate law, 436
 Parabolic reaction kinetics, high-temperature corrosion, 195
 Parabolic rate law, 436–437
 Particle induced X-ray emission, 81
 Particles
 effect on lead metal-matrix composites, 646
 transport, indoor atmospheres, 352
 see also Fine particles
 Parting limit, 282–283
 Passivation, metals processing, 775–776
 Penetration rate, corrosion rate
 conversion to, 109
 Percolation model, dealloying, 281
 Performance assessment, piers and docks, 720
 Permeation method, 123–124
 Petroleum production and refining, 425–433, 812–821
 corrosion testing, application to new production, 431–432
 crude oil, 427–429, 431
 environments, 425–427
 gas and gas condensate phases, 426
 hydrocarbon gas systems, corrosion testing, 430
 laboratory corrosion testing, 429–431
 liquid water phase, 426–427
 physical phases, 425
 preventing changes in solution chemistry, 431
 produced water systems, corrosion testing, 430–431
 sweet/sour, 425
 temperature and pressure, 426
 oil and gas production, 812–819
 pH
 in chemical processing, 781
 corrosion inhibitors, 484
 industrial chemicals, 419–420
 seawater, 366
 soils, 390, 400
 Pharmaceutical materials, 846–847
 Phase transport-controlled erosion, seawater, 370
 Phosphor bronzes, 567

Physical properties, 31–32, 37
 Physical vapor deposition, 621
 Pickling, zirconium and hafnium, 614
 Piers and docks, 716–721
 composite materials, 716–717
 corrosion control, 719–720
 corrosive environments, 717–719
 design, 719–720
 immersion zone, 718
 intertidal zone, 718–719
 marine atmosphere zone, 719
 materials selection, 717
 need for standardization, 721
 performance assessment, 720
 problem areas, 720
 protective coatings, 719
 reinforced and prestressed concrete, 716
 sediment zone, 718
 splash and spray zone, 719
 test methods, 720–721
 wood, 716
 Pilot plant testing, chemical processing, 784
 Pipe coupon, 701
 Pipeline, 696–704
 above-ground installation, 699–700
 bimetallic couples, 700
 buried, external corrosion direct assessment, 402–404
 close interval survey, 703
 corrosion control, 698–700
 corrosion environments, 697–698
 corrosion resistance alloy, 818
 coupons, 701, 704
 electrochemical methods, 702–703
 environmental cracking, 700
 in-place measurement, 701
 instrumented pigs, 702
 materials, 696–697
 mechanical damage, 700
 monitoring corrosion, 818–819
 oil and gas production, 817–819
 remote monitoring, 704
 statistical evaluation, 702
 stress differences, 700
 ultrasonic inspection, 701–702
 visual evaluation, 700–701
 welds, 700
 Pipeline risk evaluation, corrosion index, 97–99
 Pit propagation rate test, 218
 Pitting, 63, 211–220, 791
 alteration of test methods, 213
 aluminum and aluminum alloys, 552, 554
 causes, 93
 copper and copper alloys, in condenser tubes, 572–573
 corrosion potential, 213
 coupon testing, 211–213
 critical temperature tests, 218
 cyclic polarization, 215–217
 electrochemical noise, 218–219
 electrochemical tests, 213–219
 exposure environments, 212–213
 freshwater, 178, 383
 galvanostatic measurements, 217
 medical and dental materials, 839–840
 metal-matrix composites, 651
 metallographic analysis, 71
 metals processing, 774–775
 nickel and nickel alloys, 581, 583
 potentiostatic measurements, 217–218
 predictive capabilities, 219

pulp and paper, 797
 salt spray (fog) testing, 212–213
 seawater, 369
 Seawater corrosion testing, 171
 shot noise methods, 121–122
 soils, 392–393
 specimen preparation, 211–212
 stainless steels, 588–589
 steels, 561
 titanium, 605–606
 Pitting potentials, microbiological effects, 514
 Plate steel, 562–563
 Polarization methods, 109–117
 concentration effects, 110–111
 freshwater, 382–383
 metal-matrix composites, 650
 pipeline, 702–703
 Polarization resistance, 60, 111–112
 electrodeposited coatings, 661
 measurements, complications, 112
 microbiological effects, 513
 solution resistance, 110
 Polarization scans, corrosion prediction, 100
 Polishing, 68–69
 Population, 83
 Potential, 59, 120–121
 Potential mapping, soils, 185
 Potential measurements, pipeline, 703
 Potential probe methods, 118
 Potentiodynamic methods, 122–123
 Potentiodynamic polarization, 789
 Potentiodynamic sweep techniques, microbiological effects, 514
 Potentiostatic tests, 119, 217–218, 576
 Poured concrete lining, 707
 Powder metallurgy materials, 664–669
 atmospheric testing, 665
 electrochemical tests, 666–667
 ferrozyl test, 667–668
 immersion tests, 665–666
 salt spray tests, 666
 sintered stainless steels, 668–669
 Power conversion and auxiliary systems, 729, 732–733
 Precast concrete lining, 706
 Precipitation-hardening alloys, stainless steels, 587
 Precorroded surfaces, inhibition, 496–497
 Pressure vessels, nuclear power, 728–729
 Pressurized corrosion tests, 147–149
 Probability distribution, 83–84, 84–85
 Probability functions, propagation, 94–99
 Probability sampling, 53
 Probe testing, chemical processing, 787–788
 Process control, hydrogen damage, 328–329
 Produced water gas systems, corrosion testing, 430–431
 Programmed stress intensity experimentation, corrosion fatigue, 316
 Protective coatings and films
 aluminum and aluminum alloys, 547, 549–550, 556
 copper and copper alloys, 565
 electrochemical evaluation, 125–127
 metallic, on steel, 628
 stainless steels, 585
 Pulp and paper, 795–806
 bleach plant, 798–800
 chemical pulping, 800–803
 corrosion fatigue, 798
 corrosion inhibitors, 797

electrochemical testing, 797
 mechanical pulping, 803
 microbiologically influenced corrosion, 797
 pitting, 797
 recovery boiler, 803–805
 structural coatings testing, 798

Q

Quality control tests, metals processing, 771

R

Rain, military aircraft and equipment, 695
 Randomization, 53–55
 Reactor coolant systems, nuclear power, 728–733
 Redox potential, microbiological effects, 512–513
 Reference potentials, conversion factors, 27
 Refiner plate corrosion and wear testing, 803
 Refluxing capsules, liquid metals, 474
 Refractories, copper smelting, 578
 Reinforcement constituents, aluminum metal-matrix composites
 effect on corrosion fatigue, 643–644
 effect on stress corrosion, 642–643
 Remote crevice assembly, microbiological effects, 517
 Remote monitoring, pipeline, 704
 Replication, 83
 Residual fuel oil corrosion tests, high-temperature corrosion, 200
 Resistance probes, freshwater, 383
 Resistivity, 399–400, 405
 Retaining walls, 707
 Ringer's solution, 841
 Ripple loads, hydrogen damage, 333
 Risk assessment, gas pipeline, 95–97
 Rotating cylinder technique, liquid metals, 475
 Rutherford Backscatter Spectroscopy, 81

S

SAE 1941, 683
 SAE H1293, 684
 SAE H1859M, 684
 SAE H2929M, 684
 SAE HS-23, 683
 SAE HS-40, 683
 SAE J207, 684
 SAE J304, 683
 SAE J400, 681, 684
 SAE J401, 861
 SAE J814, 683
 SAE J1034, 683
 SAE J1047, 681, 683, 684
 SAE J1211, 683
 SAE J1280, 682
 SAE J1293, 681, 682, 684
 SAE J1434, 861
 SAE J1562, 861
 SAE J1563, 627, 681, 684, 758
 SAE J1677, 861
 SAE J1703, 683, 684
 SAE J1705, 683
 SAE J1755, 861
 SAE J1879, 683
 SAE J1885, 684
 SAE J1950, 625, 681, 683
 SAE J1976, 681, 684

SAE J2020, 680
 SAE J2334, 132, 136–137, 527, 627, 630, 635, 681, 684, 861
 SAE P78, 682
 SAE P228, 681
 SAE USCAR-1, 132
 Safety, high-temperature/high-pressure corrosion testing, 154
 Salinity, seawater, 366
 Salt droplet test, copper and copper alloys, 571
 Salt spray (fog) testing, 131–132
 copper and copper alloys, 570–571
 electrodeposited coatings, 660
 lead and lead alloys, 535
 military aircraft and equipment, 694
 modified, copper and copper alloys, 571
 pitting, 212–213
 powder metallurgy materials, 666
 seawater, 372
 Salt water, *see* Seawater
 Salts
 copper and copper alloys, 569
 lead and lead alloys, 534–535
 stainless steels, 588
 see also Molten salts
 Salt/SO₂ spray (fog) test, 134
 Sample, 66
 definition, 83
 etching, 69–71
 fixturing and mounting, 66–67
 grinding, 67–68
 metallographic interpretation, 71
 polishing, 68–69
 selection, 66
 Sand, military aircraft and equipment, 695
 Scanning auger microscopy, 78
 Scanning electron microscopy, 72
 Scanning force microscopy, 81
 Scanning Kelvin probe, 81–82
 Scanning tunneling microscopy, 81
 Scanning vibrating probe techniques, microbiological effects, 515
 Scratch repassivation, 120, 122
 Sealers, concrete, 410
 Seals, 780
 Seawater, 362–376
 biological organisms, 366–367
 composition, 263
 corrosion mechanisms, 369–371
 dealloying, 370
 deep ocean, 364
 dissolved oxygen, 365–366
 ennoblement, 371
 environmental zones, 362–364
 heavy metals, 368–369
 hydrogen embrittlement, 371
 mud, 364
 pH and carbonates, 366
 phase transport-controlled corrosion, 370
 salinity effect, 366
 splash/spray, 363
 standards, 374–375
 submerged/shallow ocean, 363–364
 sulfides, 368
 temperature effects, 364–365
 tidal zone, 363
 turbulence, 368
 under-deposit attack, 369
 uniqueness, 364
 Seawater corrosion testing, 170–174, 371–374
 cavitation, 370

copper and copper alloys testing, 568, 572
 corrosion performance of materials, 375–376
 crevice corrosion, 171, 369
 deep ocean testing, 172–173
 duration of exposure, 171
 electrochemical impedance spectroscopy, 373
 electrochemical testing, 372–373
 electrical resistance probes, 374
 environmental cracking, 370, 373–374
 erosion corrosion, 370
 field evaluation, 374
 galvanic corrosion, 171, 369–370
 general corrosion and pitting, 171
 high velocity flow testing, 373
 immersion testing, 372
 in-service testing, 374
 intergranular corrosion, 370
 laboratory evaluation, 371–372
 number of specimens, 171
 pitting, 369
 salt spray (fog) testing, 372
 simulated service testing, 374
 slow strain test, 373
 specimen configuration, 170–171
 specimen evaluation, 173
 specimen exposure and retrieval, 172–173
 specimen preparation, 171–172
 static testing, 172
 stress corrosion, 171
 ultrasonic measurements, 374
 velocity testing, 172, 367–368
 Secondary ion mass spectroscopy, 80
 Secondary neutral mass spectroscopies, 80–81
 Sediment zone, piers and docks, 718
 Seesaw capsules, liquid metals, 474–475
 Sensitization, 784, 802–803
 Service testing
 high-temperature corrosion, 198–200
 nonmetallic coatings, 636
 Sheet steel, 562
 Shot noise methods, pitting, 121–122
 SHRP C 103, 410
 σ phase formation, metallographic analysis, 73
 Silicon stainless steels, 586
 Silicon carbide, effect on metal-matrix composites, 639–641, 645, 648
 Simulated field failures, telecommunications, 765–766
 Simulated-service tests, 625, 771
 Single phase flow, 64–65
 Sipon test, 792
 Slow-strain-rate tension tests, 337–338
 Slow strain rate test, 373, 606, 791–792, 815
 Small crack methods, corrosion fatigue, 316–317
 Smooth specimen $\Delta\sigma$ life method, corrosion fatigue, 310–311
 Sodium, oxygen in, 469
 Soil resistivity, pipeline, 697
 Soils, 181–186, 387–404
 aeration and oxygen content, 390, 392
 anaerobic bacteria, 391
 biological activity tests, 401
 burial site, 182
 cleaning and examination of specimens, 183
 considerations for physical measurements, 182

- copper and copper alloys, 568, 576
- corrosion, 391–395
- corrosion protection, 394
- definition and classification, 387–388
- direct and indirect measurements, 395–396
- dissolved salts and corrosion agents, 390
- disturbance of natural soils, 391
- electrical resistance probe, 396
- electrochemical laboratory tests, 401–402
- electrochemical measurements, 184–186
- external corrosion direct assessment, buried pipelines, 402–404
- factors affecting corrosion, 708
- field and laboratory tests, 396–397
- galvanic corrosion, 185, 392–394
- highways, tunnels, and bridges, 708, 712
- lead and lead alloys, 534, 535
- maintaining records, 181
- measurement for ions, 400–401
- microbiological activity, 390–391
- moisture, 388–389
- permeability to moisture and air, 698
- pH, 390, 400, 697–698
- pit depth, 184
- pitting corrosion, 392–393
- potential mapping, 185–186
- potential measurement in situ, 397–398
- redox potential, 397–398
- resistivity, 399–400
- specimen design, 181–182
- specimen emplacement, 182–183
- specimen retrieval, 183
- steels, lead, and copper, 394–395
- stray current corrosion, 392
- stress-corrosion cracking, 393
- stress induced failure, 184
- weight loss, 183–184
- zinc, 529
- Solar radiation, military aircraft and equipment, 694–695
- Solubility, 323
- Soluble ion content, pipeline, 698
- Solution line, 782–783
- Solution, stability, 784
- Solvents, physical properties, 452
- Specimen preparation, 144–145, 198–199, 211–212
- Splash zone, 719, 782
- Spray zone, piers and docks, 719
- Sputter rates, 79
- SS117211, 527–529, 681
- Staining corrosion, 553–554
- Stainless steels, 585–589
 - acids, 587–588
 - alkalis, 588
 - alloying effects, 585
 - aluminum addition, 585
 - austenitics, 586
 - composition, 247
 - concrete, 410
 - copper, 585
 - crevice corrosion, 589
 - duplex, 587
 - ferritics, 586–587
 - general corrosion, 588
 - grain boundary composition, 246
 - intergranular corrosion, 588
 - liquid metals, 588
 - manganese, 585
 - martensitic, 587
 - metal-matrix composites, 646–647
 - microstructure, 586
 - mill products, 587
 - molybdenum, 586
 - nickel, 585
 - niobium, 585
 - nitrogen, 585
 - outdoor atmospheres, 588
 - piers and docks, 716
 - pipeline, 696
 - pitting corrosion, 588–589
 - precipitation-hardening alloys, 587
 - protective film, 585
 - salts, 588
 - seawater corrosion, 376
 - silicon, 586
 - sintered, processing and quality control, 668–669
 - in soils, 395
 - stress corrosion cracking, 100–101, 589
 - titanium, 586
 - susceptibility to intergranular attack, 247–250
 - weld-decay zones, 249
- Static atmospheric testing, metallic coatings on steel, 625–626
- Static isothermal capsules, liquid metals, 473–474
- Static testing, 148, 172
- Statistical methods, 83–88
 - analysis of variance, 87–88
 - covariance of independent variables, 87
 - data analysis, 86–88
 - design experiments, 85–86
 - factorial experiments, 85–86
 - metals processing, 777
 - multiple regression analysis, 87–88
 - probability distribution, 84–85
 - stress corrosion cracking data, 299
 - terminology, 83
- Statistical modeling, 53–54, 94
- Steady state corrosion rate, corrosion inhibitors, 485
- Steam, copper and copper alloys, 568
- Steam generation, 738–744
 - accelerated tests, 743
 - corrosion control, 741–742
 - corrosion mechanisms, 738
 - corrosive environments, 739–741
 - critical areas, 738
 - detection of corrosion, 744
 - equipment description, 738–739
 - in-service monitoring, 743
 - materials of construction, 739–740
 - problem areas, 742
 - test methods, 742–744
 - testing objectives, 739
- Steels, 558–564
 - aqueous environments, 559
 - atmospheric environment, 559
 - bar, plate and structural shapes, 562–563
 - crevice corrosion, 561
 - electric power towers, 724
 - engineering properties, 620
 - environmental effects, 559
 - galvanic corrosion, 561
 - high-strength, commercial aircraft, 689
 - high-strength low-alloy, 558
 - high temperatures, 559
 - metallurgical effects, 558–559
 - microstructure, 559
 - pipeline, 696
 - pitting corrosion, 561
 - sheet and strip, 562
 - in soils, 394–395, 559
 - stress corrosion cracking, 561–562
 - test methods, 560–562
- testing considerations, 559–560
- tubular products, 563–564
- uniform corrosion, 560–562
- wire, 564
 - see also* Metallic coatings on steel
- Stockholm sign invariant convention, 59
- Strain rate, hydrogen damage effect, 328
- Stray current corrosion, 392–393, 699
- Stress corrosion cracking, 64, 191, 289–300, 791–792
 - alloying additions, 290–291
 - aluminum and aluminum alloys, 553–554
 - aluminum metal-matrix composites, reinforcement constituents, 642–643
 - chemical pulping, 802
 - cobalt-base alloys, 593–594
 - copper and copper alloys, in Mattsson's solution, 570
 - correlation of test results with service performance, 298
 - dealloying, 279
 - dynamic testing, 298
 - electrochemical factors, 291–292
 - environmental factors, 291
 - expert systems, 99
 - freshwater, 179–180, 386
 - hydrogen damage, 325
 - magnesium and magnesium alloys, 540–541
 - mechanical stress conditions, 292
 - medical and dental materials, 840
 - metal-matrix composites, 651
 - metallographic analysis, 71
 - metallurgical factors, 291
 - metals processing, 773–774
 - nickel and nickel alloys, 583
 - pipeline, 700
 - precracked specimens, 295–297
 - principles, 289–290
 - relationship with corrosion fatigue, 310
 - seawater corrosion testing, 171
 - stainless steels, 100–101, 589
 - standards, 299–300
 - statistical treatment of data, 299
 - steels, 561–562
 - test environments, 295
 - test specimens, 293–295
 - testing techniques, 292–298
 - titanium, 600, 606–607
- Stress induced failure, soils, 184
- Strip steel, 562
- Structural coatings testing, pulp and paper, 798
- Structural shapes, steels, 562–563
- Structure significant items, 97
- Sucker rods, 816
- Sulfidation, 74, 441–443
- Sulfide stress cracking, oil and gas production, 814–815
- Sulfides, seawater, 368
- Sulfite pulping corrosion, 803
- Sulfur-containing environments, 159–160, 197–198
- Sulfur corrosion tests, high-temperature corrosion, 200–201
- Sulfur ion content, corrosion fatigue, 309
- Sunshine, military aircraft and equipment, 694–695
- Superheater, 805
- Surface analysis, 76–82
 - auger electron spectroscopy, 77–79
 - comparison of techniques, 77
 - ion scattering spectroscopy, 81

limitations, 76
 near surface techniques, 81
 particle induced x-ray emission, 81
 principles, 76–77
 Rutherford backscatter spectroscopy, 81
 scanning force microscopy, 81
 scanning Kelvin probe, 81–82
 scanning tunneling microscopy, 81
 secondary electron microscopy-energy dispersive
 X-ray spectroscopy, 81
 secondary ion mass spectroscopy, 80
 secondary neutral mass spectroscopies, 80–81
 in situ methods, 81–82
 surface analysis by laser ionization, 81
 X-ray photoelectron spectroscopy, 79–80
 Surface analysis by laser ionization, 81
 Surface diffusion, dealloying, 280–281
 Surface finish, coupons, 784
 Surface modification, medical and dental materials, 838–839
 Surface piping, oil and gas production, 817–819
 Sustained load cracking, titanium, 608
 Synthetic crevice devices, industrial waters, 416
 Synthetic dust mixture, indoor atmospheres, 357–358

T

TA-NWT-0011322, 767
 TA-TSY-001001, 767
 TA-TSY-041, 767
 Tafel approximation, 108
 Tafel expression, 109–110
 Tafel extrapolation, 110, 372, 790
 Tafel polarization, microbiological effects, 513–514
 Tantalum, 617–619
 TAPPI TIP 0402–08, 798
 TAPPI TIP 0402–09, 798
 TAPPI TIP 0402–29, 803
 Telecommunications, 762–768
 accelerated tests, 766
 aerial cable hardware, 763
 cables and closures, 762–763
 corrosion control, 763–764
 corrosion detection, 766
 corrosion evaluation, 767
 corrosive environments, 762
 electrochemical tests, 766
 environmental simulation, 766
 in-plant testing, 767–768
 in-service monitoring, 764–765
 manholes, 763
 problem areas, 764
 simulated field failures, 765–766
 test methods, 764–766
 Temperature, hydrogen damage effect, 328
 Temperature shock, military aircraft and equipment, 694
 Tensile test, oil and gas production, 815
 Terminology, 7–11, 83
 Terne, as metallic coatings, 623
 Test heat exchanger, 415–416, 832–833
 Thermal-convection loops, liquid metals, 475–476

Thermal spray, 621
 Thermodynamics, 436, 792
 Thin layer activation, industrial waters, 416
 Three-point bend tests, 336–337
 Threshold stress intensity factor, hydrogen damage, 333–336
 Tilting-furnace capsules, 474–475
 Time domain, 61–62
 Tin brasses, 566
 Tin-free steel, 623
 Tinplate, as metallic coatings, 623
 Titanium, 598–611
 commercial alloys, 598–599
 corrosion resistance, mechanism, 598–599
 coupon surface finish, 602–603
 crevice corrosion, 604–605
 density values, 604
 failure prediction, 94
 forms of corrosion, 601–602
 general corrosion testing, 601–604
 hydrogen role, 601
 hydrogen testing, 607–609
 ignition testing, 609
 immersion testing, 604
 metal-matrix composites, 647–648
 metallurgical factors, aqueous media, 600–601
 oxidation tests, 610–611
 passivity in aqueous media, 599–601
 pitting, 605–606
 protective oxide film, 600
 slow-strain-rate testing, 606
 stainless steels, 586
 stress corrosion cracking, 600, 606–607
 surface corrosion products, 603
 sustained load cracking, 608
 Titanium alloys, seawater corrosion, 376
 Top down approach, 95–99
 Towers, electric power, 724
 TR 1/NACE 6G194, 862
 TR 2/NACE 6G198, 862
 TR-TSY-009, 767
 Tribo-ellipsometric methods, 122
 Tunnels, *see* Highways, tunnels, and bridges

U

Ultrasonic inspection, pipeline, 701–702
 Ultrasonic measurements, seawater, 374
 Uncontrolled experiments, 86
 Uniform corrosion, 205–210
 aluminum and aluminum alloys, 553
 electrochemical tests, 207–210
 mass loss tests, 206–208
 metal-matrix composites, 651
 nickel and nickel alloys, 581–582
 steels, 560–562
 theory, 205–206
 Unit symbols, ASTM, 14–16
 Units, relationships, 22
 Uranium, depleted, metal-matrix composites, 646

V

Variance, 84, 87–88
 VDA 621–415, 132

Velocity sensitive corrosion, 64–65
 Velocity testing, 172
 Vibratory polishing, 68–69
 Volume diffusion model, dealloying, 279–280
 Volvo Std 1027, 681
 Volvo Std 1372, 681

W

Water
 chemistry, effect on corrosion, 175–176
 content, organic liquids, 450, 452
 copper and copper alloys, 568
 highways, tunnels, and bridges, 708–709, 712
 physical properties, 37
 potable, copper and copper alloys testing, 572
 presence in chemical processing, 780
see also Industrial waters
 Water handling systems, 826–833
 chemical analysis, 830–831
 corrosion coupons, 826–828
 dissolved oxygen monitoring, 831
 electrical resistance meter, 829–830
 heat transfer systems, 832
 linear polarization-resistance meter, 828–829
 oxidation reduction potential, 831
 test heat exchanger, 832–833
 Water injection wells and facilities, 817
 Waterwall tube laboratory testing, 804
 Wear testing, cobalt-base alloys, 595–597
 Web, 102
 Weibull distribution, 85
 Weight loss corrosion rate measurements, corrosion inhibitors, 487–488
 Weight loss testing, freshwater, 382
 Welds, 262, 700, 750, 780
 Well drilling, 812–813
 Wenner four-electrode method, 399
 Wet deposition, 160
 White liquors, 801
 Windowed test vessels, 152
 Wire, steels, 564
 Wood, 716, 724

X

X-ray photoelectron spectroscopy, 79–80

Y

Yttria, effect on stainless steel metal-matrix composites, 647

Z

Zinc-aluminum coatings, 622
 Zinc and zinc alloys, 525–529
 immersion corrosion, 529
 metal-matrix composites, 649
 as metallic coatings, 622, 624
 Zinc-nickel coatings, 622
 Zirconium, 613–616