

Author Index

A

Acevedo, D., 352–365
 Ammerlaan, L. F., 66–81
 Andersson, J.-E., 436–454
 André, J., 332–351

B

Bedekar, V., 169–181
 Behrens, B.-A., 300–312
 Bellus, J., 332–351
 Benbahmed, A., 332–351
 Black, W. F., 574–604
 Blanchin, O., 332–351
 Blass, T., 26–49

C

Carey, S., 499–514
 Chin, H. A., 574–604
 Col, A., 352–365
 Coors, T., 277–299, 300–312
 Correa de Oliveira, D. C., 366–380
 Correns, M., 147–168
 Coudert, J.-B., 403–420, 474–498
 Cryderman, R. L., 82–102

D

DellaCorte, C., 313–331
 Deshpande, S. P., 66–81
 Dessolin, C., 202–245
 Dierickx, P., 202–245
 Dinkel, M., 147–168
 Dubois, P.-E., 202–245

F

Fluch, R., 574–604

Forster, N. H., 574–604
 Foye, A., 605–627
 Fujimatsu, T., 103–130
 Fuller, A. J., 66–81

G

Geng, K., 26–49

H

Hager, C., 169–181
 Hassel, T., 277–299
 Haywood, D. A., 528–550,
 551–573
 Hellman, P. T., 605–627
 Homan, R. J., 574–604
 Hyde, R. S., 169–181, 182–201

I

Isaac, D. D., 605–627
 Islam, S., 66–81

K

Kerrigan, A., 403–420,
 474–498
 Kirsch, M. S., 528–550,
 551–573, 605–627

L

Le Bourlot, C., 202–245
 Lejay, V., 202–245
 Liang, X., 50–65
 Li, F., 26–49
 Lindberg, F., 436–454
 Liu, J., 381–402
 Lumpkin, M. T., 66–81

M

Mahéo, Y., 403–420, 474–498
 Maier, H. J., 277–299
 Matthias, T., 300–312
 Merklein, C., 261–276
 Mildebrath, M., 277–299
 Mirring, P., 261–276
 Molokanov, A., 455–473
 Mondelin, A., 403–420, 474–498
 Moreton, T., 455–473
 Munther, H.-Å., 381–402

N

Norouzian, M., 66–81
 Novack, N., 82–102

O

Ooi, S., 436–454

P

Paladugu, M., 131–146, 182–201
 Pape, F., 277–299, 300–312
 Perez, M., 202–245
 Poll, G., 277–299, 300–312

R

Rawson, M., 455–473
 Rimroth, T. A., 82–102
 Rivera-Díaz-del-Castillo, P. E. J., 50–65
 Rosado, L., 528–550, 551–573, 628–647
 Rottmann, A., 261–276

S

Scheid, E., 366–380
 Sehlstedt, V., 332–351
 Sherif, M. Y., 246–260, 403–420
 Sidoroff-Coicaud, C., 202–245, 332–351

Shannon, G., 515–527
 Sotelo, L. D., 66–81
 Spadaccini, A., 352–365
 Stadler, K., 1–25
 Stocky, C., 352–365
 Sykes, F., 50–65

T

Taskin, K., 421–435
 Tomasello, C., 515–527
 Trivedi, H. K., 528–550, 551–573, 605–627, 628–647
 Trojahn, W., 26–49
 Turner, J. A., 66–81

V

Vegter, R. H., 1–25

W

Warmuth, M., 147–168
 Wedeven, G. G., 574–604
 Wedeven, L. D., 574–604
 West, G., 455–473
 Wunder, K., 26–49

X

Xu, G., 381–402
 Xu, X., 26–49, 381–402

Y

Yan, P., 246–260
 Yin, Q., 381–402

Z

Zhang, X., 381–402
 Zheng, X., 147–168

Subject Index

A

abrasive wear, 574–604
 additive manufacturing, 261–276
 adhesive wear, 605–627
 AISI 52100, 277–299
 AMS 6558, 474–498
 AMS 6560, 474–498
 artificial defect, 103–130
 ASP 2055, 332–351
 axial fatigue, 515–527

B

bearing fatigue life, 277–299
 bearings, 131–146, 169–181, 182–201
 bearing spalls, 66–81
 bearing steel, 1–25, 50–65, 131–146, 147–168, 313–331, 332–351, 366–380, 381–402, 421–435, 499–514, 515–527, 528–550, 551–573, 574–604, 628–647
 boundary lubrication, 574–604

C

carbide, 403–420
 case-carburized bearing, 246–260
 cleanliness, 332–351, 515–527
 cleanliness assessment, 366–380
 clean steel, 366–380
 cobalt, 403–420
 contamination, 147–168
 continuous casting, 366–380, 381–402
 crack initiation, 1–25, 103–130
 crack propagation, 103–130
 crack resistance, 182–201

D

delta-ferrite, 403–420

dilatometry, 202–245, 246–260
 dimensional stability, 202–245, 246–260
 dimensional variations, 202–245
 direct outer ring cooling, 261–276

E

elastohydrodynamic lubrication, 574–604

F

fatigue, 455–473
 fatigue damage, 182–201
 fatigue mechanism, 103–130
 fatigue performance, 515–527
 fatigue testing, 381–402
 fracture toughness K_{IC} , 474–498

H

heat treatment, 182–201
 high performance, 421–435
 high temperature, 628–647
 hybrid bearing, 277–299, 300–312
 Hybrid Steel, 436–454
 hydrogen embrittlement, 131–146
 hydrogen-induced cracking, 182–201

I

improvement, 381–402
 inclusion content, 515–527
 inclusions, 1–25, 313–331, 381–402
 integrated computational materials engineering, 421–435
 intermetallic precipitates, 436–454

L

lubricant additives, 131–146

M

M50NiL, 261–276, 474–498
 M62 tool steel, 313–331
 main shaft bearings, 261–276
 manganese sulfide, 169–181
 mechanical components, 313–331
 microinclusions, 352–365
 micropitting, 169–181, 574–604
 microstructure, 182–201, 332–351
 microstructural alteration, 50–65

N

niobium, 403–420
 nondestructive evaluation,
 300–312
 nonmetallic inclusions, 26–49,
 515–527

O

1C-1.5Cr, 474–498
 oil cooling channels, 261–276
 oil debris monitor, 551–573

P

Paris' law *m*, 474–498
 PDA-OES, 352–365
 plasma transferred arc welding,
 277–299
 PM-HIP, 474–498
 powder, 261–276
 powder metallurgy, 313–331, 332–351
 processing, 313–331
 Pyrowear 675, 528–550, 605–627,
 628–647

Q

quality, 381–402

R

rating life analysis, 147–168
 retained austenite bearing steel,
 202–245
 roll blade die (RBD), 455–473
 rolling contact fatigue, 26–49, 50–65,
 66–81, 82–102, 103–130, 147–168,
 169–181, 182–201, 261–276, 332–351,
 515–527, 628–647
 rolling contact fatigue life, 528–550
 rolling element, 551–573
 rolling-sliding contact fatigue, 82–102
 run-in polishing, 574–604

S

SAE 52100, 202–245
 scanning acoustic microscopy,
 300–312
 scanning microwave microscopy,
 332–351
 scuffing, 574–604
 secondary hardening, 436–454
 segregation, 436–454, 455–473
 selective laser melting, 261–276
 SEM-EDS, 352–365
 silicon nitride, 605–627
 simulation, 147–168
 slewing bearing, 277–299
 slip, 131–146
 spalling, 82–102
 spall propagation, 528–550, 551–573
 stainless steel, 421–435
 steel, 313–331
 steel cleanliness, 26–49
 steelmaking, 366–380
 steelmaking technologies, 515–527

subsurface cracking, 131–146
 subsurface inclusions, 66–81

T

T1, 474–498
 tailored forming, 277–299, 300–312
 testing machine, 82–102
 thermal exposure, 246–260
 thermoelectric power, 202–245
 threshold stress intensity ΔK_{th} ,
 474–498
 traction coefficient, 574–604
 tribology, 277–299
 tribology testing, 574–604
 tungsten carbide, 455–473

U

ultrasonic material evaluation,
 300–312

ultrasonic surface waves, 66–81
 ultrasound inspection, 66–81

V

VIM, 499–514
 VIM-VAR, 474–498
 VIM-VAR M50, 528–550
 VAR, 499–514

W

white etching area, 82–102
 white etching cracks, 1–25, 26–49,
 131–146, 182–201
 wind turbine bearing, 277–299
 wind turbines, 131–146

X

x-ray diffraction, 202–245

