

Subject Index

A

Acoustic waves, 109, 152
 Actuator, 37
 Aluminum microbeams, free-standing, 203
 Amorphous alloy, *see* Ni-P amorphous alloy thin film
 Amorphous diamond, nanomechanical test system, 62
 Anisotropy, Ni-P amorphous alloy thin film, 73
 Atomic force microscopy, Si MEMS structures, 3

B

Bending test, Ni-P amorphous alloy thin film, 52
 Bent-beams, 168
 Bifurcation, gold/polysilicon layered MEMS plate structures, 306
 Brillouin scattering, 109
 Bulge testing, 28

C

Carbon coatings, nano-structured, nitrogen feedgas effect, 127
 Chemical vapor deposition, 127
 diamond films, radiation effects on mechanical properties, 318
 CMOS thin films, Young's modulus, 139
 Cold rolling, Ni₃Al thin foils, 248
 Cracking behavior, film thickness effect, 96
 Crack nucleation, Si MEMS structures, 3
 Crack propagation, Si MEMS structures, 3
 Crystallographic texture, film thickness effect, 96

D

Deformation, gold/polysilicon layered MEMS plate structures, 306
 Dispersion relations, surface acoustic waves, 152
 Ductility
 electrodeposited gold film, 262
 Ni₃Al thin foils, 248

E

Elastic beam theory, 139
 Elastic constants, 152
 thin film, 109
 Elastic properties, thin film, 152
 Electrostatic force grip, tensile testing, 214

F

Fatigue
 membranes for MEMS power generation, 28
 Si MEMS structures, 3
 Fatigue crack growth, Ni-P amorphous alloy thin film, 52

Film thickness, influence on texture, residual stresses and

 cracking behavior, 96

Fixed-fixed beams, 168

Fractography, 37

Fracture

 membranes for MEMS power generation, 28
 testing, cross comparison of techniques, 16

Fracture strength, thin film, 229

Fracture toughness, 214

 microstructure effects, 37
 nanomechanical test system, 62
 Ni-P amorphous alloy thin film, 73

Free-standing aluminum microbeams, MEMS structures, 203

G

Geometric nonlinearity, gold/polysilicon layered MEMS plate structures, 306

Gold film, electrodeposited, microstructural and mechanical characterization, 262

Grain boundary, free-standing aluminum microbeam, 203

H

Hardness

 nitrogen feedgas effect, 127
 polysilicon and polydiamond thin films, 318

Heat treatment, electrodeposited gold film, 262

I

Indenter, 62

Interferometry for Material Property Measurement methodology, 85

Inverse problem, 152

L

Lateral force, nanomechanical test system, 62

M

Magnetron sputtering, 96

Mechanical characterization, electrodeposited gold film, 262

Mechanical properties

 characterization, 85
 Ni₃Al thin foils, 248
 nitrogen feedgas effect, 127
 radiation effects, 318

Mechanical strength, brittle thin films, 278

MEMS structures

- brittle thin films, strength determination, 278
- fatigue and fracture, 28
- free-standing aluminum microbeams, 203
- gold/polysilicon layered plate, 306
- see also* Silicon MEMS structures
- Metrology, MEMS, 85
- Microactuators, 293
- Micromachining, 139, 203
- Microrings, 168
- Microstructural characterization, electrodeposited gold film, 262
- Microstructure
 - effects on strength and fracture toughness, 37
 - Ni₃Al thin foils, 248
- Morphology, Si MEMS structures, 3
- MOSIS, 139

N

- Nanoindentation, 127, 318
- Nanomechanical test system, 62
- Nano-structured carbon, nitrogen feedgas effect, 127
- Ni₃Al, ductile thin foils, 248
- Nickel-titanium-copper shape memory alloy films, thermomechanical
 - characterization, 293
- Ni-P amorphous alloy thin film
 - fatigue crack growth, 52
 - fracture toughness, 73
- Nitinol, 293
- Nitrogen feedgas, effect on mechanical properties, 127

O

- Optical metrology, 168

P

- Passive strain test, silicon MEMS structures, 168
- Piezo-actuator, free-standing aluminum microbeam, 203
- Piezoelectric membrane, 28
- Pointers, 168
- Poisson's ratio, 229
- Polydiamond, radiation effects on mechanical properties, 318
- Polysilicon
 - films, direct strength testing, cross comparison of techniques, 16
 - strength and fracture toughness, 37
 - see also* Silicon MEMS structures
- Power generation, MEMS, 28
- PZT thin films, 28

R

- Radiation, effects on mechanical properties, 318

Raman spectroscopy, 318

- Recrystallization, Ni₃Al thin foils, 248
- Residual compression, passive strain test under, 168
- Residual strain, passive test, 168
- Residual stress, 139
 - film thickness effect, 96
- R ratio Ni-P amorphous alloy thin film, 52

S

- Sensitivity analysis, 152
- Shape memory, nickel-titanium-copper alloy films, 293
- Silicon dioxide, 214
- Silicon MEMS structures
 - direct strength testing, cross comparison of techniques, 16
 - integrated testing platform, 85
 - microstructure effect, 37
 - nanomechanical test system, 62
 - passive strain test, 168
 - radiation effects on mechanical properties, 318
 - surface topology and fatigue, 3
 - tensile testing using electrostatic force grip, 214
- Silicon nitride, 214
 - tensile testing, 229
- Software integration, 85
- Stability, gold/polysilicon layered MEMS plate structures, 306
- Strength
 - distributions, 16
 - microstructure effects, 37
- Strength testing, cross comparison, 16
- Stress ratios, Ni-P amorphous alloy thin film, 52
- Stress relaxation, free-standing aluminum microbeam, 203
- Surface acoustic waves, 109, 152
- Surface topology, Si MEMS structures, 3

T

- Tensile strength
 - electrodeposited gold film, 262
 - nanomechanical test system, 62
 - thin films, 214
- Tensile stress-strain curves, polysilicon, 229
- Tensile testing
 - cross comparison of techniques, 16
 - free-standing aluminum microbeam, 203
 - thin film, 229
 - using electrostatic force grip, 214
- Texture
 - electrodeposited gold film, 262
 - film thickness effect, 96
 - Ni₃Al thin foils, 248
- Thermomechanical characterization, nickel-titanium-copper shape
 - memory alloy films, 293

Thin film
 brittle, strength determination, 278
 CMOS, Young's modulus, 139
 direct strength testing, cross comparison of
 techniques, 16
 elastic constants, 109
 elastic properties, 152
 fracture toughness, 73
 free-standing aluminum microbeam, 203
 nanomechanical test system, 62
 polysilicon and polydiamond, 318
 tensile testing, 214, 229
 Transmission electron microscopy, free-standing
 aluminum
 microbeam, 203
 Tungsten coating, 96

V

Vickers hardness number, 248

W

Wafer level testing approach, 37
 Wafer scale, MEMS structure testing, 85
 Weibull statistics, 278

Y

Yield strength
 electrodeposited gold film, 262
 free-standing aluminum microbeam, 203
 Young's modulus, 229
 CMOS thin films, 139
 polysilicon and polydiamond thin films, 318