

CORRELATION OF
DEEP-DRAWING PRESS
PERFORMANCE WITH
TENSILE PROPERTIES

* * *

This is an authorized facsimile of the original book, and
was produced in 1971 by microfilm-xerography by University
Microfilms, A Xerox Company, Ann Arbor, Michigan, U.S.A.

* * *

CORRELATION OF DEEP-DRAWING PRESS PERFORMANCE WITH TENSILE PROPERTIES

A Report on Cooperative Research
of the USA Committee of the International
Deep Drawing Research Group

AMERICAN SOCIETY FOR TESTING AND MATERIALS



Reg. U. S. Pat. Off.

ASTM Special Technical Publication No. 390

Price \$1.75; to Members \$1.25

Published by the
AMERICAN SOCIETY FOR TESTING AND MATERIALS
1916 Race St., Philadelphia, Pa. 19103

© by American Society for Testing and Materials 1965
Library of Congress Catalog Card Number: 65-27716

FOREWORD

The International Deep Drawing Research Group originated in 1957 from a nucleus of national groups in Great Britain, France, the Netherlands, Germany, and Sweden with a common interest in the forming of sheet metals. Membership is on a national basis and for each nation must be sponsored by a suitable national technical organization. Belgium, Japan, Italy, and the U.S.A. (1961) have been accepted for membership in addition to the original countries. The U.S.A. membership is sponsored by the American Society for Testing and Materials and is carried out by the U.S.A. National Committee of the IDDRG. The scope of the IDDRG is "common international research on and promotion of international coordination of research on sheet metal forming in general, with particular emphasis on the testing of sheet metals for this purpose."

**NOTE — The Society is not responsible, as a body, for the statements
and opinions advanced in this publication.**

CONTENTS

	PAGE
Plan of the Experiment	3
Production of Experimental Steels	4
Properties of Experimental Steels	6
Press Trial and Results	7
Discussion and Analysis of Results	11
Summary	13
References	14
Tables	15
Figures	25
Appendix I — Test Methods Proposed for This Investigation	34
Appendix II — Plastic Strain Ratio r	36
Appendix III — Work Hardening Exponent n	37
Appendix IV — Strain Measurements	38

