

Subject Index

A

- Algae, 93, 98–103(figs.), 104–107, 126, 139
 - chlorophyll fluorescence, 161
 - detergent chemicals, effects of, 242
 - field and laboratory studies, 243
 - photosynthetic activity, after exposure to TMAC, 248–249
 - pesticides, ecological impacts of, 158–159
 - toxicity tests, TFM, 235
- Alona costata*, 298
- Aquatic animals, 18–29
- Aquatic bioassay systems, 84, 86–87(table)
- Aquatic ecosystems, 1, 129
- Aquatic microcosms, 93 (*see also* Algae; Aquatic ecosystems)
 - production, in laboratory communities, 127, 136, 199–201 (fig.), 202
 - metabolic response variables, 161
 - methods, 137, 147(fig.), 148 (table), 149–152, 153 (table), 154–155, 159–163, 200–202, 201(fig.)
 - MFC, 137, 139
 - SAM, 138
 - respiration, associated with copper treatment, 145(fig.)
- Aquatic microcosms, toxicology, 1, 18, 135, 128–131, 130(fig.), 135, 199 (*see also* Benthos; Community ecology)
- cadmium concentrations, hazard evaluation, 36(tables), 37, 40(fig.)
 - in damaged ecosystems, 38–39(table)
- chemical exposure in shallow-water, 121
- chemical hazards, detergent data, 242
- copper, 96(table), 135, 141–142, 143(fig.)
- discussion, 133–134
- drilling fluids, effects on seagrass communities, 205, 210
- ecosystem variables, 142
- guild approach, 181
 - criteria for, 182–183(fig.), 184
- hazard evaluation
 - discussion, 178–179
 - environmental, 136
 - model, 164(fig.), 167–168
 - reproducibility, 174(table)
 - ranking experiments, 163(table), 165–171(figs.), 172–173, 176(table)
- heavy metals, pollution, 180–189, 190(fig.), 191, 192(figs.)
- interlaboratory standards (SAM), 94, 111–113
- metabolism, 127, 131(fig.)
 - of protozoan communities, using MFC, 225–237
 - discussion, 238–240
- metals, 163(table), 180–198
- MFC and SAM tests, media used in, 141

- Aquatic microcosms, toxicology
(*continued*)
microcosm construction for, 122–125, 159
oxygen measurement, 152(fig.)
biological and chemical variables, 146(fig.), 156–157 (discussion)
effects on gain, 142, 143(fig.), 144
periphyton community, effects of TMAC, 246–248
pesticides, 158, 163(table)
phenols, effects on communities, 291–294, 293(table)
seagrass communities, effects of used drilling fluids, 199–202, 203(fig.)
zooplankton communities, responses to synthetic oil, 292–294, 293(table), 302–303(figs.)
discussion, 316–320
Armandia maculata, adversely affected by drilling fluids, 205
Arsenic, in water, 251(table)
Artificial substrates, 224
Atrazine
in hazard ranking experiments, 166–171(figs.)
in limnocorrals, application of discussion, 289
Aufwuchs, in heated model streams, 325, 329–330

B

- Bacteria, pesticide screening, 159
Benthos, 322–337
community tests, 18, 22, 23(table)
discussion, 29
Kolbäcksån river, 188(fig.), 189(tables), 192(figs.), 193
in heated model streams, 329–330

- metal pollution, 180
metals, tolerance to, 213
toxics, measuring effects of, 218(table, fig.)
clays and drilling fluids, 200
effects of pesticides and toxic organics, 200
effects on salt-water animals, 28
results of exposures, 27
Bioassay, 93
interlaboratory testing, standards, 94
sea urchin, 66
Biodegradation, 241, 249–250
Biomass, 195, 196(fig.), 235
in heated model streams, 322–337
riffle macroinvertebrates, 330–331(figs.), 332, 333(fig.)
survival of juvenile salmonids, 325, 326–327(figs.)
synthetic oil, response to, 291–315
BIOSIM, use in sensitivity studies, 294–295
Biota, 122–123
Blackfly larvae, toxicity tests, TFM, 235
Boron, in water chemistry, 251(table)

C

- Caddisflies
criteria for use in guild testing
available literature, 185
commonness, 182–183, 184 (table)
laboratory practicality, 186
sensitivity, 183, 184(fig.)
taxonomic simplicity 182, 183 (fig.)
exposure to copper and zinc, 185 (fig.), 186(fig.), 220–221
protected by NTA, 217–218 (table, fig.), 219

- use in ecotoxicology testing, 180–198
- Cadmium
 - concentrations in aquatic ecosystems, 34–39(tables), 40 (fig.), 41
 - cumulative tolerance distributions, permissible concentrations, 41–43
 - toxicity to aquatic species, 32–33(table)
 - hazard evaluation methods and cost, 31
 - discussion, 46–47(tables)
 - sea urchins, 88
 - in water, 251(table)
- Canberra metric measures
 - synthetic oil, sensitivity studies, 294–295
- Canids, wild, of North America
 - interactions, ecological factors, 57
 - physical parameters, 51(table)
- Canis latrans* (see Coyote)
- Canis lupes* (see Coyote)
- Cationic surfactant, 241
- Chelation, 213
- Chemical hazard assessment
 - on protozoan communities, 225
 - shallow-water communities, exposure in, 121–122
 - standards development, 225
- Chlorinated pesticides, in water, 251(table)
- Chlorine toxicity, 234
- Chydorus sphaericus*, 296, 298
- Ciliates, 234
- Cladocerans, 129
- Cleavage, 72, 73(fig.), 80(table)
- Community ecology, 49, 129, 241–268 (see also Aquatic ecosystems; Aquatic microcosms, toxicity testing)
 - benthic communities, Kolbäcksan River, 189
 - chemical exposure in shallow water, 121
 - detergent chemicals, effects on aquatic life, literature review, 242
 - effect of coyote population control, 55–57
 - in heated model streams, 322–337
 - interaction between species, 181
 - metal pollution, 180–198
 - periphyton communities, effects of detergent chemicals, 241–243
 - test chambers, 244–245(figs.)
 - TMAC (Howesville creek), 262 (table)
 - toxicity study (Little Miami River), 258–259
- pesticides, 158, 269
- phytoplankton communities
 - effects of detergent chemicals, 241–243
 - test chambers, 244–245(figs.)
 - effects of TMAC 253, 254–257(tables, figs.)
- protozoan communities, protocols for toxicity testing with TFM, 225–240, 232–233 (figs.)
 - efficiency, 236–237
 - species survival, TFM concentrations, 229(fig.), 231(fig.)
- seagrass communities, 199
 - laboratory and field comparison 207–208, 209(table)
 - laboratory microcosm system, used drilling fluids, test for effects of, 202–203(fig.)
 - macroinvertebrates after exposure to drilling fluid and clay, 206(table)
- synthetic oil exposure, response to, 291

- Community ecology, synthetic oil exposure, response to (*continued*)
 discussion, 316–320
 TMAC, effects of, 248–249, 263–265, 264(table)
 toxicity testing protocols, development of, 225
- Community production, 127, 135–137 (*see also* Aquatic microcosms)
 methods, 137
- Community respiration, 135–137
- Community similarity indices, 6
 comparison techniques, test data, 7(table)
 statistical methods, 8–16 (tables 3–16)
 discussion, 16–17
- Community structure and function, 18, 121, 224, 241
 analysis, 180
 guild approach, 181–182
 effect of synthetic oil on zooplankton communities, 292, 294–299
 discussion, 316–320
 effect of TMAC on, 253–257 (tables, figs.), 260(table), 261(table), 262(table)
- Community tests, 199, 224 (*see also* Benthos)
 heavy metals, 180
 pesticides, 158
 toxicity, 199
 developing testing protocols, 225–226, 227(figs.)
 limnocoralls, 270, 271(figs.), 272
 model, 228–229
- Competition, 49, 322
- Compound 1080, 49
- Copepods, 129, 298–300(figs.)
 microcosm control and levels, 302–303(figs.)
 pond control and levels, 304–305(figs.)
- Copper, 135, 213
 as test medium for interlaboratory standards, 96(table), 104–106
 exposure of fish and invertebrates, 220, 221(table), 222
 protected by NTA, 213–215(table), 218–219
 in hazard ranking experiments, 165–171(figs.)
 toxicity testing, in aquatic microcosms, 163(table)
 water quality, 251(table)
- Coyote
 population control, 52–53, 54(fig.)
 effect on other mammals and birds, 55–56
- Cyclopoid nauplii (*Cyclops vernalis*) (*see* Zooplankton)
- Czekanowski Percentage Similarity Index
 in community structure analysis, 181
- ## D
- Daphnia*, 93, 214
 to establish standards for interlaboratory testing, 98–103(figs.), 105, 108–109 (tables)
- Detergent chemicals, effects on aquatic life, literature review, 242
- Detoxification, 213
- Dobsonfly larvae, toxicity test, TFM, 235
- Dragonfly naiads, toxicity test, TFM, 235

Drilling fluids
 impact on seagrass microcosm
 communities, 199, 202–203

E

Ecosystems, 135 (*see also* Community structure and function)
 cadmium, hazard evaluation, 35
 effect of concentrations, 36 (tables)
 heavy metals, Kolbäcksån River, case study 187
 pesticides, impacts of, 158
 production, 127
 synthetic oil exposure, 291
 toxicology, 180 (*see also* Aquatic microcosms)
 testing, 2–3, 158
 guild approach, 181–182
 seagrass communities, 210
 Ecotoxicology (*see* Ecosystems, toxicology)
 Embryogenesis, fertilization
 of sea urchins 69, 70(table), 71 (fig.), 73(fig.), 74–75(figs.), 78–79(tables)
 Enclosures, 269
 Environmental contaminants
 sea urchin bioassay, 82–83
 as predictive model for toxicology, 90
 Environmental tests, 18
 laboratory, 241
 Epiphytes, effected by used drilling fluids, 200–201(fig.), 205, 206–207(table)
 Estuarine benthic communities (*see* Benthos)
 Evaluation community species composition, 6
 Experimental microcosms (*see* Microcosm)

Experimental streams (*see* Model streams)

F

Fate, 241–268
 Fertilization embryogenesis (*see* Embryogenesis)
 Field tests
 benthos, 21, 23(table)
 Fish
 exposure to copper and zinc, 213–215(table), 218–221
 production in heated model streams, 323
 toxicity tests, TFM, 235
 Foxes
 effect of coyote population control, 54

G

Gastrula (*see* Sea urchins)
 Gray wolf (*see* Coyote)
 Guild (*see* Aquatic microcosms)

H

Hazard evaluation
 aquatic ecosystems, pesticide screening
 discussion, 178–179
 cadmium, 30
 materials and methods, 31
 discussion, 46–47(tables)
 chemical exposure, shallow water, 121
 heavy-metal pollution, 180
 case study, Kolbäcksån River, 187, 188–189(fig., tables)
 model, 164(fig.)
 ranking experiments, 165–171 (figs.)

- Hazard evaluation (*continued*)
 toxicity testing, 136
 pesticides, screening protocols, 158–159
 protocols, assessing predictability and replicability, 225
 Heavy-metal pollution (*see* Cadmium; Metal pollution)
 Herbicides (*see* Pesticides)
Hydropsyche, 180

I

- Insecticides (*see* Pesticides)
 Interlaboratory testing
 standardization methods (SAM), 93–95, 112–113
 copper, 96(table)
 discussion and comparisons, 118–120
 equipment, training, costs, 116–117
 statistical analysis, 107, 110–111
 statistical techniques, 97
 Invertebrates
 NTA protects against copper and zinc, 213–215(table), 218–221

J

- Juvenile coho salmon (*see* Salmonids)

K

- Kolbäckån river, case study, for heavy-metal pollution, 180–198

L

- Laboratory algae, 241
 Laboratory-field validation, 241
 Lamprey, 225
 larvae, toxicity testing, TFM, 235

- Lauryl trimethyl ammonium chloride (TMAC), test on algae, 242–243
 Lead, in water, 251(table)
 Limnocorrals, 269, 272
 construction details, 270, 271(figs.)
 discussion, 288–290
 pesticide applications, 272–273, 277–280, 281(table)
 size of corral, influence on impact of, 284(fig.), 285(fig., table), 286(table), 287
 Littoral ecosystems, 121, 127 (*see also* Aquatic ecosystems; Aquatic microcosms)
 microcosm construction in laboratories, 122
 fauna development, 125
 responses to toxic chemicals, 122

M

- Macrocylops albidus* (*see* Zooplankton)
 Macroinvertebrates, in heated model streams, 325, 329, 330–331(figs.), 332, 333(fig.), 334–335
 Macrophytes, 122–126, 335
 Manganese, in water, 251(table)
 Mayflies, exposure to copper and zinc, 218–221
 Mercury, in water, 251(table)
 Metabolism, aquatic ecosystems, 127
 Metal pollution, 180–198 (*see also* Cadmium)
 Metal toxicity, NTA protection from, 213–217
 Methoxychlor
 application in limnocorrals, 274, 278–280, 279(fig.), 281(table), 286–287
 in hazard ranking experiments 166–171(figs.)

- Methyl mercury, toxicity testing for, 163(table)
- MFC (mixed flask culture), 135–137
- Microcosms, 199, 93, 322 (*see also* Aquatic microcosms)
- chemical exposure in shallow water experimental, 122–124, 199
 - laboratory experiment, 292–293 (table)
 - littoral communities, complexity in, 126
 - metals, 163(table)
 - pesticides, impacts of 158–159
 - pond experiment, 293–294
 - standards, 94–95, 135
 - synthetic oil exposure, response to, 291–315, 298–300(figs.) 302–303(figs.)
 - discussion, 316–320
 - zooplankton communities, 306–307(figs.), 310, 311(fig.), 314(fig.), 315
 - toxicity testing, 33, 135
- Microinvertebrates, 126
- Midges, exposure to copper and zinc, 218–221
- Mixed flask cultures (MFC), 136
- Model streams, heated
- biomass in, 325–328, 332, 333–334(figs.), 335
 - production of salmonids in, 322–325, 335
 - materials and methods, 323–324
- Multispecies testing, 224

N

- Nickel, in water, 251(table)
- Nitrilotriacetic acid
- protects fish and invertebrates against copper and zinc, 213–215(table)
- NTA (*see* Nitrilotriacetic acid)

O

- Ohio, Little Miami River, chemical quality of waters, 251(table)
- Oil, synthetic, exposure to
- in zooplankton communities, 291–294, 293(table), 295–297
 - discussion, 316–320
- Organophosphates, chemical quality of waters, 251(table)
- Oxygen measurements in aquatic microcosms
- pH change associated with copper treatment, 144

P

- Periphyton, 125–126, 241, 322
- test chambers, 244–245(figs.)
 - toxicity tests, TFM, 235
- Permethrin, application in limnocorrals, 274, 275(fig., table), 277(fig.), 278
- Pesticides
- chlorinated, in water, 251(table)
 - concentrations, in aquatic microcosms, 163(table)
 - ecological impacts of, 158, 269
 - limnocorrals, application in, 272–274, 273(fig.), 275(fig., table), 276(table), 277(fig.), 278, 279(fig.)
 - size, influence of, 284(fig.), 285(fig., table), 286–287, 286(table)
 - screening tests for, 159
- Petromyzon marinus* (*see* Lamprey)
- Phenols (*see* Oil, synthetic)
- Photosynthesis
- activity after exposure to TMAC, 241, 248–249, 252–253(fig.)
- Phytoplankton communities, 7(table), 126, 158, 241
- composition, 161, 175(table)

Phytoplankton communities (*continued*)
 toxicity test, detergent chemicals,
 243, 246–250
 test chambers, 244–245(figs.)
 TMAC concentrations, 252
 (table)

Plankton, 126

Pluteus (*see* Sea urchins)

Ponds, 121

synthetic oils, zooplankton com-
 munity responses to, 293–
 294, 298–299, 300(fig.), 301,
 304–305(figs.), 308–309
 (figs.), 310

Predation, coyote

control of coyotes, 49–50, 51(table)
 effect on large mammals, 55
 wild canids, 51(table)

Production, 322

Protozoan communities, 33–34, 224
 cadmium, response to, 34(tables)
 in laboratory microcosms, 125
 pesticides, screening tests for, 158
 toxicity protocols, assessing pre-
 dictability and replicability
 of hazardous substances,
 225

TFM, efficiency, 236–237

R

Red fox (*see* Coyote)

Respiration (*see* Community respi-
 ration)

Riffle macroinvertebrates (*see* Bio-
 mass; Macroinvertebrates)

Rotifers, 129

limnocostrs, influence of pesti-
 cide
 applications in, 286–287
 permethrin, sensitivity to, 278

synthetic oil effects on, 298–
 300(figs.)

microcosm control and levels,
 302–303(figs.)

pond control and levels, 304–
 305(figs.)

S

Salmonids

metabolic rates in aquaria, 323

production in heated model
 streams, 322–325, 332–333,
 334(fig.), 335

behavior of juveniles, 328, 328–
 329(figs.)

survival of juveniles, 325, 326–
 327(figs.)

SAM (standardized aquatic micro-
 cosm), 94–95, 135–137

Seagrass communities

drilling fluids, effects of, 199,
 205

laboratory microcosm communi-
 ties, 200–201(fig.), 202

Sea urchins

bioassay for assessment of pollu-
 tant hazards, 67, 68–69
 (tables), 84

embryotoxicity of test agents, 69

Sensitivity analysis, synthetic oil in
 zooplankton communities,
 294

Shallow-water ecosystems, 199–201
 chemical exposure in, 121–122

used drilling fluids, effects of, 200–
 201, 205

Silver, in water, 251(table)

Simocephalus vetulus (*see* Zoo-
 plankton)

Snails, 127

Sodium fluoracetate, 50

Sorensen Index
 in community structure analysis, 181

Sperm
 sea urchin, assessment of biological action, 70, 76, 77(fig.), 78–79(tables)
 enhancement of fertilization, 82–83(figs.)
 inactivation, 80–81(figs.), 84–85(figs.)

Standardized aquatic microcosm (SAM), 94
 statistical techniques, 97

Steelhead trout (*see* Salmonids)

Stoneflies, 218

Stream communities, 322
 Model streams, experimental, 323
 TMAC, dosing study, 248
 Howesville creek, 259(fig.)

Surfactant mixtures, effects on aquatic life, 242

Synthetic oil (*see* Oil, synthetic)

T

Temperature, 322

Tests
 equipment, 18

TFM (*see* 3-trifluoromethyl-4-nitrophenol)

Thalassia, effected by drilling fluids, 200, 204–205, 207(tables)

3-trifluoromethyl-4-nitrophenol, 224
 toxicity testing, on protozoan communities, 225
 species survival at different concentration rates, 229(fig.), 230(table, fig.)

TMAC (*see* Trimethyl ammonium chloride)

Toxicity, 18, 121, 198
 of detergent chemicals, 242–243

 of heavy metals, 180

 testing, 2–3, 93, 213, 224, 241
 bioassay of sea urchins, 67, 76, 86–87(table)
 ecosystems for, 135, 291
 for chemical environmental hazards, 30
 in experimental microcosms, 199

Trifluralin, in hazard rankings, 166–171(figs.)

Trimethyl ammonium chloride (TMAC), test effects on community ecology, 242–243, 248–249

Trout, steelhead (*see* Salmonids)

V

Vertebrate pest control, 50

Vulpes vulpes (*see* Coyote)

W

Water chemistry, 249–250, 251(table)

Water pollution, 18

Water quality
 synthetic oil concentrations, 294, 296
 temperature, in heated model streams, 322–323

Wild canids of North America
 physical descriptions, 51(table)

Z

Zinc
 fish and invertebrates protected by NTA, 213–215(table)
 in water, 251(table)

Zooplankton, 158, 269 (*see also* Aquatic microcosms)

Zooplankton (*continued*)

composition, 161, 176(table)
 density, in limnocorrals, 282(table),
 283(table), 284–285(figs.,
 table), 286(table)
 in freshwater communities, 292
 in laboratory communities, 125,
 139, 292–293
 oil, synthetic, responses to expo-
 sure, 291–294, 293(table),
 294–297
 discussion, 316–320

microcosm abundance and bio-
 mass, 302–303(figs.)

ponds, 304–405(figs.), 312–
 314(figs.), 315

pesticides

limnocorrals, application in, 272,
 273(fig.), 274, 275(table,
 figs.), 276(table), 277(fig.),
 278–280, 281(table), 282
 (fig., table)

screening tests for, 158

Zygote (*see* Sea urchins)